

**LUND**<sup>®</sup>  
THE ULTIMATE FISHING EXPERIENCE

---

**2021**  
**RED BOOK**

---





---

# QUALITY FEATURES

---

What sets Lund apart from other aluminum boat builders is our ability to get more out of the material. We build our boats to a different standard, with longitudinal stringers, double-riveted seams and sophisticated twin-plating that doesn't add excessive weight.

- Aluminum corner castings
- Composite & Aluminum Transoms
- Durable wraparound windshield
- Easy-access service portals
- Flushmount horn
- Heavy-duty consoles
- Heavy-duty transom and gunwales
- Lighted instrumentation, including fuel gauge, trim gauge, speedometer, tachometer and voltmeter
- Long-lasting oven-cured finish
- Treated marine grade plywood
- Molded interior surfaces and side panels
- Navigational lighting
- No-pinch integrated seat hinges
- Recessed stainless-steel cleats
- Stainless steel bow rails
- Vinyl wrapped interior
- Wider chine for smoother, more stable ride

# TABLE OF CONTENTS

|                     |                            |    |
|---------------------|----------------------------|----|
| <b>A</b>            | A-12 .....                 | 4  |
|                     | A-14 .....                 | 5  |
| <b>ADVENTURE</b>    | 1675 Adventure Sport ..... | 6  |
|                     | 1675 Adventure SS .....    | 7  |
|                     | 1775 Adventure Sport ..... | 8  |
|                     | 1775 Adventure SS .....    | 9  |
| <b>ALASKAN</b>      | 1600 Alaskan SS .....      | 10 |
|                     | 1600 Alaskan Tiller .....  | 11 |
|                     | 1800 Alaskan DC .....      | 12 |
|                     | 1800 Alaskan SS .....      | 13 |
|                     | 1800 Alaskan Tiller .....  | 14 |
|                     | 2000 Alaskan DC .....      | 15 |
|                     | 2000 Alaskan SS .....      | 16 |
|                     | 2000 Alaskan Tiller .....  | 17 |
| <b>ANGLER</b>       | 1650 Angler Sport .....    | 18 |
|                     | 1650 Angler SS .....       | 19 |
|                     | 1650 Angler Tiller .....   | 20 |
| <b>BARON®</b>       | 2275 Baron .....           | 21 |
| <b>CROSSOVER XS</b> | 1775 Crossover XS .....    | 22 |
|                     | 1875 Crossover XS .....    | 23 |
| <b>FURY</b>         | 1400 Fury SS .....         | 25 |
|                     | 1400 Fury Tiller .....     | 26 |
|                     | 1600 Fury SS .....         | 27 |
|                     | 1600 Fury Tiller .....     | 28 |
| <b>IMPACT</b>       | 1675 Impact Sport .....    | 29 |
|                     | 1675 Impact SS .....       | 30 |
|                     | 1775 Impact Sport .....    | 31 |
|                     | 1775 Impact SS .....       | 32 |
|                     | 1875 Impact Sport .....    | 33 |
|                     | 1875 Impact SS .....       | 34 |
| <b>IMPACT XS</b>    | 1675 Impact XS Sport ..... | 35 |
|                     | 1775 Impact XS Sport ..... | 36 |
|                     | 1875 Impact XS Sport ..... | 37 |
|                     | 2025 Impact XS Sport ..... | 38 |
| <b>JON</b>          | 1032 Jon-Flat Bow .....    | 39 |
|                     | 1232 Jon-Flat Bow .....    | 40 |
|                     | 1236 Jon-Flat Bow .....    | 41 |
|                     | 1436 Jon-Flat Bow .....    | 42 |
|                     | 1448 Jon-Flat Bow .....    | 43 |
|                     | 1448M Jon-V Bow .....      | 44 |
|                     | 1648 Jon-V Bow .....       | 45 |
|                     | 1648M Jon-V Bow .....      | 46 |
|                     | 1852M Jon-V Bow .....      | 47 |
| <b>OUTFITTER</b>    | 1750 Outfitter .....       | 48 |
| <b>PREDATOR</b>     | 1660 Predator Tiller ..... | 49 |
|                     | 1760 Predator SS .....     | 50 |
|                     | 1760 Predator Tiller ..... | 51 |
|                     | 1870 Predator CC .....     | 52 |
|                     | 1870 Predator SS .....     | 53 |
|                     | 1870 Predator Tiller ..... | 54 |
|                     | 2070 Predator CC .....     | 55 |
|                     | 2070 Predator SS .....     | 56 |

|  |                            |     |
|--|----------------------------|-----|
| <b>PRO GUIDE</b>                         | 1675 Pro Guide .....       | 57  |
|  | 1775 Pro Guide .....       | 58  |
|  | 1875 Pro Guide .....       | 59  |
|  | 2075 Pro Guide .....       | 60  |
| <b>PRO-V</b>                             | 1875 Pro-V .....           | 61  |
|  | 1975 Pro-V .....           | 62  |
|  | 2075 Pro-V .....           | 63  |
|  | 2175 Pro-V .....           | 64  |
| <b>PRO-V BASS</b>                        | 1875 Pro-V Bass .....      | 65  |
|  | 1875 Pro-V Bass XS .....   | 66  |
|  | 2075 Pro-V Bass .....      | 67  |
|  | 2075 Pro-V Bass XS .....   | 68  |
| <b>PRO-V GL</b>                          | 189 Pro-V GL .....         | 69  |
|  | 202 Pro-V GL .....         | 70  |
|  | 219 Pro-V GL .....         | 71  |
| <b>PRO-V LIMITED</b>                     | 1875 Pro-V Limited .....   | 72  |
|  | 1975 Pro-V Limited .....   | 73  |
|  | 2075 Pro-V Limited .....   | 74  |
|  | 2175 Pro-V Limited .....   | 75  |
| <b>PRO-V MUSKY</b>                       | 1875 Pro-V Musky .....     | 76  |
|  | 1875 Pro-V Musky XS .....  | 77  |
|  | 2075 Pro-V Musky .....     | 78  |
|  | 2075 Pro-V Musky XS .....  | 79  |
| <b>REBEL XL</b>                          | 1650 Rebel XL Sport .....  | 80  |
|  | 1650 Rebel XL SS .....     | 81  |
|  | 1650 Rebel XL Tiller ..... | 82  |
| <b>RENEGADE</b>                          | 1775 Renegade SS .....     | 83  |
|  | 1875 Renegade SS .....     | 84  |
| <b>SPORT ANGLER</b>                      | 1800 Sport Angler .....    | 85  |
|  | 2000 Sport Angler .....    | 86  |
| <b>SSV</b>                               | SSV 14 .....               | 87  |
|  | SSV 16 .....               | 88  |
|  | SSV 18 .....               | 89  |
| <b>TYEE®</b>                             | 1875 Tyee .....            | 90  |
|  | 1975 Tyee .....            | 91  |
|  | 2075 Tyee .....            | 92  |
| <b>TYEE GL</b>                           | 189 Tyee GL .....          | 93  |
|  | 208 Tyee GL .....          | 94  |
| <b>TYEE LIMITED</b>                      | 1875 Tyee Limited .....    | 95  |
|  | 1975 Tyee Limited .....    | 96  |
|  | 2075 Tyee Limited .....    | 97  |
| <b>TYEE MAGNUM</b>                       | 2075 Tyee Magnum .....     | 98  |
| <b>WC</b>                                | WC-12 .....                | 99  |
|  | WC-14 .....                | 100 |
|  | WC-16 .....                | 101 |
| <b>2021 TROLLING MOTOR GUIDE</b> .....   |                            | 102 |
| <b>2021 STEERING SYSTEMS GUIDE</b> ..... |                            | 103 |
| <b>2021 CARPET/VINYL GUIDE</b> .....     |                            | 105 |
| <b>2021 PROP SELECTOR GUIDE</b> .....    |                            | 111 |

# A-12

## STANDARD FEATURES

- Cross Seats (3)
- Composite Transom
- Aluminum Keelsons (2)
- Aluminum Seat Tops
- Bow Eye
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                       |                  |
|-----------------------|------------------|
| <b>Min/Max HP</b>     | 10 HP            |
| <b>Beam</b>           | 60"              |
| <b>Transom Height</b> | 15"              |
| <b>Boat Length</b>    | 12' 1"           |
| <b>Boat Weight</b>    | 164 lbs.         |
| <b>Motor Weight</b>   | 84 lbs. (9.9 45) |
| <b>Trailer Weight</b> | 173 lbs.         |
| <b>Total Weight</b>   | 421 lbs.         |

|                            |                               |
|----------------------------|-------------------------------|
| <b>Max Persons</b>         | 3                             |
| <b>Freeboard Thickness</b> | 0.063"                        |
| <b>Bottom Thickness</b>    | 0.063"                        |
| <b>Max Hull Thickness</b>  | 0.063"                        |
| <b>Available Colors</b>    | Alumnum<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | Semi V-Hull                   |

\*Optional Upcharge

# A-14

## STANDARD FEATURES

Cross Seats (3)  
Composite Transom  
Aluminum Keelsons (2)  
Aluminum Seat Tops  
Bow Eye  
Hull Drain Plug  
Level Flotation Compliance  
Oar Locks  
Stern Handles  
Flat Bottom



|                       |                 |
|-----------------------|-----------------|
| <b>Min/Max HP</b>     | 15 HP           |
| <b>Beam</b>           | 61"             |
| <b>Transom Height</b> | 15"             |
| <b>Boat Length</b>    | 14' 1"          |
| <b>Boat Weight</b>    | 194 lbs.        |
| <b>Motor Weight</b>   | 99 lbs. (15 4S) |
| <b>Trailer Weight</b> | 180 lbs.        |
| <b>Total Weight</b>   | 473 lbs.        |

|                            |                                |
|----------------------------|--------------------------------|
| <b>Total Max Persons</b>   | 3                              |
| <b>Freeboard Thickness</b> | 0.063"                         |
| <b>Bottom Thickness</b>    | 0.063"                         |
| <b>Max Hull Thickness</b>  | 0.063"                         |
| <b>Available Colors</b>    | Aluminum<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | Semi V-Hull                    |

\*Optional/Upcharge

# 1675 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)



- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP       |
| <b>Beam/Chine</b>           | 87" / 70.75"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 1,060 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,900 lbs.       |
| <b>Total Storage Length</b> | 18' 10"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 6"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |

|                             |   |
|-----------------------------|---|
| <b>Freeboard Thickness</b>  | 0.063"  |
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.143"  |
| <b>Cockpit Depth</b>        | 23"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 60 4S               | 30-34 mph   |
| Mercury 75 4S               | 38-42 mph   |
| Mercury 90 4S               | 41-45 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |



# 1675 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield

### Storage


- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform



- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP       |
| <b>Beam/Chine</b>           | 87" / 70.75"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 1,010 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,850 lbs.       |
| <b>Total Storage Length</b> | 18' 10"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 23"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 60 4S               | 30-34 mph         |
| Mercury 75 4S               | 38-42 mph         |
| Mercury 90 4S               | 41-45 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS               |

# 1775 ADVENTURE SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"
- Rod Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint



- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug (12/24V)
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 60 / 115 HP           |
| <b>Beam/Chine</b>           | 87" / 70.75"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 17' 10"               |
| <b>Boat Weight</b>          | 1,185 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 481 lbs.              |
| <b>Total Weight</b>         | 2,025 lbs.            |
| <b>Total Storage Length</b> | 20'                   |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 6"                 |
| <b>Boat/Trailer Width</b>   | 7' 6"                 |
| <b>Max Persons</b>          | 6                     |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.143"  |
| <b>Cockpit Depth</b>        | 23"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 60 4S               | 30-34 mph   |
| Mercury 75 4S               | 35-39 mph   |
| Mercury 90 4S               | 39-43 mph   |
| Mercury 115 Pro XS          | 43-47 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |

# 1775 ADVENTURE SS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Fixed Solid Mainstay (1)
- Removable Solid Pedestals (1)
- Standard Seats (2)
- Seat Bases (6)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (37" Long / 23 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Console w/Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Rod Storage - (5) 7', (5) 7' 5"

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Dual Track Gunwale
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Stainless Steel Fold Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)



### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r TRAILER
- LUVE22LTSH LundGuard Bunk
- (2) 2x4 Bunks / LundGuard Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP       |
| <b>Beam/Chine</b>           | 87" / 70.75"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17' 10"          |
| <b>Boat Weight</b>          | 1,135 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,975 lbs.       |
| <b>Total Storage Length</b> | 20'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.143"  |
| <b>Cockpit Depth</b>        | 23"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 60 4S               | 30-34 mph   |
| Mercury 75 4S               | 35-39 mph   |
| Mercury 90 4S               | 39-43 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |

# 1600 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage

- Battery Storage Compartments
- Rod Storage (7'0")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

Shoreland'r LUV22LTMH Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 75 HP       |
| <b>Beam/Chine</b>           | 81" / 69.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 915 lbs.         |
| <b>Motor Weight</b>         | 359 lbs. (75 4S) |
| <b>Trailer Weight</b>       | 510 lbs.         |
| <b>Total Weight</b>         | 1,784 lbs.       |
| <b>Total Storage Length</b> | 19' 1"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 9"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |
| <b>Bottom Thickness</b>     | 0.100"           |

|                             |  |
|-----------------------------|--|
| <b>Max Hull Thickness</b>   | 0.100"   |
| <b>Cockpit Depth</b>        | 21"  |
| <b>Engine/Approx. Speed</b> |  |
| Mercury 40 4S               | 26-30 mph  |
| Mercury 50 4S               | 27-31 mph  |
| Mercury 60 4S               | 29-33 mph  |
| Mercury 75 4S               | 34-38 mph  |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic<br>Fall Marsh (Paint)*<br>Wetlands Wrap* |
| <b>Hull Design</b>          | IPS  |

\*Optional/Upcharge

# 1600 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (3)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage

- Battery Storage Compartments
- Rod Storage (7'0")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- Shoreland'r LUV22LTMH Painted Bunk

|                                     |                  |
|-------------------------------------|------------------|
| <b>Min/Max HP</b>                   | 40 / 60 HP       |
| <b>Beam/Chine</b>                   | 81" / 69.5"      |
| <b>Transom Height</b>               | 20"              |
| <b>Boat Length</b>                  | 16' 10"          |
| <b>Boat Weight</b>                  | 860 lbs.         |
| <b>Motor Weight</b>                 | 247 lbs. (60 4S) |
| <b>Trailer Weight</b>               | 510 lbs.         |
| <b>Total Weight</b>                 | 1,617 lbs.       |
| <b>Total Storage Length</b>         | 19' 1"           |
| <b>Boat/Motor On Trailer Height</b> | 5' 2"            |
| <b>Boat/Trailer Width</b>           | 7' 6"            |
| <b>Max Persons</b>                  | 6                |
| <b>Freeboard Thickness</b>          | 0.063"           |

|                             |  |
|-----------------------------|--|
| <b>Bottom Thickness</b>     | 0.100"   |
| <b>Max Hull Thickness</b>   | 0.100"   |
| <b>Cockpit Depth</b>        | 21"  |
| <b>Engine/Approx. Speed</b> |  |
| Mercury 40 4S               | 27-31 mph  |
| Mercury 50 4S               | 28-32 mph  |
| Mercury 60 4S               | 30-34 mph  |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic<br>Fall Marsh (Paint)*<br>Wetlands Wrap* |
| <b>Hull Design</b>          | IPS  |

\*Optional/Upcharge

# 1800 ALASKAN DC

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/ Walkthrough Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- Shoreland'r Trailer
- Shoreland'r LUV2314XL Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP       |
| <b>Beam/Chine</b>           | 83" / 69.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 18' 9"           |
| <b>Boat Weight</b>          | 1,105 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 683 lbs.         |
| <b>Total Weight</b>         | 2,147 lbs.       |
| <b>Total Storage Length</b> | 22'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 6"            |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 7                |
| <b>Freeboard Thickness</b>  | 0.080"           |
| <b>Bottom Thickness</b>     | 0.100"           |

|                             |                     |
|-----------------------------|---------------------|
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury 75 4S               | 32-36 mph           |
| Mercury 90 4S               | 36-40 mph           |
| <b>Available Colors</b>     | Heritage Red        |
|                             | Cobalt Blue         |
|                             | Arctic White        |
|                             | Black               |
|                             | Gunmetal Metallic   |
|                             | Fall Marsh (Paint)* |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 1800 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (5)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removeable Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

Shoreland'r LUV2314XL Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP       |
| <b>Beam/Chine</b>           | 83" / 69.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 18' 9"           |
| <b>Boat Weight</b>          | 1,013 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 683 lbs.         |
| <b>Total Weight</b>         | 2,072 lbs.       |
| <b>Total Storage Length</b> | 22'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 5"            |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 7                |
| <b>Freeboard Thickness</b>  | 0.080"           |
| <b>Bottom Thickness</b>     | 0.100"           |

|                             |  |
|-----------------------------|--|
| <b>Max Hull Thickness</b>   | 0.100"   |
| <b>Cockpit Depth</b>        | 21"  |
| <b>Engine/Approx. Speed</b> |  |
| Mercury 50 4S               | 26-30 mph  |
| Mercury 60 4S               | 27-31 mph  |
| Mercury 75 4S               | 32-36 mph  |
| Mercury 90 4S               | 36-40 mph  |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic<br>Fall Marsh (Paint)*<br>Wetlands Wrap* |
| <b>Hull Design</b>          | IPS  |

\*Optional/Upcharge

# 1800 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 20 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (46" Long / 13 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage (8' 6")
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance

### Other Interior Features

- Aft Trolling Motor Harness w/Plug
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

Shoreland'r LUV2314XL Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP       |
| <b>Beam/Chine</b>           | 83" / 69.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 18' 9"           |
| <b>Boat Weight</b>          | 975 lbs.         |
| <b>Motor Weight</b>         | 359 lbs. (75 4S) |
| <b>Trailer Weight</b>       | 683 lbs.         |
| <b>Total Weight</b>         | 2,017 lbs.       |
| <b>Total Storage Length</b> | 22'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 2"            |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 7                |
| <b>Freeboard Thickness</b>  | 0.080"           |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.100"              |
| <b>Max Hull Thickness</b>   | 0.100"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury 50 4S               | 27-31 mph           |
| Mercury 60 4S               | 28-32 mph           |
| Mercury 75 4S               | 33-37 mph           |
| <b>Available Colors</b>     | Heritage Red        |
|                             | Cobalt Blue         |
|                             | Arctic White        |
|                             | Black               |
|                             | Gunmetal Metallic   |
|                             | Fall Marsh (Paint)* |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge



# 2000 ALASKAN DC

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Dual Consoles w/Walkthrough Windshield

### Storage


- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood
- Vinyl Deck Mounting Pad/Bulkhead



Vinyl Rod Storage Tops  
Transhield Cover

### Trailer

Shoreland'r LUV28BXXL Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP      |
| <b>Beam/Chine</b>           | 90.5" / 76"      |
| <b>Transom Height</b>       | 25"              |
| <b>Boat Length</b>          | 20' 6"           |
| <b>Boat Weight</b>          | 1,301 lbs.       |
| <b>Motor Weight</b>         | 455 lbs (150 4S) |
| <b>Trailer Weight</b>       | 754 lbs.         |
| <b>Total Weight</b>         | 2,501 lbs.       |
| <b>Total Storage Length</b> | 22' 8"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 10"           |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 7                |
| <b>Freeboard Thickness</b>  | 0.080"           |

|                             |  |
|-----------------------------|--|
| <b>Bottom Thickness</b>     | 0.125"   |
| <b>Max Hull Thickness</b>   | 0.125"   |
| <b>Cockpit Depth</b>        | 21"  |
| <b>Engine/Approx. Speed</b> |  |
| Mercury 90 4S               | 34-38 mph  |
| Mercury 115 4S              | 37-41 mph  |
| Mercury 150 4S              | 43-47 mph  |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic<br>Fall Marsh (Paint)*<br>Wetlands Wrap* |
| <b>Hull Design</b>          | IPS  |

\*Optional/Upcharge

# 2000 ALASKAN SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (5)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Removable Windshield

### Storage

- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Trolling Motor Harness w/Plug
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops



- Transhield Cover
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r LUV28BXXL Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP      |
| <b>Beam/Chine</b>           | 90.5" / 76"      |
| <b>Transom Height</b>       | 25"              |
| <b>Boat Length</b>          | 20' 6"           |
| <b>Boat Weight</b>          | 1,226 lbs.       |
| <b>Motor Weight</b>         | 455 lbs (150 4S) |
| <b>Trailer Weight</b>       | 754 lbs.         |
| <b>Total Weight</b>         | 2,435 lbs.       |
| <b>Total Storage Length</b> | 22' 8"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 6"            |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 7                |
| <b>Freeboard Thickness</b>  | 0.080"           |

|                             |                     |
|-----------------------------|---------------------|
| <b>Bottom Thickness</b>     | 0.125"              |
| <b>Max Hull Thickness</b>   | 0.125"              |
| <b>Cockpit Depth</b>        | 21"                 |
| <b>Engine/Approx. Speed</b> |                     |
| Mercury 90 4S               | 34-38 mph           |
| Mercury 115 4S              | 37-41 mph           |
| Mercury 150 4S              | 43-47 mph           |
| <b>Available Colors</b>     | Heritage Red        |
|                             | Cobalt Blue         |
|                             | Arctic White        |
|                             | Black               |
|                             | Gunmetal Metallic   |
|                             | Fall Marsh (Paint)* |
|                             | Wetlands Wrap*      |
| <b>Hull Design</b>          | IPS                 |

\*Optional/Upcharge

# 2000 ALASKAN TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (4)

### Fuel Tank

- 29 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage

- Battery Storage Compartments
- Rod Storage (8' 0" Port / 9' Starboard)
- Storage Compartments

### Other Exterior Features

- 4 Step Transom Mount Ladder
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Drink Cup Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Vinyl Deck Mounting Pad/Bulkhead
- Vinyl Rod Storage Tops
- Transhield Cover
- Treated Marine Grade Plywood



### Trailer

- Shoreland'r LUV28BXXL Painted Bunk

|                                     |                  |
|-------------------------------------|------------------|
| <b>Min/Max HP</b>                   | 90 / 150 HP      |
| <b>Beam/Chine</b>                   | 90.5" / 76"      |
| <b>Transom Height</b>               | 25"              |
| <b>Boat Length</b>                  | 20' 6"           |
| <b>Boat Weight</b>                  | 1,131 lbs.       |
| <b>Motor Weight</b>                 | 455 lbs (150 4S) |
| <b>Trailer Weight</b>               | 754 lbs.         |
| <b>Total Weight</b>                 | 2,340 lbs.       |
| <b>Total Storage Length</b>         | 22' 8"           |
| <b>Boat/Motor On Trailer Height</b> | 6' 1"            |
| <b>Boat/Trailer Width</b>           | 8'               |
| <b>Max Persons</b>                  | 7                |
| <b>Freeboard Thickness</b>          | 0.080"           |

|                             |  |
|-----------------------------|--|
| <b>Bottom Thickness</b>     | 0.125"   |
| <b>Max Hull Thickness</b>   | 0.125"   |
| <b>Cockpit Depth</b>        | 21"  |
| <b>Engine/Approx. Speed</b> |  |
| Mercury 90 4S               | 35-39 mph  |
| Mercury 115 4S              | 38-42 mph  |
| Mercury 150 4S              | 43-47 mph  |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic<br>Fall Marsh (Paint)*<br>Wetlands Wrap* |
| <b>Hull Design</b>          | IPS  |

\*Optional/Upcharge

# 1650 ANGLER SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long/16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Dual Consoles w/  
Walkthrough Windshield
- Flush Mount Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Port Rod Storage - 8' 9"
- Lockable Starboard Rod Storage - 7' 6"
- Storage Compartments
- Stern Light Pole Storage Location w/  
Holders

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to  
Amidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders



- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood -  
Bow to Stern
- Shoreland'r Trailer**
- E-Coat Painted Wheels w/Radial  
Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks /  
Lundguard Frame / Tongue Jack

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP       |
| <b>Beam/Chine</b>           | 80.5" / 66.25"   |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 5"           |
| <b>Boat Weight</b>          | 905 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (50 45) |
| <b>Trailer Weight</b>       | 443 lbs.         |
| <b>Total Weight</b>         | 1,595 lbs.       |
| <b>Total Storage Length</b> | 19' 4"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 1"            |
| <b>Boat/Trailer Width</b>   | 6' 6"            |

|                            |   |
|----------------------------|---|
| <b>Max Persons</b>         | 5   |
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.080"  |
| <b>Max Hull Thickness</b>  | 0.143"  |
| <b>Cockpit Depth</b>       | 20.75"  |
| <b>Engine</b>              |   |
| Mercury 40 45              | 26-30 mph   |
| Mercury 50 45              | 27-31 mph   |
| Mercury 60 45              | 28-32 mph   |
| <b>Available Colors</b>    | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>         | IPS   |

# 1650 ANGLER SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long/16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Custom Console w/Windshield
- Flush Mount Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No Feedback Steering
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Lockable Port Rod Storage - 8' 9"
- Lockable Starboard Rod Storage - 7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale



- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- E-Coat Painted Wheels w/Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / Lundguard Frame / Tongue Jack

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 50 HP       |
| <b>Beam/Chine</b>           | 80.5" / 66.25"   |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 5"           |
| <b>Boat Weight</b>          | 845 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (50 4S) |
| <b>Trailer Weight</b>       | 443 lbs.         |
| <b>Total Weight</b>         | 1,535 lbs.       |
| <b>Total Storage Length</b> | 19' 4"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 1"            |
| <b>Boat/Trailer Width</b>   | 6' 6"            |

|                            |   |
|----------------------------|---|
| <b>Max Persons</b>         | 5   |
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.080"  |
| <b>Max Hull Thickness</b>  | 0.143"  |
| <b>Cockpit Depth</b>       | 20.75"  |
| <b>Engine</b>              |   |
| Mercury 40 4S              | 26-30 mph   |
| Mercury 50 4S              | 27-31 mph   |
| <b>Available Colors</b>    | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>         | IPS   |

# 1650 ANGLER TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (5)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestal (1)
- Standard Seats (2)

### Fuel Tank

- 6.5 Gallon Fuel Tank With Gauge

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" /16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Flush Mount Horn
- LED Interior Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Fuel Tank Storage
- Lockable Port Rod Storage - 8' 9"
- Lockable Starboard Rod Storage - 7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Factory Engine Rigging Standard
- Integrated Power Strake (IPS) Hull
- Level Flotation Compliance
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern



### Shoreland'r Trailer

- E-Coat Painted Wheels w/Radial Tires
- LUB15SEM Bunk Trailer
- Swing Tongue / (2)2x4 Bunks / Lundguard Frame / Tongue Jack

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 50 HP       |
| <b>Beam/Chine</b>           | 80.5" / 66.25"   |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 5"           |
| <b>Boat Weight</b>          | 763 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (50 4S) |
| <b>Trailer Weight</b>       | 443 lbs.         |
| <b>Total Weight</b>         | 1,453 lbs.       |
| <b>Total Storage Length</b> | 19' 4"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 1"            |
| <b>Boat/Trailer Width</b>   | 6' 6"            |

|                            |   |
|----------------------------|---|
| <b>Max Persons</b>         | 5   |
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.080"  |
| <b>Max Hull Thickness</b>  | 0.143"  |
| <b>Cockpit Depth</b>       | 20.75"  |
| <b>Engine</b>              |   |
| Mercury 40 4S              | 26-30 mph   |
| Mercury 50 4S              | 27-31 mph   |
| <b>Available Colors</b>    | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>         | IPS   |

# 2275 BARON®

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Pro Ride Seats (4)
- Air Ride Mainstay w/Slider (1)
- Air Ride Pedestals (3)
- Seat Bases (8)

### Fuel Tank

- 70 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Pro Long Livewell Systems

- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle (Port and Starboard)
- Kicker Stereo (2 Speakers)
- Automotive Style Fuse Panel
- Bow Trolling Motor Plug (24/36V)
- Curved Windshield w/Walk-Thru
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Molded Auto Style Consoles
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Bow Cargo Net Storage • Console Storage • In-Floor Battery Storage
- Lockable In-Floor Rod Storage (9' - 5 tubes, 8' 6" - 5 tubes)
- Lockable Port Rod Locker (10' - 4 tubes) • Lockable Storage
- Aft Storage for Sun Top, Complete Top or Bimini Top

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- 4 Step Boarding Ladder
- Hull Drain Plug
- ProTrak Gunwale
- Stainless Steel Bow Rails
- Stainless Steel Flush Mount Cleats (4)



- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Bow Backrests
- Battery Holders
- Bilge Pumps (1 Auto, 1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Pro Deck Conversion
- Vinyl Wrapped Side Panels
- Drink Holders
- Fire Extinguisher
- Self-Draining Splash Pan
- Sport Trak Accessory Brackets (2)
- Sport Trak Coaming
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- Custom Painted Bunk Trailer with Diamond Plated Fenders

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 150 / 400 HP          |
| <b>Beam/Chine</b>           | 102" / 89"            |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 22' 9"                |
| <b>Boat Weight</b>          | 2,450 lbs.            |
| <b>Motor Weight</b>         | 668 lbs. (400 Verado) |
| <b>Trailer Weight</b>       | 1,154 lbs.            |
| <b>Total Weight</b>         | 4,272 lbs.            |
| <b>Total Storage Length</b> | 23' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 8"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 12                    |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.125"                |
| <b>Max Hull Thickness</b>   | 0.225"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Cockpit Depth</b>        | 30.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 250 4S              | 52-56 mph         |
| Mercury 300 Verado          | 55-59 mph         |
| Mercury 350 Verado          | 55-59 mph         |
| Mercury 400 Verado          | 57-61 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
|                             | Satin Beige       |
| <b>Hull Design</b>          | IPS 2             |

# 1775 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Rear Jump Seats
- Drivers Seat Slider • ProRide Seats (3) • Seat Bases (6)
- Solid Fixed Mainstay (1) • Solid Removable Pedestal (2)

### Fuel Tank

- 28 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aerated Livewell (38" Long / 24 Gallon) • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuses • Bow Trolling Motor Plug (12/24V)
- Custom Dual Consoles w/ Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior Lighting - LED • iPod® Storage Compartment / Cubby
- Kicker Stereo with 2 MB Quart Speakers • Lockable Glovebox
- Mercury Analog Prerig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Steering-No Feedback Tilt

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Battery Storage Compartments
- Lockable 2 Level Center Rod Locker (10 Rods, 7' Max Rod Length) • Lockable Lower Center Wakeboard Storage • Lockable Storage • Open Port Side Storage (7'-6" Max. Rod Length) • Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging Standard • Level Flotation Compliance • Stainless Steel Fold Down Cleats (4)
- Transhield Cover • Twin Plated



Bottom (Bow to Admidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Deck Mounting Pad • Cockpit Depth • Drink Holders (5) • Dual Trak Gunwale • Grab Handles
- Removable Aft Casting Platform Extension (Port Side) • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included)
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- LUV30BESWSS0 Lundguard Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 150 HP      |
| <b>Beam/Chine</b>           | 95" / 82"         |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 17' 10"           |
| <b>Boat Weight</b>          | 1,520 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 679 lbs.          |
| <b>Total Weight</b>         | 2,654 lbs.        |
| <b>Total Storage Length</b> | 20'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |

|  |                              |
|--|------------------------------|
| <b>Max Persons</b>                     | 7                            |
| <b>Freeboard Thickness</b>             | 0.063"                       |
| <b>Bottom Thickness</b>                | 0.080"                       |
| <b>Max Hull Thickness</b>              | 0.160"                       |
| <b>Cockpit Depth</b>                   | 25"                          |
| <b>Engine/Approx. Speed</b>            |                              |
| Mercury 115 4S                         | 39-43 mph                    |
| Mercury 150 4S                         | 49-53 mph                    |
| <b>Exterior and Bottom/Deck Colors</b> |                              |
|  | See color options on page 24 |
| <b>Hull Design</b>                     | IPS                          |



# 1875 CROSSOVER XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Rear Jump Seats
- Drivers Seat Slider • ProRide Seats (3) • Seat Bases (6) • Solid Fixed Mainstay (1) • Solid Pedestals (2)

### Fuel Tank

- 35 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallons • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuses • Bow Trolling Motor Plug (12/24V)
- Custom Dual Consoles w/ Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior Lighting - LED • iPod® Storage Compartment / Cubby
- Kicker Stereo with 2 MB Quart Speakers • Lockable Glovebox
- Mercury Analog Prerig w/Gauges
- Navigational Lighting • Plug-In Wire Harness • Steering-No Feedback Tilt

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Battery Storage Compartments
- Lockable 2 Level Center Rod Locker (10 Rods, 7' Max Rod Length) • Lockable Lower Center Wakeboard Storage • Lockable Storage • Open Port Side Storage (8'-6" Max. Rod Length) • Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Factory Engine Rigging Standard • Level Flotation Compliance • Stainless Steel Fold Down Cleats (4)
- Transhield Cover • Twin Plated



- Bottom (Bow to Admidship)
- Other Interior Features**
- Aft Casting Platform • Removable Aft Casting Platform Extension (Port Side) • Battery Holders (3) • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Deck Mounting Pad • Drink Holders (4) • Dual Trak Gunwale
- Grab Handles (7) • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern
- Trailer**
- Shoreland'r Trailer
- LUV30BLWTMH Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 175 HP      |
| <b>Beam/Chine</b>           | 95" / 82"         |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 10"           |
| <b>Boat Weight</b>          | 1,669 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (175 4S) |
| <b>Trailer Weight</b>       | 836 lbs.          |
| <b>Total Weight</b>         | 2,980 lbs.        |
| <b>Total Storage Length</b> | 21' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |

|  |           |
|--|-----------|
| <b>Max Persons</b>                     | 8         |
| <b>Freeboard Thickness</b>             | 0.080"    |
| <b>Bottom Thickness</b>                | 0.100"    |
| <b>Max Hull Thickness</b>              | 0.180"    |
| <b>Cockpit Depth</b>                   | 25"       |
| <b>Engine/Approx. Speed</b>            |           |
| Mercury 115 4S                         | 38-42 mph |
| Mercury 150 4S                         | 48-52 mph |
| Mercury 175 4S                         | 50-54 mph |
| <b>Exterior and Bottom/Deck Colors</b> |           |
| See color options on page 24           |           |
| <b>Hull Design</b>                     | IPS       |

# CROSSOVER COLOR OPTIONS

## 1775 CROSSOVER XS

### Boat Color and Graphics

- Color - Black Deck/Bottom, Cobalt Blue Freeboards
- Color - Black Deck/Bottom, Gunmetal Freeboards
- Color - Black Deck/Bottom, Red Freeboards
- Color - Black Deck/Bottom, White Freeboards
- Color - Gunmetal Deck/Bottom, Black Freeboards
- Color - Gunmetal Deck/Bottom, Cobalt Blue Freeboards
- Color - Gunmetal Deck/Bottom, Red Freeboards
- Color - Gunmetal Deck/Bottom, White Freeboards
- Color - White Deck/Bottom, Black Freeboards
- Color - White Deck/Bottom, Cobalt Blue Freeboards
- Color - White Deck/Bottom, Gunmetal Freeboards
- Color - White Deck/Bottom, Red Freeboards
- Graphic Package - Blue
- Graphic Package - Charcoal
- Graphic Package - Red

## 1875 CROSSOVER XS

### Boat Color and Graphics

- Color - Black Deck/Bottom, Cobalt Blue Freeboards
- Color - Black Deck/Bottom, Gunmetal Freeboards
- Color - Black Deck/Bottom, Red Freeboards
- Color - Black Deck/Bottom, White Freeboards
- Color - Gunmetal Deck/Bottom, Black Freeboards
- Color - Gunmetal Deck/Bottom, Cobalt Blue Freeboards
- Color - Gunmetal Deck/Bottom, Red Freeboards
- Color - Gunmetal Deck/Bottom, White Freeboards
- Color - White Deck/Bottom, Black Freeboards
- Color - White Deck/Bottom, Cobalt Blue Freeboards
- Color - White Deck/Bottom, Gunmetal Freeboards
- Color - White Deck/Bottom, Red Freeboards
- Graphic Package - Blue
- Graphic Package - Charcoal
- Graphic Package - Red

# 1400 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)
- Seat Bases (3)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7')
- Storage Compartments

### Other Exterior Features

- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Chrome Cleats (4)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Drink Holders
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- LUB14TS Painted Bunk



|                             |                  |                             |                   |
|-----------------------------|------------------|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 20 / 30 HP       | <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Beam/Chine</b>           | 69.5" / 56"      | <b>Bottom Thickness</b>     | 0.080"            |
| <b>Transom Height</b>       | 20"              | <b>Max Hull Thickness</b>   | 0.080"            |
| <b>Boat Length</b>          | 14' 9"           | <b>Cockpit Depth</b>        | 21"               |
| <b>Boat Weight</b>          | 545 lbs.         | <b>Engine/Approx. Speed</b> |                   |
| <b>Motor Weight</b>         | 172 lbs. (30 4S) | Mercury 25 4S               | 22-26 mph         |
| <b>Trailer Weight</b>       | 274 lbs.         | Mercury 30 4S               | 23-27 mph         |
| <b>Total Weight</b>         | 991 lbs.         | <b>Available Colors</b>     | Heritage Red      |
| <b>Total Storage Length</b> | 19' 10"          |                             | Cobalt Blue       |
| <b>Boat/Motor On</b>        |                  |                             | Arctic White      |
| <b>Trailer Height</b>       | 5' 7"            |                             | Black             |
| <b>Boat/Trailer Width</b>   | 6'               |                             | Gunmetal Metallic |
| <b>Max Persons</b>          | 4                | <b>Hull Design</b>          | IPS               |

# 1400 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestals (1)
- Seat Bases (3)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Navigational Lighting
- Plug-in Wire Harness
- Main Power Tiller Handle

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7')
- Storage Compartments

### Other Exterior Features

- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Chrome Cleats (4)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern
- Drink Holders

### Shoreland'r Trailer

- LUB14TS Painted Bunk



|                                     |                  |
|-------------------------------------|------------------|
| <b>Min/Max HP</b>                   | 20 / 30 HP       |
| <b>Beam/Chine</b>                   | 69.5" / 56"      |
| <b>Transom Height</b>               | 20"              |
| <b>Boat Length</b>                  | 14' 9"           |
| <b>Boat Weight</b>                  | 500 lbs.         |
| <b>Motor Weight</b>                 | 172 lbs. (30 4S) |
| <b>Trailer Weight</b>               | 274 lbs.         |
| <b>Total Weight</b>                 | 946 lbs.         |
| <b>Total Storage Length</b>         | 19' 10"          |
| <b>Boat/Motor On Trailer Height</b> | 5' 2"            |
| <b>Boat/Trailer Width</b>           | 6'               |
| <b>Max Persons</b>                  | 4                |

|                             |   |
|-----------------------------|---|
| <b>Freeboard Thickness</b>  | 0.063"  |
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.080"  |
| <b>Cockpit Depth</b>        | 21"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 20 4S               | 17-21 mph   |
| Mercury 25 4S               | 22-26 mph   |
| Mercury 30 4S               | 23-27 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |

# 1600 FURY SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)
- Seat Bases (4)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Mercury Analog Prerig (without Gauges)
- Navigational Lighting
- No-Feedback Steering
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7' 6")
- Storage Compartments

### Other Exterior Features

- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Chrome Cleats (4)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern
- Drink Holders

### Shoreland'r Trailer

- LUB14TM Painted Bunk



|                             |                  |                             |                   |
|-----------------------------|------------------|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 20 / 40 HP       | <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Beam/Chine</b>           | 73.5" / 56"      | <b>Bottom Thickness</b>     | 0.080"            |
| <b>Transom Height</b>       | 20"              | <b>Max Hull Thickness</b>   | 0.080"            |
| <b>Boat Length</b>          | 16' 2"           | <b>Cockpit Depth</b>        | 21"               |
| <b>Boat Weight</b>          | 565 lbs.         | <b>Engine/Approx. Speed</b> |                   |
| <b>Motor Weight</b>         | 204 lbs. (40 4S) | Mercury 25 4S               | 21-25 mph         |
| <b>Trailer Weight</b>       | 280 lbs.         | Mercury 30 4S               | 22-26 mph         |
| <b>Total Weight</b>         | 1.049 lbs.       | Mercury 40 4S               | 28-32 mph         |
| <b>Total Storage Length</b> | 20' 10"          | <b>Available Colors</b>     | Heritage Red      |
| <b>Boat/Motor On</b>        |                  |                             | Cobalt Blue       |
| <b>Trailer Height</b>       | 5' 7"            |                             | Arctic White      |
| <b>Boat/Trailer Width</b>   | 6' 2"            |                             | Black             |
| <b>Max Persons</b>          | 5                |                             | Gunmetal Metallic |
|                             |                  | <b>Hull Design</b>          | IPS               |

# 1600 FURY TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestals (1)
- Seat Bases (3)

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 11 Gallon)

### Consoles/Instrumentation/Lighting

- Main Power Tiller Handle
- Navigational Lighting
- Plug-in Wire Harness

### Storage

- Battery Storage Compartment
- Fuel Tank Storage
- Rod Storage (7' 6")
- Storage Compartments

### Other Exterior Features

- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Chrome Cleats (4)

### Other Interior Features

- 2 Step Strap Ladder with Mesh Bag
- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern
- Drink Holders

### Shoreland'r Trailer

- LUB14TM Painted Bunk



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 20 /40 HP        |
| <b>Beam/Chine</b>           | 73.5" / 56"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 2"           |
| <b>Boat Weight</b>          | 502 lbs.         |
| <b>Motor Weight</b>         | 204 lbs. (40 45) |
| <b>Trailer Weight</b>       | 280 lbs.         |
| <b>Total Weight</b>         | 1,004 lbs.       |
| <b>Total Storage Length</b> | 20' 10"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 2"            |
| <b>Boat/Trailer Width</b>   | 6' 2"            |

|                             |   |
|-----------------------------|---|
| <b>Max Persons</b>          | 5   |
| <b>Freeboard Thickness</b>  | 0.063"  |
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.080"  |
| <b>Cockpit Depth</b>        | 21"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 25 4S               | 21-25 mph   |
| Mercury 30 4S               | 22-26 mph   |
| Mercury 40 4S               | 28-32 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |

# 1675 IMPACT SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (6)

### Fuel Tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Custom Dual Consoles
- w/Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Lockable Glovebox
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage
- w/Tubes (5) 7' , (5) 6' 6"
- Lockable Port Side Rod Storage - 7'
- Starboard Side Rod Storage - 7'
- Lockable Storage
- Storage Compartments
- Port and Starboard Console
- Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)
- Splash Pan Mounted 4-Step Ladder



### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SES75SSO

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 HP            |
| <b>Beam/Chine</b>           | 90" / 76"        |
| <b>Transom Height</b>       | 25"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 1,127 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 653 lbs.         |
| <b>Total Weight</b>         | 2,187 lbs.       |
| <b>Total Storage Length</b> | 19' 2"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 10"           |
| <b>Boat/Trailer Width</b>   | 8' 3"            |
| <b>Max Persons</b>          | 6                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 38-42 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1675 IMPACT SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (6)

### Fuel Tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Console Cubby Storage
- Lockable Center Bow Rod Storage w/Tubes (5) 7', (5) 6"
- Lockable Port Side Rod Storage - 7'
- Starboard Side Rod Storage - 7'
- Storage Compartments

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)
- Splash Pan Mounted 4-Step Ladder

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Under Deck Drawer
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SE57300

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 HP            |
| <b>Beam/Chine</b>           | 90" / 76"        |
| <b>Transom Height</b>       | 25"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 1,125 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 653 lbs.         |
| <b>Total Weight</b>         | 2,137 lbs.       |
| <b>Total Storage Length</b> | 19' 2"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6'               |
| <b>Boat/Trailer Width</b>   | 8' 3"            |
| <b>Max Persons</b>          | 6                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 38-42 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |



# 1775 IMPACT SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (6)

### Fuel Tank

- 30 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Dual Consoles
- w/Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prefig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage
- w/Tubes (5) 8', (5) 7' 6"
- Lockable Glovebox
- Lockable Port Side Rod Storage - 7' 6"
- Starboard Rod Storage - 7' 6"
- Storage Compartments
- Port and Starboard Console
- Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)



Splash Pan Mounted 4-Step Ladder

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SELWSSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 75 / 125 HP       |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 17' 11"           |
| <b>Boat Weight</b>          | 1,360 lbs.        |
| <b>Motor Weight</b>         | 359 lbs. (115 4S) |
| <b>Trailer Weight</b>       | 668 lbs.          |
| <b>Total Weight</b>         | 2,387 lbs.        |
| <b>Total Storage Length</b> | 20' 2"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 9"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 6                 |
| <b>Freeboard Thickness</b>  | 0.063"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 36-40 mph         |
| Mercury 115 4S              | 41-45 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1775 IMPACT SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (6)

### Fuel Tank

- 30 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8'
- Lockable Port Side Rod Storage - 7' 6"
- Starboard Rod Storage - 7' 6"
- Storage Compartments
- Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)
- Splash Pan Mounted 4-Step Ladder

### Other Interior Features

- Aft Casting Platform



- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Under Deck Drawer
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SELWSSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 75 / 125 HP       |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 17' 11"           |
| <b>Boat Weight</b>          | 1,310 lbs.        |
| <b>Motor Weight</b>         | 359 lbs. (115 4S) |
| <b>Trailer Weight</b>       | 668 lbs.          |
| <b>Total Weight</b>         | 2,337 lbs.        |
| <b>Total Storage Length</b> | 20' 2"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 6"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 6                 |
| <b>Freeboard Thickness</b>  | 0.063"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 36-40 mph         |
| Mercury 115 4S              | 41-45 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1875 IMPACT SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (6)

### Fuel Tank

- 36 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Dual Consoles w/  
Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage  
w/Tubes (5) 7' 6", (5) 8'
- Lockable Port Side Rod Storage -  
8' 6"
- Starboard Rod Storage - 8' 6"
- Lockable Storage
- Storage Compartments
- Port and Starboard Console Cubby  
Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to  
Amidship)
- Splash Pan Mounted 4-Step Ladder



### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan
- Treated Marine Grade Plywood -  
Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights /  
Retractable Tie Downs
- LUV30BELWMSO

|   |                   |
|---|-------------------|
| <b>Min/Max HP</b>                       | 90 / 150 HP       |
| <b>Beam/Chine</b>                       | 96" / 81.5"       |
| <b>Transom Height</b>                   | 25"               |
| <b>Boat Length</b>                      | 18' 11"           |
| <b>Boat Weight</b>                      | 1,410 lbs.        |
| <b>Motor Weight</b>                     | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>                   | 694 lbs.          |
| <b>Total Weight</b>                     | 2,559 lbs.        |
| <b>Total Storage Length</b>             | 21' 5"            |
| <b>Boat/Motor On<br/>Trailer Height</b> | 7'                |
| <b>Boat/Trailer Width</b>               | 8' 6"             |
| <b>Max Persons</b>                      | 7                 |
| <b>Freeboard Thickness</b>              | 0.063"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 115 4S              | 40-44 mph         |
| Mercury 150 4S              | 48-52 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1875 IMPACT SS

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (6)

### Fuel Tank

- 36 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (37" Long / 16 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Console w/Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8'
- Lockable Port Side Rod Storage - 8' 6"
- Starboard Rod Storage - 8' 6"
- Storage Compartments
- Console Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)
- Splash Pan Mounted 4-Step Ladder

### Other Interior Features

- Aft Casting Platform



- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Under Deck Drawer
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E - Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP       |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 11"           |
| <b>Boat Weight</b>          | 1,380 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,529 lbs.        |
| <b>Total Storage Length</b> | 21' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 6"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 7                 |
| <b>Freeboard Thickness</b>  | 0.063"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 115 4S              | 40-44 mph         |
| Mercury 150 4S              | 48-52 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1675 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Seat Bases (5)
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestal (1)

### Fuel Tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Custom Dual Consoles w/  
Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage  
w/Tubes (5) 7', (5) 6' 6"
- Lockable Port Side Rod Storage - 7'
- Starboard Side Rod Storage - 7'
- Lockable Storage  
Storage Compartments
- Port and Starboard Console  
Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding  
Pan Mounted
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Fold Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to  
Amidship)



### Composite Transom

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Splash Pan Insert
- Self Draining Splash Pan
- Treated Marine Grade Plywood -  
Bow to Stern

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E-Coat Painted  
Wheels w/Radial Tires
- Tongue Jack / LED Lights /  
Retractable Tie Downs
- LUV23SE575SSO

|   |                  |
|---|------------------|
| <b>Min/Max HP</b>                       | 90 HP            |
| <b>Beam/Chine</b>                       | 90" / 76"        |
| <b>Transom Height</b>                   | 25"              |
| <b>Boat Length</b>                      | 16' 10"          |
| <b>Boat Weight</b>                      | 1,320 lbs.       |
| <b>Motor Weight</b>                     | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>                   | 653 lbs.         |
| <b>Total Weight</b>                     | 2,332 lbs.       |
| <b>Total Storage Length</b>             | 19' 2"           |
| <b>Boat/Motor On<br/>Trailer Height</b> | 6' 10"           |
| <b>Boat/Trailer Width</b>               | 8' 3"            |
| <b>Max Persons</b>                      | 6                |

|                             |   |
|-----------------------------|---|
| <b>Freeboard Thickness</b>  | 0.063"  |
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.160"  |
| <b>Cockpit Depth</b>        | 22"   |
| <b>Engine/Approx. Speed</b> | Mercury 90 4S 38-42 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black   |
| <b>Hull Design</b>          | IPS   |

# 1775 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestal (1)
- Seat Bases (6)

### Fuel Tank

- 30 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Console w/Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 8'
- Lockable Port Side Rod Storage - 7'6"
- Starboard Rod Storage - 7'6"
- Lockable Storage
- Storage Compartments
- Port and Starboard Console
- Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Fold Down Cleats
- Transhield Cover



Twin Plated Bottom (Bow to Amidship)  
Composite Transom

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Splash Pan Insert
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E-Coat Painted
- Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs
- LUV23SELWSSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 75 / 125 HP           |
| <b>Beam/Chine</b>           | 96" / 81.5"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 17' 11"               |
| <b>Boat Weight</b>          | 1,390 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 668 lbs.              |
| <b>Total Weight</b>         | 2,417 lbs.            |
| <b>Total Storage Length</b> | 20' 2"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 9"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 6                     |
| <b>Freeboard Thickness</b>  | 0.063"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 22.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 36-40 mph         |
| Mercury 115 4S              | 41-45 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1875 IMPACT XS SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestal (2)
- Seat Bases (6)

### Fuel Tank

- 36 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Dual Consoles w/  
Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage  
w/Tubes (5) 7'6", (5) 8'
- Lockable Port Side Rod Storage -  
8'6"
- Lockable Storage
- Starboard Rod Storage - 8'6"
- Storage Compartments
- Port and Starboard Console  
Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding  
Pan Mounted
- Bow & Stern Eyes
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Fold Down Cleats
- Transhield Cover



Twin Plated Bottom (Bow to  
Amidship)

Composite Transom

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Port Splash Pan Insert
- Self Draining Splash Pan
- Treated Marine Grade Plywood

### Trailer

- Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
- Swing Tongue / E-Coat Painted  
Wheels w/Radial Tires
- Tongue Jack / LED Lights /  
Retractable Tie Downs
- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 90 / 150 HP       |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 11"           |
| <b>Boat Weight</b>          | 1,520 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,669 lbs.        |
| <b>Total Storage Length</b> | 21' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 7                 |
| <b>Freeboard Thickness</b>  | 0.063"            |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.160"  |
| <b>Cockpit Depth</b>        | 22.75"  |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 115 4S              | 40-44 mph   |
| Mercury 150 4S              | 48-52 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black   |
| <b>Hull Design</b>          | IPS   |

# 2025 IMPACT XS SPORT



## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Drivers Seat Slider
- Standard Seats (4)
- Solid - Fixed Mainstay (1)
- Solid - Removable Pedestals (3)
- Seat Bases (6)

### Fuel Tank

- 46 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell (38" Long / 24 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pickup for Aft Livewell
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom Dual Consoles w/  
Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- LED Interior Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- Plug-In Wire Harness
- Steering-Hydraulic with Tilt

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage  
w/Tubes (6) 7'6", (6) 8'
- Lockable Port Side Rod Storage 8'6"
- Port and Starboard Console  
Cubby Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding  
Pan Mounted
- Bow & Stern Eyes
- Hull Drain Plug
- Stainless Steel Retractable Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to  
Amidship)

### Composite Transom Other Interior Features

- Aft Casting Platform
  - Battery Holders (4)
  - Bilge Pump (1 pump Manual/Auto)
  - Bow Casting Platform
  - Bow Deck Mounting Pad
  - Bow Trolling Motor Harness w/Plug
  - Drink Holders
  - Dual Trak Gunwale
  - Grab Handles
  - Self Draining Splash Pan
  - Ski Tow-Base only (No Pylon  
Included)
  - Sport Trak Accessory Brackets (2)
  - Treated Marine Grade Plywood -  
Bow to Stern
- ### Shoreland'r Trailer
- (4) 2x6 Bunks / Black Painted Frame
  - Swing Tongue / E-Coat Painted  
Wheels w/Radial Tires/Tandem  
Axles w/Brakes on One Axle
  - Tongue Jack / LED Lights /  
Retractable Tie Downs
  - LUV40TBXLW

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 135 / 200 HP      |
| <b>Beam/Chine</b>           | 96" / 81.75"      |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 20' 2"            |
| <b>Boat Weight</b>          | 1,685 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 1,131 lbs.        |
| <b>Total Weight</b>         | 3,291 lbs.        |
| <b>Total Storage Length</b> | 23' 10"           |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 8                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.100"  |
| <b>Max Hull Thickness</b>   | 0.180"  |
| <b>Cockpit Depth</b>        | 21.75"  |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 43-47 mph   |
| Mercury 175 4S              | 46-50 mph   |
| Mercury 200 4S              | 48-52 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black   |
| <b>Hull Design</b>          | IPS 2   |



# 1032 JON-FLAT BOW

## STANDARD FEATURES

NMMA® Certified  
Olive Drab Green Acrylic Paint  
Flat Bottom, Square Bow  
Formed in Keels  
Bow Handle  
2 Transom Handles  
Formed in Spray Rails  
Formed Transom Corner Caps  
Transom Drain Plug  
Oar Locks



|                     |      |
|---------------------|------|
| <b>Min / Max HP</b> | 3 HP |
| <b>Beam</b>         | 48"  |
| <b>Transom</b>      | 15"  |
| <b>Boat Length</b>  | 10'  |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 80 lbs.    |
| <b>Max Persons</b>      | 2          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1232 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks




|                     |        |
|---------------------|--------|
| <b>Min / Max HP</b> | 3 HP   |
| <b>Beam</b>         | 48"    |
| <b>Transom</b>      | 15"    |
| <b>Boat Length</b>  | 11' 8" |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 90 lbs.    |
| <b>Max Persons</b>      | 2          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1236 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks



|                     |        |
|---------------------|--------|
| <b>Min / Max HP</b> | 10 HP  |
| <b>Beam</b>         | 56"    |
| <b>Transom</b>      | 15"    |
| <b>Boat Length</b>  | 11' 9" |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 140 lbs.   |
| <b>Max Persons</b>      | 3          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1436 JON-FLAT BOW

## STANDARD FEATURES

NMMA® Certified  
Olive Drab Green Acrylic Paint  
Flat Bottom, Square Bow  
Formed in Keels  
Bow Handle  
2 Transom Handles  
Formed in Spray Rails  
Formed Transom Corner Caps  
Transom Drain Plug  
Oar Locks




|                     |        |                         |            |
|---------------------|--------|-------------------------|------------|
| <b>Min / Max HP</b> | 15 HP  | <b>Motor Weight</b>     | 145 lbs.   |
| <b>Beam</b>         | 57"    | <b>Max Persons</b>      | 3          |
| <b>Transom</b>      | 15"    | <b>Available Colors</b> | Olive Drab |
| <b>Boat Length</b>  | 13' 8" | <b>Hull Design</b>      | Mod-V      |

# 1448 JON-FLAT BOW

## STANDARD FEATURES

NMMA® Certified  
Olive Drab Green Acrylic Paint  
Flat Bottom, Square Bow  
Formed in Keels  
Bow Handle  
2 Transom Handles  
Formed in Spray Rails  
Formed Transom Corner Caps  
Transom Drain Plug  
Oar Locks  
Center Seat w/Gravity Fed Livewell  
Storage




|                     |            |
|---------------------|------------|
| <b>Min / Max HP</b> | 25 HP      |
| <b>Beam</b>         | 70"        |
| <b>Transom</b>      | 15" or 20" |
| <b>Boat Length</b>  | 13' 8"     |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 365 lbs.   |
| <b>Max Persons</b>      | 4          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1448M JON-V BOW

## STANDARD FEATURES

NMMA® Certified  
Olive Drab Green Acrylic Paint  
Flat Bottom, Modified V Bow  
Formed in Keels  
Bow Handle  
2 Transom Handles  
Formed in Spray Rails  
Formed Transom Corner Caps  
Transom Drain Plug  
Oar Locks  
Center Seat w/Gravity  
Fed Livewell/Storage




|                     |            |
|---------------------|------------|
| <b>Min / Max HP</b> | 25 HP      |
| <b>Beam</b>         | 70"        |
| <b>Transom</b>      | 15" or 20" |
| <b>Boat Length</b>  | 13' 8"     |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 365 lbs.   |
| <b>Max Persons</b>      | 3          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1648 JON-FLAT BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Square Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell/  
Storage
- Stainless Steel Bow Eye




|                     |            |
|---------------------|------------|
| <b>Min / Max HP</b> | 35 HP      |
| <b>Beam</b>         | 70"        |
| <b>Transom</b>      | 15" or 20" |
| <b>Boat Length</b>  | 15' 8.5"   |

|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 420 lbs.   |
| <b>Max Persons</b>      | 4          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |

# 1648M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell/  
Storage
- Stainless Steel Bow Eye



|                     |            |
|---------------------|------------|
| <b>Min / Max HP</b> | 35 HP      |
| <b>Beam</b>         | 70"        |
| <b>Transom</b>      | 15" or 20" |
| <b>Boat Length</b>  | 15' 8.5"   |


|                         |            |
|-------------------------|------------|
| <b>Motor Weight</b>     | 420 lbs.   |
| <b>Max Persons</b>      | 4          |
| <b>Available Colors</b> | Olive Drab |
| <b>Hull Design</b>      | Mod-V      |



# 1852M JON-V BOW

## STANDARD FEATURES

- NMMA® Certified
- Olive Drab Green Acrylic Paint
- Flat Bottom, Modified V Bow
- Formed in Keels
- Bow Handle
- 2 Transom Handles
- Formed in Spray Rails
- Formed Transom Corner Caps
- Transom Drain Plug
- Oar Locks
- Center Seat w/Gravity Fed Livewell Storage
- Stainless Steel Bow Eye



|                     |                                  |                         |            |
|---------------------|----------------------------------|-------------------------|------------|
| <b>Min / Max HP</b> | 65 HP (Remote)<br>45 HP (Tiller) | <b>Boat Length</b>      | 17' 9"     |
| <b>Beam</b>         | 75"                              | <b>Motor Weight</b>     | 475 lbs.   |
| <b>Transom</b>      | 20"                              | <b>Max Persons</b>      | 6          |
|                     |                                  | <b>Available Colors</b> | Olive Drab |
|                     |                                  | <b>Hull Design</b>      | Mod-V      |

# 1750 OUTFITTER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (3)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (4)

### Fuel Tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (42" Long / 20 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Tiller Electronics Command Center
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Rod Storage w/Tubes (7')
- Storage Compartments
- Storage w/Removable Tubs

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Composite Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance
- Sport Trak Gunwale

### Other Interior Features

- Battery Holders (1)
- Bilge Pump (1 Manual)
- Bow Deck Mounting Pad
- Bow Casting Platform
- Large Self-Draining Splash Pan
- Covered Bilge Area
- Treated Marine Grade Plywood



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP       |
| <b>Beam/Chine</b>           | 77" / 61.25"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17' 7"           |
| <b>Boat Weight</b>          | 875 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (60 45) |
| <b>Trailer Weight</b>       | 603 lbs.         |
| <b>Total Weight</b>         | 1,725 lbs.       |
| <b>Total Storage Length</b> | 20' 3"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 6"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 5                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |                    |
|-----------------------------|--------------------|
| <b>Bottom Thickness</b>     | 0.100"             |
| <b>Max Hull Thickness</b>   | 0.163"             |
| <b>Cockpit Depth</b>        | 20"                |
| <b>Engine/Approx. Speed</b> |                    |
| Mercury 40 45               | 27-31 mph          |
| Mercury 50 45               | 28-32 mph          |
| Mercury 60 45               | 28-32 mph          |
| <b>Available Colors</b>     | Heritage Red       |
|                             | Arctic White       |
|                             | Cobalt Blue        |
|                             | Black              |
|                             | Aluminum           |
|                             | Fall Marsh (Camo)* |
| <b>Hull Design</b>          | V-Hull             |

\*Optional/Upcharge

# 1660 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Fold Down Seats (2)  
(Mossy Oak®)
- Pedestal Bases (5)

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (Manual Aeration)  
(31" Long / 18 Gallon)

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- 6" Black Nylon Cleats
- Hull Drain Plug
- Navigational Lighting
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump
- Bow Trolling Motor Plug
- Edge Trim and Compression
- Latches on Doors
- Side Rod Holder & Rod Tube  
Combo - 7' 6"

### Trailer

- Black Bunk Trailer w/Load Guides



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 HP            |
| <b>Beam/Chine</b>           | 85" / 60.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16'              |
| <b>Boat Weight</b>          | 670 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (50 4S) |
| <b>Trailer Weight</b>       | 385 lbs.         |
| <b>Total Weight</b>         | 1,302 lbs.       |
| <b>Total Storage Length</b> | 19' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 8"            |
| <b>Boat/Trailer Width</b>   | 7' 2"            |

|                             |                         |
|-----------------------------|-------------------------|
| <b>Max Persons</b>          | 4                       |
| <b>Freeboard Thickness</b>  | 0.100"                  |
| <b>Bottom Thickness</b>     | 0.100"                  |
| <b>Max Hull Thickness</b>   | 0.100"                  |
| <b>Cockpit Depth</b>        | 22.25"                  |
| <b>Engine/Approx. Speed</b> |                         |
| Mercury 50 4S               | 30-32 mph               |
| <b>Available Colors</b>     |                         |
|                             | Dead Grass Green        |
|                             | Mossy Oak Shadow Grass* |
|                             | Mossy Oak Break Up*     |
| <b>Hull Design</b>          | Mod V                   |

\*Optional/Upcharge

# 1760 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (31" Long / 18 Gallon)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features


- 6" Black Nylon Cleats
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 7' 6"

### Trailer

- Black Bunk Trailer w/Load Guides



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 75 HP            |
| <b>Beam/Chine</b>           | 85" / 60.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17'              |
| <b>Boat Weight</b>          | 910 lbs.         |
| <b>Motor Weight</b>         | 359 lbs. (60 4S) |
| <b>Trailer Weight</b>       | 385 lbs.         |
| <b>Total Weight</b>         | 1,654 lbs.       |
| <b>Total Storage Length</b> | 19' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 7' 2"            |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Persons</b>          | 5                        |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury 60 4S               | 33-35 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak® Shadow Grass* |
|                             | Mossy Oak Break Up*      |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1760 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Fold Down Seats (2)  
(Mossy Oak®)
- Pedestal Bases (5)

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (Manual Aeration)  
(31" Long / 18 Gallon)

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- 6" Black Nylon Cleats
- Hull Drain Plug
- Navigational Lighting
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Edge Trim and Compression
- Latches on Doors
- Side Rod Holder & Rod Tube
- Combo - 8' 6"

### Trailer

- Black Bunk Trailer w/Load Guides



|                             |                  |                             |  |
|-----------------------------|------------------|-----------------------------|--|
| <b>Min/Max HP</b>           | 60 HP            | <b>Max Persons</b>          | 5  |
| <b>Beam/Chine</b>           | 85" / 60.5"      | <b>Freeboard Thickness</b>  | 0.100"   |
| <b>Transom Height</b>       | 20"              | <b>Bottom Thickness</b>     | 0.100"   |
| <b>Boat Length</b>          | 17'              | <b>Max Hull Thickness</b>   | 0.100"   |
| <b>Boat Weight</b>          | 787 lbs.         | <b>Cockpit Depth</b>        | 22.25"   |
| <b>Motor Weight</b>         | 247 lbs. (60 4S) | <b>Engine/Approx. Speed</b> | Mercury 60 4S 33-35 mph  |
| <b>Trailer Weight</b>       | 385 lbs.         | <b>Available Colors</b>     | Dead Grass Green<br>Mossy Oak Shadow Grass*<br>Mossy Oak Break Up* |
| <b>Total Weight</b>         | 1,419 lbs.       | <b>Hull Design</b>          | Mod V  |
| <b>Total Storage Length</b> | 19' 6"           |                             |  |
| <b>Boat/Motor On</b>        |                  |                             |  |
| <b>Trailer Height</b>       | 5' 8"            |                             |  |
| <b>Boat/Trailer Width</b>   | 7' 2"            |                             |  |

\*Optional/Upcharge

# 1870 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features

- 6" Black Nylon Cleats
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 8' 6"

### Trailer

- Black Bunk Trailer w/Load Guides



|                             |                 |
|-----------------------------|-----------------|
| <b>Min/Max HP</b>           | 90 HP           |
| <b>Beam/Chine</b>           | 96" / 70.5"     |
| <b>Transom Height</b>       | 20"             |
| <b>Boat Length</b>          | 18'             |
| <b>Boat Weight</b>          | 1,008 lbs.      |
| <b>Motor Weight</b>         | 359lbs. (90 4S) |
| <b>Trailer Weight</b>       | 520 lbs.        |
| <b>Total Weight</b>         | 1,887 lbs.      |
| <b>Total Storage Length</b> | 20' 11"         |
| <b>Boat/Motor On</b>        |                 |
| <b>Trailer Height</b>       | 7' 6"           |
| <b>Boat/Trailer Width</b>   | 8'              |

|                             |                         |
|-----------------------------|-------------------------|
| <b>Max Persons</b>          | 7                       |
| <b>Freeboard Thickness</b>  | 0.100"                  |
| <b>Bottom Thickness</b>     | 0.100"                  |
| <b>Max Hull Thickness</b>   | 0.100"                  |
| <b>Cockpit Depth</b>        | 20.5"                   |
| <b>Engine/Approx. Speed</b> |                         |
| Mercury 90 4S               | 37-39 mph               |
| <b>Available Colors</b>     |                         |
|                             | Dead Grass Green        |
|                             | Mossy Oak Shadow Grass* |
|                             | Mossy Oak Break Up*     |
| <b>Hull Design</b>          | Mod V                   |

\*Optional/Upcharge

# 1870 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting


- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console (Helm)

### Other Exterior Features

- 6" Black Nylon Cleats
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- 2 Step Strap Ladder with Mesh Bag
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Edge Trim and Compression Latches on Doors
- Horn
- Side Rod Holder & Rod Tube Combo - 8' 6"
- Sport Trak/Pro Trak Gunnel



|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 18'              |
| <b>Boat Weight</b>          | 1,008 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 520 lbs.         |
| <b>Total Weight</b>         | 1,887 lbs.       |
| <b>Total Storage Length</b> | 20' 11"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 3"            |
| <b>Boat/Trailer Width</b>   | 8'               |

|                             |                          |
|-----------------------------|--------------------------|
| <b>Max Persons</b>          | 7                        |
| <b>Freeboard Thickness</b>  | 0.100"                   |
| <b>Bottom Thickness</b>     | 0.100"                   |
| <b>Max Hull Thickness</b>   | 0.100"                   |
| <b>Cockpit Depth</b>        | 20.5"                    |
| <b>Engine/Approx. Speed</b> |                          |
| Mercury 90 4S               | 37-39 mph                |
| <b>Available Colors</b>     |                          |
|                             | Dead Grass Green         |
|                             | Mossy Oak® Shadow Grass* |
|                             | Mossy Oak Break Up*      |
| <b>Hull Design</b>          | Mod V                    |

\*Optional/Upcharge

# 1870 PREDATOR TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Fold Down Seats (2)  
(Mossy Oak®)
- Pedestal Bases (5)

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (Manual Aeration)  
(43" Long / 23 Gallon)

### Other Exterior Features

- 2 Step Strap Ladder w/Mesh Bag
- 6" Black Nylon Cleats
- Hull Drain Plug
- Navigational Lighting
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Edge Trim and Compression  
Latches on Doors
- Side Rod Holder & Rod Tube  
Combo - 9' 6"

### Trailer

- Black Bunk Trailer w/Load Guides



|                             |                 |                             |                         |
|-----------------------------|-----------------|-----------------------------|-------------------------|
| <b>Min/Max HP</b>           | 75 HP           | <b>Max Persons</b>          | 6                       |
| <b>Beam/Chine</b>           | 96" / 70.5"     | <b>Freeboard Thickness</b>  | 0.100"                  |
| <b>Transom Height</b>       | 20"             | <b>Bottom Thickness</b>     | 0.100"                  |
| <b>Boat Length</b>          | 18'             | <b>Max Hull Thickness</b>   | 0.100"                  |
| <b>Boat Weight</b>          | 953 lbs.        | <b>Cockpit Depth</b>        | 20.5"                   |
| <b>Motor Weight</b>         | 359lbs. (75 4S) | <b>Engine/Approx. Speed</b> |                         |
| <b>Trailer Weight</b>       | 520 lbs.        | Mercury 75 4S               | 32-34 mph               |
| <b>Total Weight</b>         | 1,832 lbs.      | <b>Available Colors</b>     |                         |
| <b>Total Storage Length</b> | 20' 11"         |                             | Dead Grass Green        |
| <b>Boat/Motor On</b>        |                 |                             | Mossy Oak Shadow Grass* |
| <b>Trailer Height</b>       | 5' 8"           |                             | Mossy Oak Break Up*     |
| <b>Boat/Trailer Width</b>   | 8'              | <b>Hull Design</b>          | Mod V                   |

\*Optional/Upcharge



# 2070 PREDATOR CC

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- Padded Leaning Post
- Seat Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-Skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Center Console
- Center Console Grab Rail
- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Windscreen

### Other Exterior Features

- 6" Black Nylon Cleats
- Hull Drain Plug
- NMMA® Certified
- SportTrak / ProTrak Gunnel
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Horn
- Side Rod Holder & Rod Tube Combo - 9' 6"



|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"       |
| <b>Transom Height</b>       | 20"               |
| <b>Boat Length</b>          | 20'               |
| <b>Boat Weight</b>          | 1,175 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 520 lbs.          |
| <b>Total Weight</b>         | 2,150 lbs.        |
| <b>Total Storage Length</b> | 22' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 6"             |
| <b>Boat/Trailer Width</b>   | 8'                |

|                             |                         |
|-----------------------------|-------------------------|
| <b>Max Persons</b>          | 7                       |
| <b>Freeboard Thickness</b>  | 0.100"                  |
| <b>Bottom Thickness</b>     | 0.100"                  |
| <b>Max Hull Thickness</b>   | 0.100"                  |
| <b>Cockpit Depth</b>        | 21.25"                  |
| <b>Engine/Approx. Speed</b> |                         |
| Mercury 150 4S              | 51-53 mph               |
| <b>Available Colors</b>     |                         |
|                             | Dead Grass Green        |
|                             | Mossy Oak Shadow Grass* |
|                             | Mossy Oak Break Up*     |
| <b>Hull Design</b>          | Mod V                   |

\*Optional/Upcharge

# 2070 PREDATOR SS

## STANDARD FEATURES

### Seats/Pedestals

- 1 Seat w/Pedestal (Mossy Oak® Shadowgrass)
- 2 Fold Down Seats
- Pedestal Bases (2)

### Fuel Tank

- 20 Gallon Integrated Fuel Tank

### Flooring

- Non-skid Floor Liner

### Livewell Systems

- Bow Livewell Auto/Manual Aeration (43" Long / 23 Gallon)

### Consoles/Instrumentation/Lighting

- Navigation Lights
- No-Feedback Steering
- Pre-rig w/Tach/Fuel Gauge
- Side Console w/Steering

### Other Exterior Features

- 6" Black Nylon Cleats
- Hull Drain Plug
- NMMA® Certified
- Transducer Bracket (Welded)
- Trim Tabs
- Utility Mod-V Graphics

### Other Interior Features

- 12V Power Point
- Battery Trays - 1 Small
- Battery Trays - 1 Large
- Bilge Pump (1 Manual)
- Bow Trolling Motor Plug
- Cup Holder - Black
- Horn
- Side Rod Holder & Rod Tube Combo - 9' 6"
- Sport Trak/Pro Trak Gunnel



|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 HP            |
| <b>Beam/Chine</b>           | 96" / 70.5"       |
| <b>Transom Height</b>       | 20"               |
| <b>Boat Length</b>          | 20'               |
| <b>Boat Weight</b>          | 1,175 lbs.        |
| <b>Motor Weight</b>         | 455 lbs. (150 4S) |
| <b>Trailer Weight</b>       | 520 lbs.          |
| <b>Total Weight</b>         | 2,150 lbs.        |
| <b>Total Storage Length</b> | 22' 5"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 3"             |
| <b>Boat/Trailer Width</b>   | 8'                |

|                             |                         |
|-----------------------------|-------------------------|
| <b>Max Persons</b>          | 7                       |
| <b>Freeboard Thickness</b>  | 0.100"                  |
| <b>Bottom Thickness</b>     | 0.100"                  |
| <b>Max Hull Thickness</b>   | 0.100"                  |
| <b>Cockpit Depth</b>        | 21.25"                  |
| <b>Engine/Approx. Speed</b> |                         |
| Mercury 150 4S              | 51-53 mph               |
| <b>Available Colors</b>     |                         |
|                             | Dead Grass Green        |
|                             | Mossy Oak Shadow Grass* |
|                             | Mossy Oak Break Up*     |
| <b>Hull Design</b>          | Mod V                   |

\*Optional/Upcharge

# 1675 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (37" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Electronics Command Center
- Flush Mount Horn
- Interior Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7" 5", (5) 6" 6"
- Storage Compartments
- Tackle Storage
- Tool Holder

### Other Exterior Features

- 3 Step Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (3)
- Bow Trolling Motor Harness w/Plug
- Treated Marine Grade Plywood - Bow to Stern



- Bilge Pump - Manual
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Dual Trak Gunwale
- Self-Draining Splash Pan

### Trailer

- Shoreland'r Trailer
- LUBE22LTSH Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP       |
| <b>Beam/Chine</b>           | 87" / 70.75"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 10"          |
| <b>Boat Weight</b>          | 910 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (60 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,638 lbs.       |
| <b>Total Storage Length</b> | 18' 10"          |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 1"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.080"  |
| <b>Max Hull Thickness</b>   | 0.143"  |
| <b>Cockpit Depth</b>        | 22"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 40 4S               | 25-29 mph   |
| Mercury 50 4S               | 28-32 mph   |
| Mercury 60 4S               | 30-34 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black   |
| <b>Hull Design</b>          | IPS   |

# 1775 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (1)
- Seat Bases (4)

### Fuel Tank

- 21 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (37" Long / 16 Gallon)
- Livewell Bait Net

### Console/Instrumentation/Lighting

- 12V. Power Receptacle
- Electronics Command Center
- Flush Mount Horn
- Interior Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 5", (5) 6' 6"
- Storage Compartments
- Tackle Storage
- Tool Holder

### Other Exterior Features

- 3 Step Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flip Down Cleats (4)
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (3)
- Treated Marine Grade Plywood - Bow to Stern



- Bilge Pump (1 Pump Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Dual Trak Gunwale
- Grab Handles (3)
- Self-Draining Splash Pan

### Trailer

- Shoreland'r Trailer
- LUB22SELMSSO Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP       |
| <b>Beam/Chine</b>           | 87" / 70.75"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17' 10"          |
| <b>Boat Weight</b>          | 1,010 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (75 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,850 lbs.       |
| <b>Total Storage Length</b> | 20'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 2"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 22.25"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 60 4S               | 30-34 mph         |
| Mercury 75 4S               | 34-38 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS               |

# 1875 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3)
- Helm Seat Slider
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (7)

### Fuel Tank

- 35 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (42" Long / 22 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Console/Instrumentation/Lighting


- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Electronics Command Center
- Mercury Analog Prerig
- Full Lighted Instrumentation
- Horn
- Interior and Livewell Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Main Power Tiller Handle

### Storage

- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7' 6", (5) 7'
- Lockable Side Rod Storage (3) 9' • (2) 8' 6"
- Lockable Storage
- Storage Compartments
- Bow Cargo Nets

### Other Exterior Features

- 4 Step Collapsible Boarding Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Recessed Cleats (4)
- Transhield Cover



Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/ Marincos Style Plug
- Battery Holders (3)
- Bilge Pump (1 pump Manual/Auto)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/ Marine Style Plug
- Drink Holders (3)
- Dual Trak Gunwale
- Grab Handles (3)
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- LUV30BLWTMH Painted Bunk

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 90 HP            |
| <b>Beam/Chine</b>           | 93" / 81"        |
| <b>Transom Height</b>       | 25"              |
| <b>Boat Length</b>          | 18' 10"          |
| <b>Boat Weight</b>          | 1,335 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 694 lbs.         |
| <b>Total Weight</b>         | 2,388 lbs.       |
| <b>Total Storage Length</b> | 21' 6"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 7'               |
| <b>Boat/Trailer Width</b>   | 8' 6"            |
| <b>Max Persons</b>          | 6                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.063"            |
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.160"            |
| <b>Cockpit Depth</b>        | 19.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 90 4S               | 36-40 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
|                             | Black             |
| <b>Hull Design</b>          | IPS 2             |

# 2075 PRO GUIDE

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3)
- Helm Seat Slider
- Solid - Fixed Mainstay (1)
- Solid - Removeable Pedestal (2)
- Seat Bases (7)

### Fuel Tank

- 43 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Bait Station (1) Drop-In
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (42" Long / 22 Gallon)
- Bow Livewell (27" Long / 11 Gallon)
- Livewell Bait Net

### Console/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Electronics Command Center
- Mercury Analog Prerig • Full Lighted Instrumentation • Horn
- Interior and Livewell Lighting
- Navigational Lighting • Plug-In Wire Harness • Main Power Tiller Handle

### Storage


- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 7', (5) 7'6", (5) 8' • Lockable Side Rod Storage (3) 9'6", (2) 9' • Bow Cargo Nets

### Other Exterior Features

- 4 Step Collapsible Ladder
- Aluminum Corner Castings
- Bow & Stern Eyes • Composite Transom • Hull Drain Plug
- Stainless Steel Recessed Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Trolling Motor Harness w/



- Marinco Style Plug • Battery Holders (3) • Bilge Pump (1 pump Manual/Auto) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Marinco Style Plug • Drink Holders (4) • Dual Trak Gunwale • Grab Handles (5) • Self-Draining Splash Pan • SportTrak Accessory Brackets (2) • Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer LUV40TBXLW

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 250 HP      |
| <b>Beam/Chine</b>           | 93" / 81"         |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 20' 9"            |
| <b>Boat Weight</b>          | 1,500 lbs.        |
| <b>Motor Weight</b>         | 527 lbs. (250 4S) |
| <b>Trailer Weight</b>       | 1,142 lbs.        |
| <b>Total Weight</b>         | 3,169 lbs.        |
| <b>Total Storage Length</b> | 23' 2"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 2"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 6                 |
| <b>Freeboard Thickness</b>  | 0.080"            |
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.180"            |

|                             |   |
|-----------------------------|---|
| <b>Cockpit Depth</b>        | 20.25"  |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 42-46 mph   |
| Mercury 175 4S              | 44-48 mph   |
| Mercury 200 4S              | 47-51 mph   |
| Mercury 225 4S              | 49-53 mph   |
| Mercury 250 4S              | 52-56 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Black   |
| <b>Hull Design</b>          | IPS 2   |

# 1875 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (1)
- Pro Ride Seats (3)
- Seat Bases (6)

### Fuel tank

43 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon)
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/Walkthrough Windshield
- Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Steering w/Tilt • Interior Lighting - LED • Kicker Stereo with 2 Jensen Speakers • Mercury Analog Prerig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5' 8", (5) 7'6", (5) 7' • Lockable Port Side Rod Storage - 8' Lockable Storage • Under Console Cargo Net Storage
- Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Hull Drain Plug • Level Flotation Compliance
- ProTrak Gunwale • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated



Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Pad (24V/36V) • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming

### ShoreInd'r Trailer

- (4) 2x6 Bunks / Black Painted Frame • LUV30BLWTHM Painted Bunk • Single Axle w/Brakes
- Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

|                             |                   |                             |                   |
|-----------------------------|-------------------|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 135 / 200 HP      | <b>Bottom Thickness</b>     | 0.100"            |
| <b>Beam/Chine</b>           | 97" / 83.75"      | <b>Max Hull Thickness</b>   | 0.180"            |
| <b>Transom Height</b>       | 25"               | <b>Cockpit Depth</b>        | 22"               |
| <b>Boat Length</b>          | 18' 10"           | <b>Engine/Approx. Speed</b> |                   |
| <b>Boat Weight</b>          | 1,710 lbs.        | Mercury 150 4S              | 46-50 mph         |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) | Mercury 175 4S              | 48-52 mph         |
| <b>Trailer Weight</b>       | 836 lbs.          | Mercury 200 4S              | 52-56 mph         |
| <b>Total Weight</b>         | 3,021 lbs.        | <b>Available Colors</b>     | Heritage Red      |
| <b>Total Storage Length</b> | 21' 9"            |                             | Black             |
| <b>Boat/Motor On</b>        |                   |                             | Arctic White      |
| <b>Trailer Height</b>       | 7'                |                             | Cobalt Blue       |
| <b>Boat/Trailer Width</b>   | 8' 6"             |                             | Gunmetal Metallic |
| <b>Max Persons</b>          | 6                 | <b>Bottom/Deck Colors</b>   | Black             |
| <b>Freeboard Thickness</b>  | 0.080"            |                             | Silver Stone      |
|                             |                   | <b>Hull Design</b>          | IPS 2             |

# 1975 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Pro Ride Seats (4) • Seat Bases (6)

### Fuel tank

- 51 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon)
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles
- Walkthrough Windshield
- Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Steering w/Tilt • Kicker Stereo with 2 Jensen Speakers • Interior Lighting - LED • Livewell Lighting
- Mercury Analog Prerig w/Gauges • Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Trinket Tray

### Storage

- Advanced Water Control Door Frames • Battery Storage Compartments • Lockable Center Rod Storage (5) 8', (5) 7'6", (5) 7'
- Lockable Port Side Rod Storage - 8' • Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Hull Drain Plug • Level Flotation Compliance



- ProTrak Gunwale • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders (4) • Bilge Pump (1 Manual/Automatic • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trolling Motor Plug (24V/36V) • Drink Holders • Fire Extinguisher • Integrated Ruler w/Storage • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

- (4)2x6 Bunks / Black Painted Frame • LUV30BLWTMH Painted Bunk • Single Axle w/Brakes
- Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

|                                     |                   |
|-------------------------------------|-------------------|
| <b>Min/Max HP</b>                   | 135 / 225 HP      |
| <b>Beam/Chine</b>                   | 100" / 87.25"     |
| <b>Transom Height</b>               | 25"               |
| <b>Boat Length</b>                  | 19' 10"           |
| <b>Boat Weight</b>                  | 1,940 lbs.        |
| <b>Motor Weight</b>                 | 475 lbs. (225 4S) |
| <b>Trailer Weight</b>               | 1,131 lbs.        |
| <b>Total Weight</b>                 | 3,546 lbs.        |
| <b>Total Storage Length</b>         | 22' 4"            |
| <b>Boat/Motor On Trailer Height</b> | 7'                |
| <b>Boat/Trailer Width</b>           | 8' 6"             |
| <b>Max Persons</b>                  | 6                 |
| <b>Freeboard Thickness</b>          | 0.080"            |
| <b>Bottom Thickness</b>             | 0.100"            |

|                             |   |
|-----------------------------|---|
| <b>Max Hull Thickness</b>   | 0.200"  |
| <b>Cockpit Depth</b>        | 22"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 44-48 mph   |
| Mercury 175 4S              | 46-50 mph   |
| Mercury 200 4S              | 50-54 mph   |
| Mercury 225 4S              | 52-56 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Black<br>Arctic White<br>Cobalt Blue<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone   |
| <b>Hull Design</b>          | IPS 2   |



# 2075 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Mainstay (2) • Air Ride Power Pedestals (2) • Pro Ride Seats (4) • Seat Bases (6)

### Fuel Tank

62 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Livewell Pumpout (aft livewell)  
 • Pro Long Bow Livewell (27" Long / 12 Gallon) • Pro Long Plus Aft Livewell (51" Long / 25 Gallon)  
 • Freshwater Pickup -Aft Livewell  
 • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12 V Power Receptacle  
 • Automotive Style Fuse Panel  
 • Dual Pro-Control Consoles w/ Walkthrough Windshield  
 • Full Lighted Instrumentation  
 • Flush Mount Horn • Hydraulic Tilt Steering • Kicker Stereo (2 Speakers) • Interior Lighting - LED • Livewell Lighting • Livewell Water Level Gauge (aft livewell)  
 • Mercury Analog Prerig W/ Gauges • Navigational Lighting  
 • Plug-In Wire Harness • Recessed Controls

### Storage

Advanced Water Control Door Frames • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler Storage  
 • Integrated Tackle Storage w/14 Trays • Lockable Drawer Storage  
 • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) 9' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in



Transom • Aluminum Corner Castings • Bow and Stern Eyes  
 • Composite Transom • Hull Drain Plug • Pro Trak Gunwale • Raised Lund on Freeboards • Stainless Steel Flush Mount Cleats (4)  
 • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch  
 • Drink Holders • Fire Extinguisher • Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coating • Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

LUV40TEXWMSO

|                                     |                   |                             |                   |
|-------------------------------------|-------------------|-----------------------------|-------------------|
| <b>Min/Max HP</b>                   | 200 / 300 HP      | <b>Max Hull Thickness</b>   | 0.225"            |
| <b>Beam/Chine</b>                   | 102" / 89.25"     | <b>Cockpit Depth</b>        | 21.5"             |
| <b>Transom Height</b>               | 25"               | <b>Engine/Approx. Speed</b> |                   |
| <b>Boat Length</b>                  | 20' 10"           | Mercury 200 4S              | 45-49 mph         |
| <b>Boat Weight</b>                  | 2,150 lbs.        | Mercury 225 4S              | 51-55 mph         |
| <b>Motor Weight</b>                 | 527 lbs. (300 4S) | Mercury 250 4S              | 54-58 mph         |
| <b>Trailer Weight</b>               | 1,131 lbs.        | Mercury 300 4S              | 56-61 mph         |
| <b>Total Weight</b>                 | 3,808 lbs.        | <b>Available Colors</b>     | Heritage Red      |
| <b>Total Storage Length</b>         | 23' 4"            |                             | Black             |
| <b>Boat/Motor On Trailer Height</b> | 7'                |                             | Arctic White      |
| <b>Boat/Trailer Width</b>           | 8' 6"             |                             | Cobalt Blue       |
| <b>Max Persons</b>                  | 7                 |                             | Gunmetal Metallic |
| <b>Freeboard Thickness</b>          | 0.080"            | <b>Bottom/Deck Colors</b>   | Black             |
| <b>Bottom Thickness</b>             | 0.125"            |                             | Silver Stone      |
|                                     |                   | <b>Hull Design</b>          | IPS 2             |

# 2175 PRO-V

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Mainstay (2) • Air Ride Power Pedestals (2) • Pro Ride Seats (4) • Seat Bases (6)

### Fuel Tank

65 Gal Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Livewell Pumpout (aft livewell)  
 • Pro Long Bow Livewell (27" Long / 12 Gallon) • Pro Long Plus Aft Livewell (51" Long / 25 Gallon)  
 • Freshwater Pickup - Aft Livewell  
 • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12 V Power Receptacle  
 • Automotive Style Fuse Panel • Dual Pro-Control Consoles w/Walkthrough Windshield  
 • Flush Mount Horn • Full Lighted Instrumentation • Hydraulic Tilt Steering • Kicker Stereo (2 Speakers)  
 • Interior Lighting - LED • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury Analog Prerig W/Gauges  
 • Navigational Lighting • Plug-In Wire Harness • Recessed Controls

### Storage

Advanced Water Control Door Frames • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler Storage • Integrated Tackle Storage w/14 Trays • Lockable Drawer Storage • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) 10' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in



Transom • Aluminum Corner Castings • Bow and Stern Eyes  
 • Composite Transom • Hull Drain Plug • Pro Trak Gunwale • Raised Lund on Freeboards • Stainless Steel Flush Mount Cleats (4)  
 • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

Aft Casting Platform • Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch  
 • Drink Holders • Fire Extinguisher • Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming  
 • Treated Marine Grade Plywood - Bow to Stern

### Shoreland'r Trailer

Custom Painted Bunk Trailer with Diamond Plated Fenders

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 / 400 HP          |
| <b>Beam/Chine</b>           | 102" / 89.25"         |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 21' 10"               |
| <b>Boat Weight</b>          | 2,300 lbs.            |
| <b>Motor Weight</b>         | 668 lbs. (400 Verado) |
| <b>Trailer Weight</b>       | 1,305 lbs.            |
| <b>Total Weight</b>         | 4,273 lbs.            |
| <b>Total Storage Length</b> | 24' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 7                     |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.125"                |
| <b>Max Hull Thickness</b>   | 0.225"                |

|                             |   |
|-----------------------------|---|
| <b>Cockpit Depth</b>        | 21.5"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 300 Verado          | 53-57 mph   |
| Mercury 350 Verado          | 55-59 mph   |
| Mercury 400 Verado          | 57-61 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Black<br>Arctic White<br>Cobalt Blue<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Black<br>Silver Stone   |
| <b>Hull Design</b>          | IPS 2   |

# 1875 PRO-V BASS

## STANDARD FEATURES

### Seats/Pedestals

- 3 Person Bench Seat
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)

### Fuel Tank

- 39 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash w/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames
- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (5) 8'
- Lockable Storage
- Under Seat Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint



- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP      |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 1,475 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,644 lbs.        |
| <b>Total Storage Length</b> | 21' 3"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 5"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 4                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.180"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 150 4S              | 46-50 mph         |
| Mercury 175 4S              | 48-52 mph         |
| Mercury 200 4S              | 52-56 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |

# 1875 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seat
- Butt Seat w/Adjustable Pedestal
- Pro Ride Seats (2)
- Seat Bases (3)
- Seat Sliders (2)

### Fuel Tank

- 39 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash W/ Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door

### Frames

- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (4) 8'
- Lockable Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Exterior Paint Clearcoat
- Level Flotation Compliance
- Monochromatic Paint



- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP      |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 1,475 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,644 lbs.        |
| <b>Total Storage Length</b> | 21' 3"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 5"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 5                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.100"  |
| <b>Max Hull Thickness</b>   | 0.180"  |
| <b>Cockpit Depth</b>        | 20"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 46-50 mph   |
| Mercury 175 4S              | 48-52 mph   |
| Mercury 200 4S              | 52-56 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Black<br>Arctic White<br>Cobalt Blue<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2   |

# 2075 PRO-V BASS

## STANDARD FEATURES

### Seats/Pedestals

- 3 Person Bench Seat
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)

### Fuel tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash w/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames
- Battery Storage Compartments
- Lockable Center Bow Rod Storage (5)10", (5) 9' 6", (5) 8'
- Lockable Storage
- Under Seat Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- ProTrak Gunwale



- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug (24V/36V)
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

LUV40TEYWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 954 lbs.              |
| <b>Total Weight</b>         | 3,309 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 4                     |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.125"            |
| <b>Max Hull Thickness</b>   | 0.205"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 200 4S              | 48-52 mph         |
| Mercury 225 Pro XS          | 51-55 mph         |
| Mercury 250 Pro XS          | 56-60 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |

# 2075 PRO-V BASS XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- 2 Pro Ride Seats
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)
- Seat Slider (2)

### Fuel tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash W/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames
- Battery Storage Compartments
- Lockable Center Bow Rod Storage (5) 10', (5) 9' 6", (5) 8'
- Lockable Storage Storage Compartments

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance



- Monochromatic Paint
- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug (24V/36V)
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV40TEYWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 954 lbs.              |
| <b>Total Weight</b>         | 3,309 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 5                     |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.125"  |
| <b>Max Hull Thickness</b>   | 0.205"  |
| <b>Cockpit Depth</b>        | 20"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 200 4S              | 48-52 mph   |
| Mercury 225 Pro XS          | 51-55 mph   |
| Mercury 250 Pro XS          | 56-60 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Black<br>Arctic White<br>Cobalt Blue<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2   |

# 189 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (3)
- Air Ride Mainstay (1)
- Air Ride Pedestals (2)
- Seat Bases (7)

### Fuel tank

- 41 Gallon Fuel Tank

### Flooring

- Marine Grade Carpet
- Non-Skid Fiberglass (Main Floor)

### Pro Long Plus Livewell Systems

- Bow Livewell (46" Long / 22 Gallon)
- Aft Livewell (24" Long / 12 Gallon)
- Bait Stations (2) Drop-In
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Battery Condition Indicator
- Bow & Aft Trolling Motor Plugs (12/24/36V.)
- Bow Panel with Trim Switch
- Breaker Panel
- Console Footrest
- Custom GL Console & Dash w/ Windshield
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Kicker KMC1 Stereo w/2 Speakers
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls

### Storage

- Battery Storage Compartments
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7'
- Lockable Storage
- Storage Compartments

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Bow & Stern Eyes
- Hull Drain Plug



- Stainless Steel Cleats
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders
- Bilge Pumps
- Bow Casting Platform
- Bow Deck Mounting Pad
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Freshwater Pickup
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Stern Rails
- Trolling Motor Mounting Surface

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 / 200 HP      |
| <b>Beam/Chine</b>           | 102" / 82.75"     |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 2,550 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 840 lbs.          |
| <b>Total Weight</b>         | 3,865 lbs.        |
| <b>Total Storage Length</b> | 22'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 6                 |

|                             |                            |
|-----------------------------|----------------------------|
| <b>Cockpit Depth</b>        | 27"                        |
| <b>Engine/Approx. Speed</b> |                            |
| Mercury 150 4S              | 46-50 mph                  |
| Mercury 175 4S              | 48-52 mph                  |
| Mercury 200 4S              | 50-54 mph                  |
| <b>Available Colors</b>     | Red/White/Gunmetal         |
|                             | Black/White Gunmetal       |
|                             | Gunmetal/Silver/Silver     |
|                             | Blue/Silver/Gunmetal       |
|                             | White/Gunmetal/Gunmetal    |
|                             | Burgundy/Gunmetal/Gunmetal |
|                             | Red/Silver/Gunmetal        |
|                             | Black/Silver/Gunmetal      |
| <b>Hull Design</b>          | IPS 3                      |

# 202 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (4)
- Air Ride Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (6)

### Fuel Tank

- 65 Gallon Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade Carpet

### Livewell Systems

- Bait Stations (2) Drop-In
- Pro Long Plus Livewell Systems
- Bow Livewell (30" Long / 20 Gallon)
- Aft Livewell (51" Long / 33 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Custom GL Console & Dash w/ Windshield
- 12V Power Receptacle (2)
- Breaker Panel
- Battery Condition Indicator
- Bow Panel with Trim Switch
- Console Footrest (Port and Starboard)
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Premium Rockford Fosgate Stereo w/2 Speakers
- Recessed Controls

### Storage

- Battery Storage Compartments
- Removable Storage Pods - Port and Starboard
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Storage Compartments
- Lockable Center Rod Storage (6) 8", (5) 7" 6", (4) 7"
- Lockable Storage

### Other Exterior Features

- Bow & Stern Eyes



- Flush Mount Stainless Cleats (4)
- Hull Drain Plug
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (5)
- Bow & Aft Troller Motor Plugs (12/24/36V)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Rails
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Self-Draining Splash Pan
- SportTrak Coaming
- SportTrak Accessory Brackets (2)
- Trolling Motor Mounting Surface
- Bilge Pumps (1 Manual/1 Auto)
- Freshwater Pickup

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 / 300 HP          |
| <b>Beam/Chine</b>           | 102" / 87.5"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 2"                |
| <b>Boat Weight</b>          | 2,700 lbs.            |
| <b>Motor Weight</b>         | 600 lbs. (300 Verado) |
| <b>Trailer Weight</b>       | 1,015 lbs.            |
| <b>Total Weight</b>         | 4,315 lbs.            |
| <b>Total Storage Length</b> | 24' 6"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 7                     |
| <b>Cockpit Depth</b>        | 21.5"                 |

|                             |                            |
|-----------------------------|----------------------------|
| <b>Engine/Approx. Speed</b> |                            |
| Mercury 250 4S              | 53-57 mph                  |
| Mercury 300 Verado          | 56-60 mph                  |
| <b>Available Colors</b>     | Red/White/Gunmetal         |
|                             | Black/White Gunmetal       |
|                             | Gunmetal/Silver/Silver     |
|                             | Blue/Silver/Gunmetal       |
|                             | White/Gunmetal/Gunmetal    |
|                             | Burgundy/Gunmetal/Gunmetal |
|                             | Red/Silver/Gunmetal        |
|                             | Black/Silver/Gunmetal      |
| <b>Hull Design</b>          | IPS 3                      |



# 219 PRO-V GL

## STANDARD FEATURES

### Seats/Pedestals

- Pro Ride Seats (4)
- Air Ride Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (7)

### Fuel Tank

- 65 Gallon Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade Carpet

### Livewell Systems


- Bait Stations (2) Drop-In
- Pro Long Plus Livewell Systems
- Bow Livewell (30" Long / 20 Gallon)
- Aft Livewell (51" Long / 33 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Custom GL Console & Dash w/ Windshield
- 12V. Power Receptacle (2)
- Breaker Panel
- Battery Condition Indicator
- Bow Panel with Trim Switch
- Console Footrest (Port and Starboard)
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Navigational Lighting
- Plug-In Wire Harness
- Premium Rockford Fosgate Stereo w/2 Speakers
- Recessed Controls

### Storage

- Battery Storage Compartments
- Removable Storage Pods - Port and Starboard
- Bow Cargo Net Storage
- Cooler/Storage Compartment
- Storage Compartments
- Lockable Center Rod Storage (6) 9', (5) 8' 6", (4) 8'
- Lockable Storage



### Other Exterior Features

- Bow & Stern Eyes
- Flush Mount Stainless Cleats (4)
- Hull Drain Plug
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (5)
- Bow & Aft Trolling Motor Plugs (12/24/36V)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Rails
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Self-Draining Splash Pan
- SportTrak Coaming
- SportTrak Accessory Brackets (2)
- Trolling Motor Mounting Surface
- Bilge Pumps (1 Manual/1 Auto)
- Freshwater Pickup

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Min/Max HP</b>                   | 225 / 400 HP          |
| <b>Beam/Chine</b>                   | 102" / 87.5"          |
| <b>Transom Height</b>               | 25"                   |
| <b>Boat Length</b>                  | 21' 9"                |
| <b>Boat Weight</b>                  | 3,000 lbs.            |
| <b>Motor Weight</b>                 | 668 lbs. (400 Verado) |
| <b>Trailer Weight</b>               | 1,015 lbs.            |
| <b>Total Weight</b>                 | 4,683 lbs.            |
| <b>Total Storage Length</b>         | 25' 5"                |
| <b>Boat/Motor On Trailer Height</b> | 7'                    |
| <b>Boat/Trailer Width</b>           | 8' 6"                 |
| <b>Max Persons</b>                  | 8                     |
| <b>Cockpit Depth</b>                | 24.5"                 |

### Engine/Approx. Speed

|                    |           |
|--------------------|-----------|
| Mercury 300 Verado | 53-57 mph |
| Mercury 350 Verado | 56-60 mph |
| Mercury 400 Verado | 57-61 mph |

### Available Colors

|                            |
|----------------------------|
| Red/White/Gunmetal         |
| Black/White Gunmetal       |
| Gunmetal/Silver/Silver     |
| Blue/Silver/Gunmetal       |
| White/Gunmetal/Gunmetal    |
| Burgundy/Gunmetal/Gunmetal |
| Red/Silver/Gunmetal        |
| Black/Silver/Gunmetal      |

### Hull Design

IPS 3

# 1875 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Limited ProRide Seats (4) Seat Bases (6)

### Fuel tank 43 Gallon Fuel Tank

### Flooring Limited Snap In Marine Mat Vinyl Main Floor/Carpeted Decks

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out • (42" Long / 22 Gallon)
- ProLong Plus Livewell System
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighter
- Instrumentation • Interior Lighting - LED • Limited Black Consoles • Limited Steering Wheel
- Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting • Plug-In Wire Harness
- Recessed Controls • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers • Steering-Hydraulic w/Tilt Helm • Trinket Tray • Walk Through Windshield with Black Frame

### Storage

- "Limited" Rod Locker Trim
- Battery Storage Compartments
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7' • Lockable Port Side Rod Storage - 8' • Lockable Storage • Storage Compartments
- Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • ProTrak



- Gunwale • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (4) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch
- Bow Trolling Motor Plug (24V/36V) • Fire Extinguisher
- Integrated Ruler w/Storage
- Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included)
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Stainless Steel Drink Holders • Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / Lundguard Frame
- Lighted Fender Step • Limited Rims • Limited Single Axle Trailer w/Brakes • Limited Trailer Decals
- Load Guides • Spare Tire • Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 HP                |
| <b>Beam/Chine</b>           | 97" / 83.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 10"               |
| <b>Boat Weight</b>          | 1,710 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (200 Pro XS) |
| <b>Trailer Weight</b>       | 846 lbs.              |
| <b>Total Weight</b>         | 3,061 lbs.            |
| <b>Total Storage Length</b> | 21' 9"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |              |
|-----------------------------|--------------|
| <b>Max Persons</b>          | 6            |
| <b>Freeboard Thickness</b>  | 0.080"       |
| <b>Bottom Thickness</b>     | 0.100"       |
| <b>Max Hull Thickness</b>   | 0.180"       |
| <b>Cockpit Depth</b>        | 22"          |
| <b>Engine/Approx. Speed</b> |              |
| Mercury 200 Pro XS          | 38-43 mph    |
| <b>Available Colors</b>     | Black        |
|                             | Arctic White |
| <b>Bottom/Deck Colors</b>   | Gunmetal     |
| <b>Hull Design</b>          | IPS 2        |

# 1975 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2)
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 51 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell w/Autotimer

- Aft Livewell w/Recirc and Pump Out (42" Long / 22 Gallon)
- ProLong Plus Livewell System
- Bait Bucket (Aft Livewell) • Bow Livewell (27" Long / 11 Gallon)
- Freshwater Pick Up (Aft Livewell)
- Livewell Divider (Aft Livewell)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles
- Limited Steering Wheel • Livewell Lighting • Mercury DTS Control
- Mercury Smartcraft Gauges
- Navigational Lighting
- Plug-In Wire Harness • Recessed Controls • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers
- Steering-Hydraulic w/Tilt Helm
- Trinket Tray • Walk Through Windshield with Black Frame

### Storage

- "Limited" Rod Locker Trim
- Battery Storage Compartments
- Lockable Center Rod Storage (5) 8', (5) 7' 6", (5) 7'
- Lockable Port Side Rod Storage - 8' • Under Console Cargo Net Storage • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • ProTrak Gunwale



- SL-24 Raised Lund on Freeboards
- Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (4) • Bilge Pump (1 Manual/Automatic) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Bow Trolling Motor Plug (24V/36V) • Fire Extinguisher • Integrated Ruler w/ Storage • Self-Draining Splash Pan
- Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / Lundguard Frame
- Lighted Fender Step • Limited Rims • Limited Tandem Axle Trailer w/Brakes • Limited Trailer Decals
- Load Guides • Second Axle Brakes Standard • Spare Tire • Swing Tongue / E-Coat Painted Wheel w/Radial Tire • Tongue Jack / LED Lights / Retractable Tie Downs

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 225 HP                |
| <b>Beam/Chine</b>           | 100" / 87.25"         |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 19' 10"               |
| <b>Boat Weight</b>          | 1,940 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (225 Pro XS) |
| <b>Trailer Weight</b>       | 1,141 lbs.            |
| <b>Total Weight</b>         | 3,586 lbs.            |
| <b>Total Storage Length</b> | 22' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |              |
|-----------------------------|--------------|
| <b>Max Persons</b>          | 6            |
| <b>Freeboard Thickness</b>  | 0.080"       |
| <b>Bottom Thickness</b>     | 0.100"       |
| <b>Max Hull Thickness</b>   | 0.200"       |
| <b>Cockpit Depth</b>        | 22"          |
| <b>Engine/Approx. Speed</b> |              |
| Mercury 225 Pro XS          | 52-56 mph    |
| <b>Available Colors</b>     | Black        |
|                             | Arctic White |
| <b>Bottom/Deck Colors</b>   | Gunmetal     |
| <b>Hull Design</b>          | IPS 2        |

# 2075 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (2) • Air Ride Removeable Pedestals (2)
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 62 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell w/Recirc (51" Long / 25 Gallon) • Bow Livewell (27" Long / 12 Gallon) • Freshwater Pick Up (Aft Livewell) • Livewell Pumpout (aft livewell) • ProLong Plus Livewell System • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Automotive Style Fuse Panel
- Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles
- Limited Steering Wheel • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury DTS Control • Mercury Power Steering
- Mercury Smartcraft Gauges
- Navigational Lighting • Plug-In Wire Harness • Recessed Controls
- Rockford Fosgate Stereo w/2 Rockford Fosgate Speakers • Walk Through Windshield w/Black Frame

### Storage

- "Limited" Rod Locker Trim • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage
- Integrated Ruler w/Storage
- Integrated Tackle Storage w/11 Trays • Lockable Drawer Storage
- Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) - 9' • Under Console Storage Drawes (Port and Starboard)

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes
- Bow Trim Switch • Composite



- Transom • Limited Decal Package
- Pro Trak Gunwale • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Advanced Water Control Door Frames • Aft Casting Platform
- Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V)
- Bow Casting Platform • Bow Deck Mounting Pad • Fire Extinguisher
- Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgraded Grab Handles

### Shoreland'r Trailer

- (4)2x6 Bunks / Lundguard Frame
- Lighted Fender Step • Limited Rims
- Limited Tandem Axle Trailer w/ Brakes • Limited Trailer Decals
- Load Guides • Second Axle Brakes Standard • Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires • Tongue Jack / LED Lights / Retractable Tie Downs

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Min/Max HP</b>                   | 300 HP                |
| <b>Beam/Chine</b>                   | 102" / 89.25"         |
| <b>Transom Height</b>               | 25"                   |
| <b>Boat Length</b>                  | 20' 10"               |
| <b>Boat Weight</b>                  | 2,150 lbs.            |
| <b>Motor Weight</b>                 | 505 lbs. (300 Pro XS) |
| <b>Trailer Weight</b>               | 1,141 lbs.            |
| <b>Total Weight</b>                 | 3,796 lbs.            |
| <b>Total Storage Length</b>         | 23' 4"                |
| <b>Boat/Motor On Trailer Height</b> | 7'                    |
| <b>Boat/Trailer Width</b>           | 8' 6"                 |

|                             |                       |
|-----------------------------|-----------------------|
| <b>Max Persons</b>          | 7                     |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.125"                |
| <b>Max Hull Thickness</b>   | 0.225"                |
| <b>Cockpit Depth</b>        | 21.5"                 |
| <b>Engine/Approx. Speed</b> |                       |
| Mercury 300 Pro XS          | 56-61 mph             |
| <b>Available Colors</b>     | Black<br>Arctic White |
| <b>Bottom/Deck Colors</b>   | Gunmetal              |
| <b>Hull Design</b>          | IPS 2                 |

# 2175 PRO-V LIMITED

## STANDARD FEATURES

### Seats/Pedestals

Air Ride Fixed Mainstay (2) • Air Ride Removable Pedestals (2) • Limited ProRide Seats (4) • Seat Bases (6)

**Fuel tank** 65 Gal Fuel Tank

### Flooring

Limited Snap In Marine Mat • Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

Aft Livewell w/Recirc (51" Long / 25 Gallon) • Bow Livewell (27" Long / 12 Gallon) • Freshwater Pick Up (Aft Livewell) • Livewell Pumpout (Aft livewell) • ProLong Plus Livewell System • Livewell Bait Net

### Consoles/Instrumentation/Lighting

12 V Power Receptacle • Automotive Style Fuse Panel • Flush Mount Horn • Full Lighted Instrumentation • Interior Lighting - LED • Limited Black Consoles • Limited Steering Wheel • Livewell Lighting • Livewell Water Level Gauge (aft livewell) • Mercury DTS Control • Mercury Power Steering • Mercury Smartcraft Gauges • Navigational Lighting • Plug-In Wire Harness • Recessed Controls • Rockford Fosgate Stereo w/2 Rockford Fosgate Speakers • Walk Through Windshield with Black Frame

### Storage

"Limited" Rod Locker Trim • Bow Cargo Nets • Built-In Insulated Cooler • Console Storage • Integrated Ruler w/Storage • Integrated Tackle Storage w/14 Trays • Lockable Drawer Storage • Lockable In-Floor Center Rod Storage w/15 Tubes (5) 9', (5) 8' 6", (5) 8' • Lockable On Deck Rod Storage (Port) - 10' • Under Console Storage Drawers (Port and Starboard)

### Other Exterior Features

3 Step Ladder Flush Mount in Transom • Aluminum Corner Castings • Bow and Stern Eyes • Composite Transom • Limited Decal Package • Pro Trak Gunwale



- SL-24 Raised Lund on Freeboards
- Exterior Paint Clearcoat • Stainless Steel Flush Mount Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Advanced Water Control Door Frames
- Aft Casting Platform
- Battery Holders (5) • Bilge Pumps (2) (1 Automatic) • Bow & Aft Trolling Motor Plugs (12/24/36V) • Bow Casting Platform • Bow Deck Mounting Pad • Bow Trim Switch • Fire Extinguisher • Kicker Fuel Line • Self Draining Splash Pan • Ski Tow Base (Ski Pole Not Included) • SportTrak Accessory Brackets (2) • SportTrak Coaming
- Stainless Steel Door Latches
- Stainless Steel Drink Holders
- Upgrade Grab Handles

### Shoreland'r Trailer

- (4) 2x6 Bunks, Lundguard Frame
- LED Lighting / Retractable Tie Downs
- Lighted Fender Step • Limited Rims
- Limited Tandem Axle Trailer w/ Brakes • Limited Trailer Decals • Load Guides • Second Axle Brakes Standard
- Spare Tire • Swing Tongue / E-Coat Painted Wheels w/Radial Tires
- Tongue Jack / LED Lights / Retractable Tie Downs

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 350 / 400 HP          |
| <b>Beam/Chine</b>           | 102" / 89.25"         |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 21' 10"               |
| <b>Boat Weight</b>          | 2,300 lbs.            |
| <b>Motor Weight</b>         | 668 lbs. (400 Verado) |
| <b>Trailer Weight</b>       | 1,297 lbs.            |
| <b>Total Weight</b>         | 4,265 lbs.            |
| <b>Total Storage Length</b> | 24' 10"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |              |
|-----------------------------|--------------|
| <b>Max Persons</b>          | 7            |
| <b>Freeboard Thickness</b>  | 0.080"       |
| <b>Bottom Thickness</b>     | 0.125"       |
| <b>Max Hull Thickness</b>   | 0.225"       |
| <b>Cockpit Depth</b>        | 21.5"        |
| <b>Engine/Approx. Speed</b> |              |
| Mercury 350 Verado          | 55-59 mph    |
| Mercury 400 Verado          | 57-61 mph    |
| <b>Available Colors</b>     | Black        |
|                             | Arctic White |
| <b>Bottom/Deck Colors</b>   | Gunmetal     |
| <b>Hull Design</b>          | IPS 2        |

# 1875 PRO-V MUSKY

## STANDARD FEATURES

### Seats/Pedestals

- 3 Person Bench Seat
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)

### Fuel Tank

- 39 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash w/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door
- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (5) 8'
- Lockable Storage
- Under Seat Storage
- Drop-in Tackle Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint



- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP      |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 1,475 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,644 lbs.        |
| <b>Total Storage Length</b> | 21' 3"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 5"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 4                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.180"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 150 4S              | 46-50 mph         |
| Mercury 175 4S              | 48-52 mph         |
| Mercury 200 4S              | 52-56 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |

# 1875 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seat
- Butt Seat w/Adjustable Pedestal
- Pro Ride Seats (2)
- Seat Bases (3)
- Seat Sliders (2)

### Fuel Tank

- 39 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash W/ Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door
- Drop-in Tackle Storage
- Battery Storage Compartments
- Lockable Center Bow Rod Storage w/Tubes (5) 9', (5) 8' 6", (4) 8' Lockable Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Exterior Paint Clearcoat
- Level Flotation Compliance
- Monochromatic Paint



- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV30BELWMSO

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP      |
| <b>Beam/Chine</b>           | 96" / 81.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 1,475 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,644 lbs.        |
| <b>Total Storage Length</b> | 21' 3"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 6' 5"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 5                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.180"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 150 4S              | 46-50 mph         |
| Mercury 175 4S              | 48-52 mph         |
| Mercury 200 4S              | 52-56 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |

# 2075 PRO-V MUSKY

## STANDARD FEATURES

### Seats/Pedestals

- 3 Person Bench Seat
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)

### Fuel tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash w/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames
- Battery Storage Compartments
- Lockable Center Bow Rod Storage (5)10', (5) 9' 6", (5)8'
- Lockable Storage
- Under Seat Storage
- Drop-in Tackle Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint



- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug (24V/36V)
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV40TEYWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 954 lbs.              |
| <b>Total Weight</b>         | 3,309 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 4                     |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.125"            |
| <b>Max Hull Thickness</b>   | 0.205"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 200 4S              | 48-52 mph         |
| Mercury 225 Pro XS          | 51-55 mph         |
| Mercury 250 Pro XS          | 56-60 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |



# 2075 PRO-V MUSKY XS

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- 2 Pro Ride Seats
- Butt Seat w/Adjustable Pedestal
- Seat Bases (3)
- Seat Slider (2)

### Fuel tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor
- Aerated Livewell w/Autotimer
- Aft Livewell w/Recirc (36" Long / 28 Gallon)
- Livewell Pumpout
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Fiberglass Console & Dash W/Windscreen
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Interior Lighting - LED
- Livewell Lighting
- Mercury Analog Prerig w/gauges
- Navigational Lighting
- Plug-In Wire Harness
- Recessed Controls
- Trinket Tray

### Storage

- Advanced Water Control Door Frames
- Battery Storage Compartments
- Lockable Center Bow Rod Storage (5) 10', (5) 9' 6", (5) 8'
- Lockable Storage
- Drop-in Tackle Storage

### Other Exterior Features

- 3 Step Ladder Flush Mount in Transom
- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Exterior Paint Clearcoat
- Hull Drain Plug
- Level Flotation Compliance



- Monochromatic Paint
- ProTrak Gunwale
- Stainless Steel Flip Down Cleats
- Transhield Cover
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Manual/Automatic)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trim Switch
- Bow Trolling Motor Harness w/Plug (24V/36V)
- Cooler & Cooler Storage
- Drink Holders
- Fire Extinguisher
- Integrated Ruler w/Storage
- On-the-Go Rod Storage
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Wood Free Construction

### Shoreland'r Trailer

- LUV40TEYWMSO

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 175 / 250 HP          |
| <b>Beam/Chine</b>           | 96" / 81.75"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 10"               |
| <b>Boat Weight</b>          | 1,850 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 954 lbs.              |
| <b>Total Weight</b>         | 3,309 lbs.            |
| <b>Total Storage Length</b> | 23' 11"               |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 6' 10"                |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 5                     |
| <b>Freeboard Thickness</b>  | 0.080"                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.125"            |
| <b>Max Hull Thickness</b>   | 0.205"            |
| <b>Cockpit Depth</b>        | 20"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 200 4S              | 48-52 mph         |
| Mercury 225 Pro XS          | 51-55 mph         |
| Mercury 250 Pro XS          | 56-60 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS 2             |

# 1650 REBEL XL SPORT

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" /16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Custom Dual Consoles w/Walkthru Windshield
- Flush Mount Horn
- Full Lighted Instrumentation
- LED Interior Lighting (1)
- Lockable Glove Box
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to Admidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (2)



- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / Lundguard Frame
- LUB22SELMSSO-16 Bunk Trailer with Lundguard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 50 / 90 HP       |
| <b>Beam/Chine</b>           | 85" / 70.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 7"           |
| <b>Boat Weight</b>          | 965 lbs.         |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,805 lbs.       |
| <b>Total Storage Length</b> | 19'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 6' 6"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 50 4S               | 29-33 mph         |
| Mercury 60 4S               | 30-34 mph         |
| Mercury 75 4S               | 31-35 mph         |
| Mercury 90 4S               | 32-36 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS               |

# 1650 REBEL XL SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (6)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewell (37" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- Full Lighted Instrumentation
- LED Interior Lighting (1)
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Steering
- Plug-In Wire Harness
- Custom Console w/Windshield

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Level Flotation Compliance
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)
- Dual Trak Gunwale
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (2)
- Bilge Pump (1 Manual)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Drink Holders
- Grab Handles (6)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2) 2x4 Bunks / Lundguard Frame
- LUB22SELMSSO-16 Bunk Trailer with Lundguard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                      |
|-----------------------------|----------------------|
| <b>Min/Max HP</b>           | 50 / 75 HP           |
| <b>Beam/Chine</b>           | 85" / 70.5"          |
| <b>Transom Height</b>       | 20"                  |
| <b>Boat Length</b>          | 16' 7"               |
| <b>Boat Weight</b>          | 915 lbs.             |
| <b>Motor Weight</b>         | 359 lbs. (75 Pro XS) |
| <b>Trailer Weight</b>       | 481 lbs.             |
| <b>Total Weight</b>         | 1,755 lbs.           |
| <b>Total Storage Length</b> | 19'                  |
| <b>Boat/Motor On</b>        |                      |
| <b>Trailer Height</b>       | 5' 11"               |
| <b>Boat/Trailer Width</b>   | 7' 6"                |
| <b>Max Persons</b>          | 6                    |
| <b>Freeboard Thickness</b>  | 0.063"               |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 50 4S               | 29-33 mph         |
| Mercury 60 4S               | 30-34 mph         |
| Mercury 75 4S               | 31-35 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS               |

# 1650 REBEL XL TILLER

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (4)
- Solid Fixed Mainstay (1)
- Solid Removable Pedestals (2)
- Standard Seats (3)

### Fuel Tank

- 19 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor/Carpeted Decks

### Livewell Systems

- Aerated Livewel (37" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Cell Phone/MP3 Player Holder
- Flush Mount Horn
- LED Interior Lighting (1)
- Main Power Tiller Handle
- Navigational Lighting
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Lockable Port and Starboard Rod Storage 7' 6"
- Storage Compartments

### Other Exterior Features

- 2 Step Strap Ladder with Mesh Bag
- Aluminum Corner Castings
- Bow & Stern Eyes
- Chrome Cleats (4)
- Composite Transom
- Level Flotation Compliance
- Transhield Cover
- Travel Cover Black
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Battery Holders (2)
- Bilge Pump (1 Manual)
- Bow Casting Platform



- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Dual Trak Gunwale
- Grab handles (5)
- Self-Draining Splash Pan
- Treated Marine Grade Plywood - Bow to Stern

### Trailer

- Shoreland'r Trailer
- (2)2x4 Bunks / Lundguard Frame
- LUB22SELMSSO-16 Bunk Trailer with Lundguard
- Swing Tongue / E-Coat Painted
- Wheels w/Bias Ply Tires
- Tongue Jack / LED Lights

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 40 / 60 HP       |
| <b>Beam/Chine</b>           | 85" / 70.5"      |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 16' 7"           |
| <b>Boat Weight</b>          | 870 lbs.         |
| <b>Motor Weight</b>         | 247 lbs. (60 4S) |
| <b>Trailer Weight</b>       | 481 lbs.         |
| <b>Total Weight</b>         | 1,598 lbs.       |
| <b>Total Storage Length</b> | 19'              |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 4"            |
| <b>Boat/Trailer Width</b>   | 7' 6"            |
| <b>Max Persons</b>          | 6                |
| <b>Freeboard Thickness</b>  | 0.063"           |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.080"            |
| <b>Max Hull Thickness</b>   | 0.143"            |
| <b>Cockpit Depth</b>        | 22.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 40 4S               | 28-32 mph         |
| Mercury 50 4S               | 29-33 mph         |
| Mercury 60 4S               | 30-34 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS               |

# 1775 RENEGADE SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (2)
- Standard Seats w/Solid Removable Pedestals (2)
- Bench Seat

### Fuel tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 22 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Flush Mount Horn
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- Plug-in Wire Harness
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage


- Rod Storage (2) 8' • (6) 7' 6"
- Storage Compartments

### Other Exterior Features

- 2-Step Strap Ladder w/Mesh Bag
- Aluminum Transom
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic Paint
- Transhield Cover

### Other Interior Features

- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cooler 12 Can Legend Igloo
- Cupholders-3
- Dual Trak Gunwale
- Self-Draining Splash Pan



Wood Free Construction

### Trailer

- Shoreland'r TRAILER
- Shoreland'r LUB22SNXMSO-Bunk-16 SHRARM Bunk/ Shore Arm'r II Frame / Tongue Jack
- Swing Tongue / E-Coat Painted
- Wheels w/Radial Tires

|                             |                  |
|-----------------------------|------------------|
| <b>Min/Max HP</b>           | 60 / 90 HP       |
| <b>Beam/Chine</b>           | 95" / 68.25"     |
| <b>Transom Height</b>       | 20"              |
| <b>Boat Length</b>          | 17' 9"           |
| <b>Boat Weight</b>          | 1,221 lbs.       |
| <b>Motor Weight</b>         | 359 lbs. (90 4S) |
| <b>Trailer Weight</b>       | 525 lbs.         |
| <b>Total Weight</b>         | 2,105 lbs.       |
| <b>Total Storage Length</b> | 20' 4"           |
| <b>Boat/Motor On</b>        |                  |
| <b>Trailer Height</b>       | 5' 4"            |
| <b>Boat/Trailer Width</b>   | 8'               |
| <b>Max Persons</b>          | 4                |

|                             |                   |
|-----------------------------|-------------------|
| <b>Freeboard Thickness</b>  | 0.100"            |
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.100"            |
| <b>Cockpit Depth</b>        | 18.75"            |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 50 4S               | 28-32 mph         |
| Mercury 60 4S               | 30-34 mph         |
| Mercury 75 4S               | 36-40 mph         |
| Mercury 90 4S               | 40-44 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Gunmetal Metallic |
| <b>Hull Design</b>          | IPS               |

# 1875 RENEGADE SS

## STANDARD FEATURES

### Seats/Pedestals

- Seat Bases (2)
- Standard Seats w/Solid Removable Pedestals (2)
- Bench Seat

### Fuel tank

- 22 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell (35" Long / 22 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12 V Power Receptacle
- Flush Mount Horn
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- Plug-in Wire Harness
- Steering-No Feed Back
- Windshield, Starboard Console

### Storage

- Rod Storage (2) 9' • (6) 7' 6"
- Storage Compartments

### Other Exterior Features

- Aluminum Transom
- 2-Step Strap Ladder w/Mesh Bag
- Bow & Stern Eyes
- Chrome Cleats (4)
- Hull Drain Plug
- Level Flotation Compliance
- Monochromatic paint

### Other Interior Features

- Battery Holder
- Bilge Pump (1 Manual)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Trolling Motor Harness w/Plug
- Bow Trolling Motor Plug (12/24V)
- Cooler 12 Can Legend Igloo
- Cupholders-3
- Dual Trak Gunwale
- Self-Draining Splash Pan



Wood Free Construction

### Trailer

- Shoreland'r TRAILER
- Shoreland'r LUB22SNXMSSO-Bunk-16 SHRARM
- Bunk/ Shore Arm'r II Frame / Tongue Jack
- Swing Tongue / E-Coat Painted
- Wheels w/Radial Tires

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 90 / 115 HP           |
| <b>Beam/Chine</b>           | 95" / 68.25"          |
| <b>Transom Height</b>       | 20"                   |
| <b>Boat Length</b>          | 18' 9"                |
| <b>Boat Weight</b>          | 1,318 lbs.            |
| <b>Motor Weight</b>         | 359 lbs. (115 Pro XS) |
| <b>Trailer Weight</b>       | 634 lbs.              |
| <b>Total Weight</b>         | 2,311 lbs.            |
| <b>Total Storage Length</b> | 22' 5"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 5' 4"                 |
| <b>Boat/Trailer Width</b>   | 8'                    |
| <b>Max Persons</b>          | 4                     |

|                             |   |
|-----------------------------|---|
| <b>Freeboard Thickness</b>  | 0.100"  |
| <b>Bottom Thickness</b>     | 0.100"  |
| <b>Max Hull Thickness</b>   | 0.100"  |
| <b>Cockpit Depth</b>        | 18.75"  |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 75 4S               | 35-39 mph   |
| Mercury 90 4S               | 39-43 mph   |
| Mercury 115 4S              | 43-47 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Hull Design</b>          | IPS   |

# 1800 SPORT ANGLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (2)
- Seat Bases (7)

### Fuel Tank

- 44 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Bow Livewell/Cooler (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Curved Windshield w/Walkthrough
- Custom Dash & Glove Box
- Full Lighted Instrumentation
- Horn
- Interior and Livewell Lighting
- Navigational Lighting
- No-Feedback Tilt Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Console Storage
- Navigational Light Storage
- Storage Compartments
- Port Rod Storage w/(4) Tubes (10')
- Starboard Rod Storage w/(4) Tubes (9')

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Cleats (4)
- 4 Step Transom Mount Ladder
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Cutting Board Surface
- Aft Rod Holders (5)
- Battery Holders (3)
- Bilge Pump (1 Manual) (1 Auto)



- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holder
- Dual Trak Gunwale
- Grab Handles (1)
- Hand Wash/Cooler Station
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Accessory Brackets w/Rod Holders (2)
- Toe Holds
- Transhield Cover
- Treated Marine Grade Plywood
- Washdown System
- Trailer**
- Shoreland'r LUV30BLWTSH
- Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 175 HP      |
| <b>Beam/Chine</b>           | 97" / 82.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 6"            |
| <b>Boat Weight</b>          | 1,460 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (175 4S) |
| <b>Trailer Weight</b>       | 831 lbs.          |
| <b>Total Weight</b>         | 2,766 lbs.        |
| <b>Total Storage Length</b> | 20' 6"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 6                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Bottom Thickness</b>     | 0.100"            |
| <b>Max Hull Thickness</b>   | 0.200"            |
| <b>Cockpit Depth</b>        | 26.5"             |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 115 4S              | 38-42 mph         |
| Mercury 150 4S4             | 7-51 mph          |
| Mercury 175 4S              | 50-54 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Cobalt Blue       |
|                             | Arctic White      |
|                             | Black             |
|                             | Graphite Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone      |
| <b>Hull Design</b>          | IPS 2             |

# 2000 SPORT ANGLER

## STANDARD FEATURES

### Seats/Pedestals

- Standard Seats (2)
- Solid - Fixed Mainstay (2)
- Seat Bases (7)

### Fuel Tank

- 52 Gallon Fuel Tank

### Flooring

- Complete Vinyl Floor

### Livewell Systems

- Aerated Livewell w/Autotimer
- Bow Livewell/Cooler (40" Long / 18 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Curved Windshield w/Walkthrough
- Custom Dash & Glove Box
- Full Lighted Instrumentation
- Horn
- Interior and Livewell Lighting
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- No-Feedback Tilt Steering
- Plug-In Wire Harness

### Storage


- Battery Storage Compartments
- Console Storage
- Navigational Light Storage
- Storage Compartments
- Port Rod Storage w/(4) Tubes (12')
- Starboard Rod Storage w/4) Tubes (11')

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Cleats (4)
- 4 Step Transom Mount Ladder
- Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Cutting Board Surface
- Aft Rod Holders (5)



- Battery Holders (3)
- Bilge Pump (1 Manual) (1 Auto)
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holder
- Dual Trak Gunwale
- Grab Handles (1)
- Hand Wash/Cooler Station
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Accessory Brackets w/Rod Holders (2)
- Toe Holds
- Transhield Cover
- Treated Marine Grade Plywood
- Washdown System

### Trailer

- Shoreland'r LUV40TBXLW
- Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 135 / 225 HP      |
| <b>Beam/Chine</b>           | 97" / 82.5"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 20' 6"            |
| <b>Boat Weight</b>          | 1,600 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (225 4S) |
| <b>Trailer Weight</b>       | 1,131 lbs.        |
| <b>Total Weight</b>         | 3,206 lbs.        |
| <b>Total Storage Length</b> | 23'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 8                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.100"  |
| <b>Max Hull Thickness</b>   | 0.200"  |
| <b>Cockpit Depth</b>        | 26.5"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 44-48 mph   |
| Mercury 175 4S              | 46-50 mph   |
| Mercury 200 4S              | 48-52 mph   |
| Mercury 225 4S              | 51-55 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Graphite Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone  |
| <b>BHull Design</b>         | IPS 2   |



# SSV 14

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



|                       |                                    |
|-----------------------|------------------------------------|
| <b>Min/Max HP</b>     | 30 HP                              |
| <b>Beam/Chine</b>     | 70" / 55.5"                        |
| <b>Transom Height</b> | 15" or 20"                         |
| <b>Boat Length</b>    | 14' 2"                             |
| <b>Boat Weight</b>    | 285 lbs. (15") /<br>295 lbs. (20") |
| <b>Motor Weight</b>   | 172 lbs. (30 4S)                   |
| <b>Trailer Weight</b> | 274 lbs.                           |
| <b>Total Weight</b>   | 731 / 741 lbs.                     |
| <b>Max Persons</b>    | 4                                  |

|                            |   |
|----------------------------|---|
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.063"  |
| <b>Max Hull Thickness</b>  | 0.063"  |
| <b>Available Colors</b>    | Heritage Red<br>Black<br>Alumnum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | IPS   |

\*Optional/Upcharge

# SSV 16

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Pan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Handles



|                       |                                 |
|-----------------------|---------------------------------|
| <b>Min/Max HP</b>     | 40 HP                           |
| <b>Beam/Chine</b>     | 72" / 55.5"                     |
| <b>Transom Height</b> | 15" or 20"                      |
| <b>Boat Length</b>    | 16' 2"                          |
| <b>Boat Weight</b>    | 340 lbs. (15")<br>350 lbs (20") |
| <b>Motor Weight</b>   | 204 lbs. (40 4S)                |
| <b>Trailer Weight</b> | 280 lbs.                        |
| <b>Total Weight</b>   | 824 / 834 lbs.                  |
| <b>Max Persons</b>    | 5 (15") / 6 (20")               |

|                            |   |
|----------------------------|---|
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.080"  |
| <b>Max Hull Thickness</b>  | 0.080"  |
| <b>Available Colors</b>    | Heritage Red<br>Black<br>Alumnum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | IPS   |

\*Optional/Upcharge

# SSV 18

## STANDARD FEATURES

- Cross Seats (2)
- Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Bow Floor Plan
- Fuel Tank Storage
- Hull Drain Plug
- Level Flotation Compliance
- Perma-Ply Seat Tops
- Self-Draining Splash Pan
- Stern Eyes



|                       |                  |
|-----------------------|------------------|
| <b>Min/Max HP</b>     | 60 HP            |
| <b>Beam/Chine</b>     | 76" / 57"        |
| <b>Transom Height</b> | 20"              |
| <b>Boat Length</b>    | 18' 4"           |
| <b>Boat Weight</b>    | 460 lbs.         |
| <b>Motor Weight</b>   | 247 lbs. (60 4S) |
| <b>Trailer Weight</b> | 335 lbs.         |
| <b>Total Weight</b>   | 1,042 lbs.       |
| <b>Max Persons</b>    | 7                |

|                            |  |
|----------------------------|--|
| <b>Freeboard Thickness</b> | 0.063"   |
| <b>Bottom Thickness</b>    | 0.100"   |
| <b>Max Hull Thickness</b>  | 0.100"   |
| <b>Available Colors</b>    | Heritage Red<br>Black<br>Aluminum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | IPS  |

\*Optional/Upcharge

# 1875 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (3)
- Air Ride Fixed Maststay (1)
- Air Ride Removeable Pedestal (2)
- Driver's Seat Slider
- Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

- 40 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Livewell Systems

- Aerated Livewell Systems
- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Bow Trolling Motor Harness w/Plug
- Custom Dual Consoles w/Walkthrough Windshield
- Full Lighted Instrumentation
- Horn
- Hydraulic Steering w/Tilt Helm
- Integrated LED Lighting
- Livewell Lighting
- Lockable Glovebox
- Mercury Analog Prerig w/Gauges
- Navigational Lighting
- Plug-In Wire Harness
- Kicker Stereo w/2 Jensen Speakers

### Storage

- Battery Storage Compartments
- Console Storage
- Storage Compartments
- Lockable Port Rod Storage (4) 8'
- Lockable In-Floor Rod Storage (5) 7' 6", (5) 8'
- Raised In-floor Center Storage Compartment
- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Hull Drain



- Plug
- Level Flotation Compliance
- ProTrak Gunwale
- Stainless Steel Bow Rails
- Stainless Steel Cleats (4 Recessed)
- Twin Plated Bottom (Bow to Amidship)
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (3)
- Bilge Pump (1 Auto/ Manual)
- Treated Marine Grade Plywood
- Bow to Stern
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Pro Deck Conversion
- Bow Backrests
- Drink Holders
- Self-Draining Splash Pan
- Ski Tow Base (Ski Pole Not Included)
- Sport Trak Accessory Brackets (2)
- Sport Trak Coaming
- Vinyl Wrapped Side Panels
- Fire Extinguisher

### Trailer

- Trailer LUV30BELMSO-16 Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 115 / 200 HP      |
| <b>Beam/Chine</b>           | 98" / 86.25"      |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 10"           |
| <b>Boat Weight</b>          | 1,760 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 694 lbs.          |
| <b>Total Weight</b>         | 2,929 lbs.        |
| <b>Total Storage Length</b> | 21' 4"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 2"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 8                 |
| <b>Freeboard Thickness</b>  | 0.080"            |
| <b>Bottom Thickness</b>     | 0.100"            |

|                             |   |
|-----------------------------|---|
| <b>Max Hull Thickness</b>   | 0.180"  |
| <b>Cockpit Depth</b>        | 27"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 46-50 mph   |
| Mercury 175 4S              | 48-52 mph   |
| Mercury 200 4S              | 49-53 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Satin Beige<br>Black                                      |
| <b>Hull Design</b>          | IPS   |

# 1975 TYEE

## STANDARD FEATURES

### Seats/Pedestals

Pro-Ride Seats (3) • Air Ride Fixed Mainstay (1) • Air Ride Removeable Pedestal (2) • Driver's Seat Slider Seat Bases (6) • Aft Integrated Jump Seats

### Fuel Tank

40 Gallon Fuel Tank

### Flooring

Vinyl Main Floor

### Livewell Systems

Aerated Livewell Systems • Bow Livewell (25" Long / 9 Gallon) Aft Livewell (38" Long / 24 Gallon) Livewell Bait Net

### Consoles/Instrumentation/Lighting


12V Power Receptacle • Custom Dual Consoles w/Walkthrough Windshield • Kicker Stereo (2 Speakers) • Automotive Style Fuse Panel • Bow Trolling Motor Plug • Full Lighted Instrumentation • Horn • Hydraulic Steering w/Tilt Helm • Integrated LED Lighting • Livewell Lighting • Lockable Glove Box • Mercury Analog Rerig w/Gauges • Navigational Lighting • Plug-In Wire Harness

### Storage

Battery Storage Compartments • Console Storage • Lockable Port Rod Storage (4) 9' • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Raised In-floor Center Storage Compartment • Aft Storage for Sun Top, Complete Top, or Bimini Top • Bow Cargo Net Storage

### Other Exterior Features

Aluminum Corner Castings • Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes • Composite Transom • Hull Drain Plug • Level Flotation Compliance • ProTrak Gunwale • Stainless Steel



Bow Rails • Stainless Steel Cleats (4 Recessed) • Twin Plated Bottom (Bow to Amidship) • Transhield Cover

### Other Interior Features

Aft Casting Platform • Battery Holders (3) • Bilge Pump (1 Auto/Manual) • Drink Holders • Treated Marine Grade Plywood - Bow to Stern • Bow Casting Platform • Bow Deck Mounting Pad • Bow Pro Deck Conversion • Bow Backrests • Self-Draining Splash Pan • Sport Trak Coaming Brackets (2) • Sport Trak Coaming • Vinyl Wrapped Side Panels • Fire Extinguisher

### Trailer

LUV40TBLWTMH Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 135 / 225 HP      |
| <b>Beam/Chine</b>           | 98" / 86.25"      |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 19' 10"           |
| <b>Boat Weight</b>          | 1,955 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (225 4S) |
| <b>Trailer Weight</b>       | 945 lbs.          |
| <b>Total Weight</b>         | 3,375 lbs.        |
| <b>Total Storage Length</b> | 22' 6"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 2"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 9                 |
| <b>Freeboard Thickness</b>  | 0.080"            |
| <b>Bottom Thickness</b>     | 0.100"            |

|                             |   |
|-----------------------------|---|
| <b>Max Hull Thickness</b>   | 0.200"  |
| <b>Cockpit Depth</b>        | 27"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 150 4S              | 44-48 mph   |
| Mercury 175 4S              | 48-52 mph   |
| Mercury 200 4S              | 48-52 mph   |
| Mercury 225 4S              | 49-53 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Cobalt Blue<br>Arctic White<br>Black<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Silver Stone<br>Satin Beige<br>Black                                      |
| <b>Hull Design</b>          | IPS2  |

# 2075 TYEE

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (4)
- Air Ride Pedestals (3)
- Air Ride Mainstay (1)
- Driver's Seat Slider
- Seat Bases (6)
- Aft Integrated Jump Seats

### Fuel Tank

- 50 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Aerated Livewell Systems

- Bow Livewell (25" Long / 9 Gallon)
- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- Kicker Stereo (2 Speakers)
- 12V. Power Receptacle
- Automotive Style Fuse Panel
- Bow Trolling Motor Plug
- Custom Dual Consoles w/ Walkthrough Windshield
- Lockable Glove Box
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Console Storage
- Storage Compartments
- Lockable Port Rod Storage (4) 8'
- Lockable In-Floor Rod Storage (4) 8' 0" • (6) 7' 6"
- Lockable Storage
- Raised In-floor Center Storage Compartment
- Aft Storage for Sun Top, Complete Top, or Bimini Top
- Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings



- Boarding Ladder 4 Step Folding
- Pan Mounted
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Bow Rails
- Stainless Steel Cleats (4) - Recessed
- Twin Plated Bottom (Bow to Amidship)
- Transhield Cover

### Other Interior Features

- Aft Casting Platform
- Battery Holders (4)
- Bilge Pump - 1 Auto/Manual
- Drink Holders
- Treated Marine Grade Plywood - Bow to Stern
- Bow Casting Platform
- Bow Deck Mounting Pad
- Bow Backrests
- Vinyl Wrapped Side Panels
- Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Fire Extinguisher

### Shoreland'r Trailer

- LUV40TBLWTMH Painted Bunk

|                                     |                   |
|-------------------------------------|-------------------|
| <b>Min/Max HP</b>                   | 150 / 250 HP      |
| <b>Beam/Chine</b>                   | 99.5" / 87"       |
| <b>Transom Height</b>               | 25"               |
| <b>Boat Length</b>                  | 20' 8"            |
| <b>Boat Weight</b>                  | 2,000 lbs.        |
| <b>Motor Weight</b>                 | 527 lbs. (250 4S) |
| <b>Trailer Weight</b>               | 1,131 lbs.        |
| <b>Total Weight</b>                 | 3,658 lbs.        |
| <b>Total Storage Length</b>         | 23' 1"            |
| <b>Boat/Motor On Trailer Height</b> | 7' 2"             |
| <b>Boat/Trailer Width</b>           | 8' 6"             |
| <b>Max Persons</b>                  | 9                 |
| <b>Freeboard Thickness</b>          | 0.080"            |
| <b>Bottom Thickness</b>             | 0.100"            |
| <b>Max Hull Thickness</b>           | 0.200"            |

|                             |                   |
|-----------------------------|-------------------|
| <b>Cockpit Depth</b>        | 30"               |
| <b>Engine/Approx. Speed</b> |                   |
| Mercury 200 4S              | 46-50 mph         |
| Mercury 225 4S              | 50-54 mph         |
| Mercury 250 4S              | 52-56 mph         |
| <b>Available Colors</b>     | Heritage Red      |
|                             | Black             |
|                             | Arctic White      |
|                             | Cobalt Blue       |
|                             | Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Black             |
|                             | Silver Stone      |
|                             | Satin Beige       |
| <b>Hull Design</b>          | IPS 2             |

# 189 TYEE GL

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- Pro Ride Seats (3)
- Air Ride Mainstays (2)
- Air Ride Pedestal (1)
- Seat Bases (7)

### Fuel tank

- 41 Gallon Fuel Tank

### Flooring

- Marine Grade carpet (Casting Platforms)
- Non-Skid Fiberglass (Main Floor)
- Pro Long Livewell Systems
- Bow Baitwell/Livewell (21" Long / 9 Gallon)
- Aft Livewell/ Baitwell (31" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Bow Trolling Motor Plug Breaker Panel
- Console Footrest
- Curved Windshield w/Walk-Thru
- Full Lighted Instrumentation
- Horn
- Hydraulic Tilt Steering
- Interior and Livewell Lighting
- Kicker KMC1 Stereo w/2 Speakers
- Navigational Lighting
- Plug-In Wire Harness
- ProControl GL Auto Style Console

### Storage

- Console Storage
- Cooler/Storage compartment
- In-Floor Battery Storage
- Lockable Bow Rod Storage (6) 7'
- Lockable Storage
- Ski Rope Storage
- Ski Storage
- Storage Compartments

### Other Exterior Features

- Boarding Ladder
- Bow & Stern Eyes
- Bow Rails
- Hull Drain Plug
- Level Flotation Compliance



- Shipping Cover
- Stainless Steel Flush Mount Cleats

### Other Interior Features

- Aft Casting Platform
- Aft Seat Conversion
- Battery Holders
- Bilge Pump
- Bow Casting Platform
- Bow Pro Deck Conversion
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Sculpted Console Front
- Self-Draining Splash Pan
- Sport Trak Accessory Brackets
- Sport Trak GL Coaming
- Trolling Motor Mounting Surface

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 / 200 HP      |
| <b>Beam/Chine</b>           | 102" / 82.75"     |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 18' 9"            |
| <b>Boat Weight</b>          | 2,500 lbs.        |
| <b>Motor Weight</b>         | 475 lbs. (200 4S) |
| <b>Trailer Weight</b>       | 840 lbs.          |
| <b>Total Weight</b>         | 3,815 lbs.        |
| <b>Total Storage Length</b> | 22'               |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7'                |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 8                 |

### Engine/Approx. Speed

|                |           |
|----------------|-----------|
| Mercury 175 4S | 48-52 mph |
| Mercury 200 4S | 50-54 mph |

### Available

Red/White/Gunmetal

### Colors

Black/White Gunmetal

Gunmetal/Silver/Silver

Blue/Silver/Gunmetal

White/Gunmetal/Gunmetal

Burgundy/Gunmetal/Gunmetal

Red/Silver/Gunmetal

Black/Silver/Gunmetal

### Hull Design

Semi V-Hull

# 208 TYEE GL

## STANDARD FEATURES

### Seats/Pedestals

- Aft Integrated Jump Seats
- ProRide Seats (4)
- Air Ride Removeable Pedestals (2)
- Air Ride Mainstay (2)
- Seat Bases (7)

### Fuel Tank

55 Gallon Fuel Tank

### Flooring

- Non-Skid Fiberglass (Main Floor)
- Marine Grade carpet (Casting Platforms)

### Pro Long Livewell Systems

- Bow Livewell (21" Long / 9 Gallon)
- Aft Livewell (31" Long / 16 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- Kicker Stereo (2 Speakers)
- 12V Power Receptacle (2)
- Breaker Panel
- Console Footrest - Port & Starb
- Curved Windshield w/Walk-Thru
- Hydraulic steering with tilt
- Full Lighted Instrumentation
- Horn
- Interior and Livewell Lighting
- ProControl GL Auto Style Console - Dual
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Storage Compartments
- Console Storage
- In-Floor Battery Storage
- Lockable Bow Rod Storage (6) 7'
- Lockable Storage
- Ski Storage
- Ski Rope Storage
- Cooler/Storage compartment

### Other Exterior Features

- Boarding Ladder
- Bow & Stern Eyes
- Bow Rails
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Flush Mount Cleats (2)
- Shipping Cover



### Other Interior Features

- Aft Casting Platform
- Aft Seat Conversion
- Battery Holders (3)
- Bilge Pump (1 Manual / Auto)
- Bow Casting Platform
- Bow Pro Deck Conversion
- Bow Trolling Motor Plug (12/24/36V)
- Custom Molded Side Panels
- Drink Holders
- Fire Extinguisher
- Sculpted Console Front
- Self-Draining Splash Pan
- Sport Trak Accessory Brackets (2)
- Sport Trak GL Coaming
- Trolling Motor Mounting Surface

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 / 300 HP          |
| <b>Beam/Chine</b>           | 96" / 87"             |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 8"                |
| <b>Boat Weight</b>          | 2,650 lbs.            |
| <b>Motor Weight</b>         | 600 lbs. (300 Verado) |
| <b>Trailer Weight</b>       | 1,015 lbs.            |
| <b>Total Weight</b>         | 4,265 lbs.            |
| <b>Total Storage Length</b> | 24' 6"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7'                    |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |
| <b>Max Persons</b>          | 8                     |
| <b>Cockpit Depth</b>        | 26.5"                 |

|                             |                            |
|-----------------------------|----------------------------|
| <b>Engine/Approx. Speed</b> |                            |
| Mercury 250 4S              | 51-55 mph                  |
| Mercury 300 4S              | 55-59 mph                  |
| <b>Available Colors</b>     | Red/White/Gunmetal         |
|                             | Black/White Gunmetal       |
|                             | Gunmetal/Silver/Silver     |
|                             | Blue/Silver/Gunmetal       |
|                             | White/Gunmetal/Gunmetal    |
|                             | Burgundy/Gunmetal/Gunmetal |
|                             | Red/Silver/Gunmetal        |
|                             | Black/Silver/Gunmetal      |
| <b>Hull Design</b>          | IPS 2                      |



# 1875 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1)
- Air Ride Removable Pedestals (3)
- Driver's Seat Slider
- Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4)
- Seat Bases (6)

### Fuel tank 40 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallons)
- Bow Livewell (25" Long / 9 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior and Livewell Lighting - LED
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage
- Lockable In-Floor Rod Storage (5) 8', (5) 7' 6" • Lockable Port Storage - 8' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding
- Pan Mounted • Bow & Stern Eyes • Composite Transom • Level Flotation Compliance • Limited Decal Package • SL-24 Raised Lund on Freeboards • Exterior Paint Clearcoat • Pro Trak Gunwale
- Stainless Steel Bow Rails •



- Stainless Steel Flush Mount Cleats (4) • Transhield Cover • Twin Plated Bottom (Bow to Admidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders • Bilge Pump (1 pump Auto/Manual) • Bow Casting Platform • Bow Pro Deck Conversion • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Drink Cup Holders • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan • Ski Tow Base (Ski Pole Not Included)
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles

### Trailer

- SHORELAND'R TRAILER
- Lighted Fender Step • Limited LUV31BLLWMSO-16 Trailer
- Limited Rims • Limited Single Axle Trailer w/Brakes • Limited Trailer Decals • Load Guides • Lundguard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs • Spare Tire

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 200 HP                |
| <b>Beam/Chine</b>           | 98" / 86.25"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 18' 10"               |
| <b>Boat Weight</b>          | 1,760 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (200 Pro XS) |
| <b>Trailer Weight</b>       | 846 lbs.              |
| <b>Total Weight</b>         | 3,111 lbs.            |
| <b>Total Storage Length</b> | 21' 4"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |                       |
|-----------------------------|-----------------------|
| <b>Max Persons</b>          | 8                     |
| <b>Freeboard Thickness</b>  | 0.080"                |
| <b>Bottom Thickness</b>     | 0.100"                |
| <b>Max Hull Thickness</b>   | 0.180"                |
| <b>Cockpit Depth</b>        | 27"                   |
| <b>Engine/Approx. Speed</b> |                       |
| Mercury 200 Pro XS          | 49-53 mph             |
| <b>Available Colors</b>     | Arctic White<br>Black |
| <b>Bottom/Deck Colors</b>   | Gunmetal              |
| <b>Hull Design</b>          | IPS 2                 |

# 1975 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1) • Air Ride Removable Pedestals (3)
- Driver's Seat Slider • Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 40 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallons) • Bow Livewell (25" Long / 9 Gallon) • Livewell Bait Net

### Consoles/Instrumentation/Lighting

- 12V Power Receptacle
- Automotive Style Fuse Panel
- Custom Dual Consoles w/Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Hydraulic Tilt Steering • Interior and Livewell Lighting - LED
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 • Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage • Lockable In-Floor Rod Storage (5) 9', (5) 8' 6" • Lockable Port Storage 9' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • Pro Trak Gunwale • SL-24 Raised • Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Bow Rails • Stainless Steel Cleats (4)



- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders • Bilge Pump (1 pump Auto/Manual) • Bow Backrests
- Bow Casting Platform • Bow Pro Deck Conversion • Bow Deck Mounting Pad • Bow Trolling Motor Harness w/Plug • Cockpit Depth • Drink Holder • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles • Vinyl Wrapped Side Panels

### Shoreland'r Trailer

- Lighted Fender Step • Limited LUV402LXWMSO-16 Bunk Trailer • Limited Rims • Load Guides • Lundguard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs • Spare Tire • Standard Brakes on both axles

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 225 HP                |
| <b>Beam/Chine</b>           | 98" / 86.25"          |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 19' 10"               |
| <b>Boat Weight</b>          | 1,955 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (225 Pro XS) |
| <b>Trailer Weight</b>       | 1,141 lbs.            |
| <b>Total Weight</b>         | 3,601 lbs.            |
| <b>Total Storage Length</b> | 22' 6"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |              |
|-----------------------------|--------------|
| <b>Max Persons</b>          | 9            |
| <b>Freeboard Thickness</b>  | 0.080"       |
| <b>Bottom Thickness</b>     | 0.100"       |
| <b>Max Hull Thickness</b>   | 0.200"       |
| <b>Cockpit Depth</b>        | 27"          |
| <b>Engine/Approx. Speed</b> |              |
| Mercury 225 Pro XS          | 49-53 mph    |
| <b>Available Colors</b>     | Arctic White |
|                             | Black        |
| <b>Bottom/Deck Colors</b>   | Gunmetal     |
| <b>Hull Design</b>          | IPS 2        |

# 2075 TYEE LIMITED

## STANDARD FEATURES

### Seats/Pedestals

- Air Ride Fixed Mainstay (1) • Air Ride Removable Pedestals (3)
- Driver's Seat Slider • Integrated Aft Jumpseats with Limited Trim
- Limited ProRide Seats (4) • Seat Bases (6)

### Fuel tank 50 Gallon Fuel Tank

### Flooring

- Limited Snap In Marine Mat
- Vinyl Main Floor/Carpeted Decks

### Aerated Livewell Systems

- Aerated Aft Livewell (38" Long / 24 Gallons) • Aerated Bow Livewell (25" Long / 9 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Automotive Style Fuse Panel
- Bow Trolling Motor Plug
- Custom Dual Consoles w/ Walkthrough Windshield • Full Lighted Instrumentation • Horn
- Interior and Livewell Lighting
- Limited Steering Wheel
- Lockable Glove Box • Mercury DTS Control • Mercury Smartcraft Gauges • Navigational Lighting
- Plug-In Wire Harness • Rockford Fosgate Stereo w/4 Rockford Fosgate Speakers

### Storage

- Aft Storage for Sun Top, Complete Top, or Bimini Top • Battery Storage Compartments • Bow Cargo Net Storage • Console Storage • Lockable In-Floor Rod Storage (5) 9", (5) 8' 6" • Lockable Port Storage 9' • Raised In-floor Center Storage Compartment

### Other Exterior Features

- Aluminum Corner Castings
- Boarding Ladder 4 Step Folding Pan Mounted • Bow & Stern Eyes
- Composite Transom • Level Flotation Compliance • Limited Decal Package • Pro Trak Gunwale • SL-24 Raised • Lund on Freeboards • Exterior Paint Clearcoat • Stainless Steel Bow



- Rails • Stainless Steel Cleats (4)
- Transhield Cover • Twin Plated Bottom (Bow to Amidship)

### Other Interior Features

- Aft Casting Platform • Battery Holders • Bilge Pump • Bow Backrests • Bow Casting Platform
- Bow Conversion with Cooler Storage • Bow Deck Mounting Pad • Drink Cup Holders • Fire Extinguisher • Limited Bow Backrests • Limited Side Panel Trim • Self-Draining Splash Pan
- SportTrak Accessory Brackets (2)
- SportTrak Coaming • Stainless Steel Door Latches • Treated Marine Grade Plywood - Bow to Stern • Upgraded Grab Handles
- Vinyl Wrapped Side Panels

### Shoreland'r Trailer

- LED Lights / E-Coat Painted Wheels w/Radial Tires
- Lighted Fender Step • Limited LUV402LXWMSO-16 Bunk Trailer
- Limited Rims • Lundguard Frame / Tongue Jack / Swing Tongue / Retractable Tie Downs
- LUV40TBLWTMH Painted Bunk
- Standard Brakes on both axles

|                             |                       |
|-----------------------------|-----------------------|
| <b>Min/Max HP</b>           | 250 HP                |
| <b>Beam/Chine</b>           | 99.5" / 87"           |
| <b>Transom Height</b>       | 25"                   |
| <b>Boat Length</b>          | 20' 8"                |
| <b>Boat Weight</b>          | 2,000 lbs.            |
| <b>Motor Weight</b>         | 505 lbs. (250 Pro XS) |
| <b>Trailer Weight</b>       | 1,141 lbs.            |
| <b>Total Weight</b>         | 3,646 lbs.            |
| <b>Total Storage Length</b> | 23' 1"                |
| <b>Boat/Motor On</b>        |                       |
| <b>Trailer Height</b>       | 7' 2"                 |
| <b>Boat/Trailer Width</b>   | 8' 6"                 |

|                             |              |
|-----------------------------|--------------|
| <b>Max Persons</b>          | 9            |
| <b>Freeboard Thickness</b>  | 0.080"       |
| <b>Bottom Thickness</b>     | 0.100"       |
| <b>Max Hull Thickness</b>   | 0.200"       |
| <b>Cockpit Depth</b>        | 30"          |
| <b>Engine/Approx. Speed</b> |              |
| Mercury 250 Pro XS          | 49-53 mph    |
| <b>Available</b>            | Arctic White |
| <b>Colors</b>               | Black        |
| <b>Bottom/Deck Colors</b>   | Gunmetal     |
| <b>Hull Design</b>          | IPS 2        |

# 2075 TYEE MAGNUM

## STANDARD FEATURES

### Seats/Pedestals

- Pro-Ride Seats (4)
- Air Ride Pedestals (3)
- Air Ride Mainstay (1)
- Driver's Seat Slider
- Seat Bases (5)
- Aft Integrated Jump Seats

### Fuel Tank

- 49 Gallon Fuel Tank

### Flooring

- Vinyl Main Floor

### Aerated Livewell Systems

- Aft Livewell (38" Long / 24 Gallon)
- Livewell Bait Net

### Consoles/Instrumentation/Lighting


- 12V Power Receptacle
- Kicker Stereo (2 Speakers)
- Automotive Style Fuse Panel
- Bow Trolling Motor Plug
- Custom Dual Consoles w/  
Walkthrough Windshield
- Full Lighted Instrumentation
- Hydraulic Tilt Steering
- Horn
- Interior and Livewell Lighting
- Lockable Glove Box
- Navigational Lighting
- Plug-In Wire Harness

### Storage

- Battery Storage Compartments
- Console Storage
- Storage Compartments
- Lockable Port Rod Storage (4) 10' 6"
- Lockable In-Floor Rod Storage  
(6) 7' 6" • (4) 8'
- Lockable Storage
- Aft Storage for Sun Top, Complete  
Top, or Bimini Top
- Bow Cargo Net Storage

### Other Exterior Features

- Aluminum Corner Castings
- Bow & Stern Eyes
- Composite Transom
- Hull Drain Plug
- Level Flotation Compliance
- Stainless Steel Bow Rails



- Stainless Steel Cleats (4) - Recessed
- Twin Plated Bottom (Bow to  
Amidship)
- Transhield Cover
- 3 Step Ladder Flush Mount in  
Transom
- Other Interior Features**
- Battery Holders (4)
- Bilge Pump - 1 Auto/Manual
- Bow Casting Platform
- Bow Deck Mounting Pad
- Drink Holders
- Fire Extinguisher
- SportTrak Accessory Brackets (2)
- SportTrak Coaming
- Treated Marine Grade Plywood -  
Bow to Stern
- Vinyl Wrapped Side Panels
- Shoreland'r Trailer**
- LUV40TBLWTMH Painted Bunk

|                             |                   |
|-----------------------------|-------------------|
| <b>Min/Max HP</b>           | 150 / 250 HP      |
| <b>Beam/Chine</b>           | 99.5" / 87"       |
| <b>Transom Height</b>       | 25"               |
| <b>Boat Length</b>          | 20' 8"            |
| <b>Boat Weight</b>          | 1,980 lbs.        |
| <b>Motor Weight</b>         | 527 lbs. (250 4S) |
| <b>Trailer Weight</b>       | 1,131 lbs.        |
| <b>Total Weight</b>         | 3,638 lbs.        |
| <b>Total Storage Length</b> | 23' 6"            |
| <b>Boat/Motor On</b>        |                   |
| <b>Trailer Height</b>       | 7' 2"             |
| <b>Boat/Trailer Width</b>   | 8' 6"             |
| <b>Max Persons</b>          | 9                 |
| <b>Freeboard Thickness</b>  | 0.080"            |

|                             |   |
|-----------------------------|---|
| <b>Bottom Thickness</b>     | 0.100"  |
| <b>Max Hull Thickness</b>   | 0.200"  |
| <b>Cockpit Depth</b>        | 30"   |
| <b>Engine/Approx. Speed</b> |   |
| Mercury 200 4S              | 48-52 mph   |
| Mercury 225 4S              | 50-54 mph   |
| Mercury 250 4S              | 52-56 mph   |
| <b>Available Colors</b>     | Heritage Red<br>Black<br>Arctic White<br>Cobalt Blue<br>Gunmetal Metallic |
| <b>Bottom/Deck Colors</b>   | Black<br>Satin Beige<br>Silver Stone                                      |
| <b>Hull Design</b>          | IPS 2   |

# WC-12

## STANDARD FEATURES

- Cross Seats (2)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (2)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                       |                 |                            |   |
|-----------------------|-----------------|----------------------------|---|
| <b>Min/Max HP</b>     | 15 HP           | <b>Freeboard Thickness</b> | 0.063"  |
| <b>Beam</b>           | 61"             | <b>Bottom Thickness</b>    | 0.063"  |
| <b>Transom Height</b> | 15"             | <b>Max Hull Thickness</b>  | 0.063"  |
| <b>Boat Length</b>    | 12' 1"          | <b>Available Colors</b>    | Heritage Red<br>Black<br>Alumnum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Boat Weight</b>    | 205 lbs.        | <b>Hull Design</b>         | Semi V-Hull   |
| <b>Motor Weight</b>   | 99 lbs. (15 4S) |                            |   |
| <b>Trailer Weight</b> | 173 lbs.        |                            |   |
| <b>Total Weight</b>   | 477 lbs.        |                            |   |
| <b>Max Persons</b>    | 3               |                            |   |

\*Optional/Upcharge

# WC-14

## STANDARD FEATURES

- Cross Seats (2)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                       |                                    |
|-----------------------|------------------------------------|
| <b>Min/Max HP</b>     | 25 HP                              |
| <b>Beam</b>           | 69"                                |
| <b>Transom Height</b> | 15" or 20"                         |
| <b>Boat Length</b>    | 14' 6"                             |
| <b>Boat Weight</b>    | 285 lbs. (15") /<br>295 lbs. (20") |
| <b>Motor Weight</b>   | 157 lbs. (25 4S)                   |
| <b>Trailer Weight</b> | 274 lbs.                           |
| <b>Total Weight</b>   | 716 / 726 lbs.                     |
| <b>Max Persons</b>    | 4                                  |

|                            |   |
|----------------------------|---|
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.063"  |
| <b>Max Hull Thickness</b>  | 0.063"  |
| <b>Available Colors</b>    | Heritage Red<br>Black<br>Alumnum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | Semi V-Hull   |

\*Optional/Upcharge

# WC-16

## STANDARD FEATURES

- Cross Seats (3)
- Modified Split Seat (2)
- Composite Transom
- Aluminum Keelsons (4)
- Bow Eye
- Perma-Ply Seat Tops
- Hull Drain Plug
- Level Flotation Compliance
- Oar Locks
- Stern Handles
- Flat Bottom



|                       |                                  |
|-----------------------|----------------------------------|
| <b>Min/Max HP</b>     | 25 HP                            |
| <b>Beam</b>           | 72"                              |
| <b>Transom Height</b> | 15" or 20"                       |
| <b>Boat Length</b>    | 16' 2"                           |
| <b>Boat Weight</b>    | 315 lbs. (15")<br>335 lbs. (20") |
| <b>Motor Weight</b>   | 157 lbs. (25 4S)                 |
| <b>Trailer Weight</b> | 280 lbs.                         |
| <b>Total Weight</b>   | 762 / 772 lbs.                   |
| <b>Max Persons</b>    | 5                                |

|                            |   |
|----------------------------|---|
| <b>Freeboard Thickness</b> | 0.063"  |
| <b>Bottom Thickness</b>    | 0.063"  |
| <b>Max Hull Thickness</b>  | 0.063"  |
| <b>Available Colors</b>    | Heritage Red<br>Black<br>Alumnum<br>Arctic White*<br>Cobalt Blue*<br>Fall Marsh (Camo)* |
| <b>Hull Design</b>         | Semi V-Hull   |

\*Optional/Upcharge

# 2021 TROLLING MOTOR GUIDE

## BOW TROLLING MOTOR SUGGESTED LENGTH

|                       | 45" | 50" / 54" | 60" | 72" |
|-----------------------|-----|-----------|-----|-----|
| ADVENTURE             |     | X         | X   |     |
| <b>ALASKAN</b>        |     |           |     |     |
| 1600/1800             |     | X         |     |     |
| 2000                  |     |           | X   |     |
| ANGLER                |     | X         |     |     |
| BARON                 |     |           |     | X   |
| CROSSOVER XS          |     |           | X   |     |
| FURY                  |     | X         |     |     |
| IMPACT/IMPACT XS      |     |           | X   |     |
| OUTFITTER             |     | X         |     |     |
| PRO GUIDE             |     |           | X   |     |
| PRO-V / PRO-V LIMITED |     |           | X   | X   |
| PRO-V BASS / MUSKY    |     | X         |     |     |
| PRO-V GL              |     |           | X   |     |
| REBEL XL              |     | X         |     |     |
| RENEGADE              | X   | X         |     |     |
| SPORT ANGLER          |     |           | X   |     |
| TYEE / TYEE LIMITED   |     |           | X   | X   |
| TYEE GL               |     |           | X   |     |



# 2021 STEERING SYSTEMS

| BOAT MODEL           | STANDARD STEERING SYSTEM | HYDRAULIC STEERING OPTION | POWER STEERING OPTION |
|----------------------|--------------------------|---------------------------|-----------------------|
| <b>ADVENTURE</b>     |                          |                           |                       |
| 1675 Adventure SS    | No Feedback              | N/A                       | N/A                   |
| 1675 Adventure Sport | No Feedback              | N/A                       | N/A                   |
| 1775 Adventure SS    | No Feedback              | N/A                       | N/A                   |
| 1775 Adventure Sport | No Feedback              | N/A                       | N/A                   |
| <b>ALASKAN</b>       |                          |                           |                       |
| 1600 Alaskan Tiller  | Tiller                   | N/A                       | N/A                   |
| 1600 Alaskan SS      | No Feedback              | N/A                       | N/A                   |
| 1800 Alaskan Tiller  | Tiller                   | Titan Hydraulic           | N/A                   |
| 1800 Alaskan SS      | No Feedback              | N/A                       | N/A                   |
| 1800 Alaskan Sport   | No Feedback              | N/A                       | N/A                   |
| 2000 Alaskan Tiller  | Tiller                   | Titan Hydraulic           | N/A                   |
| 2000 Alaskan SS      | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 2000 Alaskan Sport   | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| <b>ANGLER</b>        |                          |                           |                       |
| 1650 Angler Tiller   | Tiller                   | N/A                       | N/A                   |
| 1650 Angler SS       | No Feedback              | N/A                       | N/A                   |
| 1650 Angler Sport    | No Feedback              | N/A                       | N/A                   |
| <b>BARON</b>         |                          |                           |                       |
| 2275 Baron           | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| <b>CROSSOVER</b>     |                          |                           |                       |
| 1775 Crossover       | No Feedback w/Tilt       | Hydraulic w/Tilt          | Panther PS            |
| 1875 Crossover       | No Feedback w/Tilt       | Hydraulic w/Tilt          | Panther PS            |
| <b>FURY</b>          |                          |                           |                       |
| 1400 Fury Tiller     | Tiller                   | N/A                       | N/A                   |
| 1400 Fury SS         | No Feedback              | N/A                       | N/A                   |
| 1600 Fury Tiller     | Tiller                   | N/A                       | N/A                   |
| 1600 Fury SS         | No Feedback              | N/A                       | N/A                   |
| <b>IMPACT</b>        |                          |                           |                       |
| 1675 Impact SS       | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1675 Impact Sport    | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1675 Impact XS       | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1775 Impact SS       | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1775 Impact Sport    | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1775 Impact XS       | No Feedback              | Hydraulic w/Tilt          | N/A                   |
| 1875 Impact SS       | No Feedback              | Hydraulic w/Tilt          | Panther PS            |
| 1875 Impact Sport    | No Feedback              | Hydraulic w/Tilt          | Panther PS            |
| 1875 Impact XS       | No Feedback              | Hydraulic w/Tilt          | Panther PS            |
| 2025 Impact XS       | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| <b>OUTFITTER</b>     |                          |                           |                       |
| 1750 Outfitter       | Tiller                   | N/A                       | N/A                   |
| <b>PREDATOR</b>      |                          |                           |                       |
| 1660 Predator Tiller | Tiller                   | N/A                       | N/A                   |
| 1760 Predator Tiller | Tiller                   | N/A                       | N/A                   |
| 1760 Predator SS     | No Feedback              | N/A                       | N/A                   |
| 1870 Predator Tiller | Tiller                   | N/A                       | N/A                   |
| 1870 Predator SS     | No Feedback              | N/A                       | N/A                   |
| 1875 Predator CC     | No Feedback              | N/A                       | N/A                   |
| 2070 Predator SS     | No Feedback              | Hydraulic                 | N/A                   |
| 2070 Predator CC     | No Feedback              | Hydraulic                 | N/A                   |

# 2021 STEERING SYSTEMS

| BOAT MODEL           | STANDARD STEERING SYSTEM | HYDRAULIC STEERING OPTION | POWER STEERING OPTION |
|----------------------|--------------------------|---------------------------|-----------------------|
| <b>PRO GUIDE</b>     |                          |                           |                       |
| 1675 Pro Guide       | Tiller                   | N/A                       | N/A                   |
| 1775 Pro Guide       | Tiller                   | N/A                       | N/A                   |
| 1875 Pro Guide       | Tiller                   | Titan Hydraulic           | N/A                   |
| 2075 Pro Guide       | Tiller w/Mercury PS      | N/A                       | Standard              |
| <b>PRO V BASS</b>    |                          |                           |                       |
| 1875 Pro V Bass      | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1875 Pro V Bass XS   | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Pro V Bass      | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 2075 Pro V Bass XS   | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| <b>PRO V</b>         |                          |                           |                       |
| 1875 Pro V           | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1875 Pro V Limited   | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Pro V           | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Pro V Limited   | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Pro V           | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 2075 Pro V Limited   | Mercury PS               | NA                        | Standard              |
| 2175 Pro V           | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 2175 Pro V Limited   | Mercury PS               | NA                        | Standard              |
| <b>PRO V GL</b>      |                          |                           |                       |
| 189 Pro V GL         | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 202 Pro V GL         | Mercury PS               | NA                        | Standard              |
| 219 Pro V GL         | Mercury PS               | NA                        | Standard              |
| <b>REBEL XL</b>      |                          |                           |                       |
| 1650 Rebel XL Tiller | Tiller                   | N/A                       | N/A                   |
| 1650 Rebel XL SS     | No Feedback              | N/A                       | N/A                   |
| 1650 Rebel XL Sport  | No Feedback              | N/A                       | N/A                   |
| <b>RENEGADE</b>      |                          |                           |                       |
| 1775 Renegade        | No Feedback              | N/A                       | N/A                   |
| 1875 Renegade        | No Feedback              | N/A                       | N/A                   |
| <b>SPORT ANGLER</b>  |                          |                           |                       |
| 1800 Sport Angler    | No Feedback w/Tilt       | Hydraulic w/Tilt          | Panther PS            |
| 2000 Sport Angler    | No Feedback w/Tilt       | Hydraulic w/Tilt          | Panther PS            |
| <b>TYEE</b>          |                          |                           |                       |
| 1875 Tyee            | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1875 Tyee Limited    | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Tyee            | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 1975 Tyee Limited    | Hydraulic w/Tilt         | Standard                  | Panther PS            |
| 2075 Tyee            | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 2075 Tyee V Limited  | Mercury PS               | NA                        | Standard              |
| <b>TYEE GL</b>       |                          |                           |                       |
| 189 Tyee GL          | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| 208 Tyee GL          | Hydraulic w/Tilt         | Standard                  | Mercury PS            |
| <b>TYEE MAGNUM</b>   |                          |                           |                       |
| 2075 Tyee Magnum     | Hydraulic w/Tilt         | Standard                  | Mercury PS            |

# 2021 CARPET/VINYL

| BOAT MODEL     | LAYOUT | FLOORING OPTION          | AFT DECK         | COCKPIT             | CONSOLE BASE     | PORT/STBD          | BOW DECK           | BOW PLATE          | VERTICAL SURFACES  |
|----------------|--------|--------------------------|------------------|---------------------|------------------|--------------------|--------------------|--------------------|--------------------|
| 1675 ADVENTURE | SPORT  | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl      | Vinyl<br>Carpet  | Carpet<br>Carpet   | Vinyl<br>Carpet    | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | SS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Carpet<br>Carpet    | Carpet<br>Carpet | Carpet<br>Carpet   | Carpet<br>Carpet   | Carpet<br>Carpet   | Carpet<br>Carpet   |
| 1775 ADVENTURE | SPORT  | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl      | Carpet<br>Carpet | Carpet<br>Carpet   | Vinyl<br>Carpet    | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | SS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl      | Carpet<br>Carpet | Carpet<br>Carpet   | Vinyl<br>Carpet    | Vinyl<br>Carpet    | Carpet<br>Carpet   |
| 1600 ALASKAN   | SS     | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | Carpet<br>Carpet | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | TILLER | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | SPORT  | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | Carpet<br>Carpet | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
| 1800 ALASKAN   | SS     | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | Carpet<br>Carpet | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | TILLER | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | SPORT  | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | Carpet<br>Carpet | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
| 2000 ALASKAN   | SS     | Full Vinyl<br>Composite  | N/A<br>N/A       | Carpet<br>Composite | Carpet<br>Carpet | Carpet<br>Carpet   | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | TILLER | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |
|                | SPORT  | Full Vinyl<br>Composite  | N/A<br>N/A       | Vinyl<br>Composite  | Carpet<br>Carpet | Vinyl<br>Composite | Vinyl<br>Composite | Vinyl<br>Composite | Painted<br>Painted |

# 2021 CARPET/VINYL

| BOAT MODEL        | LAYOUT | FLOORING OPTION           | AFT DECK         | COCKPIT         | CONSOLE BASE     | PORT/STBD       | BOW DECK         | BOW PLATE        | VERTICAL SURFACES  |
|-------------------|--------|---------------------------|------------------|-----------------|------------------|-----------------|------------------|------------------|--------------------|
| 1650 ANGLER       | SPORT  | Full Vinyl<br>Vinyl Main  | Vinyl<br>Carpet  | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Vinyl<br>Carpet  | Carpet<br>Carpet   |
|                   | SS     | Full Vinyl<br>Vinyl Main  | Vinyl<br>Carpet  | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Vinyl<br>Carpet  | Carpet<br>Carpet   |
|                   | TILLER | Full Vinyl<br>Vinyl Main  | Carpet<br>Carpet | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Vinyl<br>Carpet  | Carpet<br>Carpet   |
| 2275 BARON        | SPORT  | Full Carpet<br>Full Vinyl | Carpet<br>Carpet | Carpet<br>Vinyl | Carpet<br>Carpet | N/A<br>N/A      | Carpet<br>Vinyl  | Carpet<br>Vinyl  | Carpet<br>Carpet   |
|                   | SPORT  | Vinyl Main<br>Full Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Carpet<br>Carpet | N/A<br>N/A      | Carpet<br>Carpet | Carpet<br>Carpet | Carpet<br>Carpet   |
| 1775 CROSSOVER XS | SPORT  | Full Vinyl<br>Vinyl Main  | Carpet<br>Carpet | Vinyl<br>Vinyl  | Carpet<br>Carpet | N/A<br>N/A      | Vinyl<br>Carpet  | Vinyl<br>Carpet  | Carpet<br>Carpet   |
|                   | SPORT  | Full Carpet<br>Full Vinyl | Carpet<br>Carpet | Carpet<br>Vinyl | Carpet<br>Carpet | N/A<br>N/A      | Carpet<br>Vinyl  | Carpet<br>Vinyl  | Carpet<br>Carpet   |
| 1875 CROSSOVER XS | SPORT  | Vinyl Main<br>Full Vinyl  | Carpet<br>Carpet | Vinyl<br>Vinyl  | Carpet<br>Carpet | N/A<br>N/A      | Carpet<br>Vinyl  | Carpet<br>Vinyl  | Carpet<br>Carpet   |
|                   | SPORT  | Full Vinyl<br>Vinyl Main  | Carpet<br>Carpet | Vinyl<br>Vinyl  | Carpet<br>Carpet | N/A<br>N/A      | Carpet<br>Vinyl  | Carpet<br>Vinyl  | Carpet<br>Carpet   |
| 1400 FURY         | SS     | Full Vinyl<br>Vinyl Main  | N/A<br>N/A       | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Carpet<br>Carpet | Painted<br>Painted |
|                   | TILLER | Full Vinyl<br>Vinyl Main  | N/A<br>N/A       | Vinyl<br>Vinyl  | N/A<br>N/A       | Vinyl<br>Carpet | Vinyl<br>Carpet  | Carpet<br>Carpet | Painted<br>Painted |
|                   | SS     | Full Vinyl<br>Vinyl Main  | N/A<br>N/A       | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Carpet<br>Carpet | Painted<br>Painted |
| 1600 FURY         | SS     | Full Vinyl<br>Full Vinyl  | N/A<br>N/A       | Vinyl<br>Vinyl  | Carpet<br>Carpet | Vinyl<br>Carpet | Vinyl<br>Carpet  | Carpet<br>Carpet | Painted<br>Painted |
|                   | TILLER | Full Vinyl<br>Vinyl Main  | N/A<br>N/A       | Vinyl<br>Vinyl  | N/A<br>N/A       | Vinyl<br>Carpet | Vinyl<br>Carpet  | Carpet<br>Carpet | Painted<br>Painted |

# 2021 CARPET/VINYL

| BOAT MODEL     | LAYOUT | FLOORING OPTION          | AFT DECK         | COCKPIT            | CONSOLE BASE     | PORT/STBD           | BOW DECK            | BOW PLATE          | VERTICAL SURFACES  |
|----------------|--------|--------------------------|------------------|--------------------|------------------|---------------------|---------------------|--------------------|--------------------|
| 1675 IMPACT    | SPORT  | Full Vinyl<br>Vinyl Main | Vinyl<br>Carpet  | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | SS     | Full Vinyl<br>Vinyl main | Vinyl<br>Carpet  | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | XS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
| 1775 IMPACT    | SPORT  | Full Vinyl<br>Vinyl Main | Vinyl<br>Carpet  | Vinyl<br>Carpet    | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | SS     | Full Vinyl<br>Vinyl Main | Vinyl<br>Carpet  | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | XS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
| 1875 IMPACT    | SPORT  | Full Vinyl<br>Vinyl Main | Vinyl<br>Carpet  | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | SS     | Full Vinyl<br>Vinyl Main | Vinyl<br>Carpet  | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | XS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
| 2025 IMPACT    | XS     | Full Vinyl<br>Vinyl Main | Carpet<br>Carpet | Vinyl<br>Vinyl     | Carpet<br>Carpet | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Vinyl<br>Carpet    | Carpet<br>Carpet   |
|                | TILLER | Full Vinyl<br>Vinyl Main | N/A<br>N/A       | Vinyl<br>Vinyl     | N/A<br>N/A       | Vinyl<br>Carpet     | Vinyl<br>Carpet     | Painted<br>Painted | Painted<br>Painted |
| 1750 OUTFITTER | SPORT  | Full Vinyl<br>Vinyl Main | N/A<br>N/A       | Composite<br>Vinyl | N/A<br>N/A       | Composite<br>Carpet | Composite<br>Carpet | Painted<br>Painted | Painted<br>Painted |
|                | TILLER | Full Vinyl<br>Vinyl Main | N/A<br>N/A       | Composite<br>Vinyl | N/A<br>N/A       | Composite<br>Carpet | Composite<br>Carpet | Painted<br>Painted | Painted<br>Painted |

# 2021 CARPET/VINYL

| BOAT MODEL      | LAYOUT | FLOORING OPTION | AFT DECK | COCKPIT | CONSOLE BASE | PORT/STBD | BOW DECK | BOW PLATE | VERTICAL SURFACES |
|-----------------|--------|-----------------|----------|---------|--------------|-----------|----------|-----------|-------------------|
| 1675 PRO GUIDE  | TILLER | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 1775 PRO GUIDE  | TILLER | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 1875 PRO GUIDE  | TILLER | Full Vinyl      | Vinyl    | Vinyl   | Carpet       | Vinyl     | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | Carpet    | Carpet   | Carpet    | Carpet            |
| 2075 PRO GUIDE  | TILLER | Full Vinyl      | Vinyl    | Vinyl   | Carpet       | Vinyl     | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | Carpet    | Carpet   | Carpet    | Carpet            |
| 1875 PRO-V      | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1975 PRO-V      | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2075 PRO-V      | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2175 PRO-V      | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1875 PRO-V BASS | BENCH  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 2075 PRO-V BASS | BENCH  | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 2075 PRO-V BASS | XS     | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
|                 |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |

# 2021 CARPET/VINYL

| BOAT MODEL         | LAYOUT | FLOORING OPTION | AFT DECK | COCKPIT | CONSOLE BASE | PORT/STBD | BOW DECK | BOW PLATE | VERTICAL SURFACES |
|--------------------|--------|-----------------|----------|---------|--------------|-----------|----------|-----------|-------------------|
| 1875 PRO-V LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1975 PRO-V LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2075 PRO-V LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2175 PRO-V LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1875 PRO-V MUSKY   | BENCH  | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 2075 PRO-V MUSKY   | BENCH  | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
| 1650 REBEL XL      | SPORT  | Full Vinyl      | Vinyl    | Vinyl   | Carpet       | Vinyl     | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | Carpet    | Carpet   | Carpet    | Carpet            |
| 1775 RENEGADE      | SS     | Full Vinyl      | Carpet   | Vinyl   | Carpet       | Vinyl     | Vinyl    | Vinyl     | Carpet            |
|                    |        | Vinyl Main      | Vinyl    | Vinyl   | N/A          | Vinyl     | Vinyl    | Vinyl     | Carpet            |
| 1875 RENEGADE      | SS     | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Carpet    | Carpet            |
|                    |        | Vinyl Main      | Vinyl    | Vinyl   | N/A          | Vinyl     | Vinyl    | Painted   | Vinyl             |
| 1875 RENEGADE      | SS     | Full Vinyl      | Vinyl    | Vinyl   | N/A          | Vinyl     | Vinyl    | Painted   | Carpet            |
|                    |        | Vinyl Main      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Painted   | Vinyl             |
| 1875 RENEGADE      | SS     | Full Vinyl      | Carpet   | Vinyl   | N/A          | Carpet    | Carpet   | Painted   | Carpet            |
|                    |        | Vinyl Main      | Vinyl    | Vinyl   | N/A          | Carpet    | Carpet   | Painted   | Carpet            |

# 2021 CARPET/VINYL

| BOAT MODEL        | LAYOUT | FLOORING OPTION | AFT DECK | COCKPIT | CONSOLE BASE | PORT/STBD | BOW DECK | BOW PLATE | VERTICAL SURFACES |
|-------------------|--------|-----------------|----------|---------|--------------|-----------|----------|-----------|-------------------|
| 1800 SPORT ANGLER | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | Carpet    | Vinyl    | Vinyl     | Carpet            |
| 2000 SPORT ANGLER | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | Carpet    | Vinyl    | Vinyl     | Carpet            |
| 1875 TYEE         | SPORT  | Full Carpet     | Carpet   | Carpet  | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
|                   |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
| 1975 TYEE         | SPORT  | Full Carpet     | Carpet   | Carpet  | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
|                   |        | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
| 2075 TYEE         | SPORT  | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
|                   |        | Full Carpet     | Carpet   | Carpet  | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2075 TYEE         | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                   |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1875 TYEE LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                   |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 1975 TYEE LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                   |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2075 TYEE LIMITED | SPORT  | Full Vinyl      | Carpet   | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                   |        | Vinyl Main      | Carpet   | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |
| 2075 TYEE MAGNUM  | SPORT  | Full Vinyl      | Vinyl    | Vinyl   | Carpet       | N/A       | Vinyl    | Vinyl     | Carpet            |
|                   |        | Vinyl Main      | Vinyl    | Vinyl   | Carpet       | N/A       | Carpet   | Carpet    | Carpet            |



# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                 | HP<br>(MIN/MAX) | ENGINE                        | MOUNT<br>HOLE | PROP<br>(ALUMINUM)        | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|----------------------------|-----------------|-------------------------------|---------------|---------------------------|---------------------|------------------|
| 1675 ADVENTURE<br>SPORT    | 60 / 90         | MERCURY 60ELPT                | 2             | 10.1 X 14 MERC SPITFIRE   | N/A                 | 30-34            |
|                            |                 | MERCURY 75ELPT                | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 38-42            |
|                            |                 | MERCURY 90ELPT                | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 41-45            |
| 1775 ADVENTURE<br>SPORT    | 60 / 115        | MERCURY 60ELPT                | 2             | 10.3 X 13 MERC SPITFIRE   | N/A                 | 30-34            |
|                            |                 | MERCURY 75ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 35-39            |
|                            |                 | MERCURY 90ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 39-43            |
|                            |                 | MERCURY 115ELPT PRO XS        | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 43-47            |
| 1675 ADVENTURE<br>SS       | 40 / 90         | MERCURY 60ELPT                | 2             | 10.1 X 14 MERC SPITFIRE   | N/A                 | 30-34            |
|                            |                 | MERCURY 75ELPT                | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 38-42            |
|                            |                 | MERCURY 90ELPT                | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 41-45            |
| 1775 ADVENTURE<br>SS       | 60 / 90         | MERCURY 60ELPT                | 2             | 10.3 X 13 MERC SPITFIRE   | N/A                 | 30-34            |
|                            |                 | MERCURY 75ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 35-39            |
|                            |                 | MERCURY 90ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 39-43            |
| 1600 ALASKAN SS            | 40 / 75         | MERCURY 40ELPT                | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 26-30            |
|                            |                 | MERCURY 50ELPT                | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 27-31            |
|                            |                 | MERCURY 50ELPT COMMAND THRUST | 2             | 14 X 13 BLACK MAX         | N/A                 | 27-31            |
|                            |                 | MERCURY 60ELPT                | 2             | 10.3 X 13 MERC SPITFIRE   | N/A                 | 29-33            |
|                            |                 | MERCURY 60ELPT COMMAND THRUST | 2             | 14 X 13 BLACK MAX         | N/A                 | 29-33            |
|                            |                 | MERCURY 75ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 34-38            |
| 1800 ALASKAN SS<br>& SPORT | 50 / 90         | MERCURY 50ELPT                | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 26-30            |
|                            |                 | MERCURY 60ELPT                | 2             | 10.3 X 13 MERC SPITFIRE   | N/A                 | 27-31            |
|                            |                 | MERCURY 60ELPT COMMAND THRUST | 2             | 13.8 X 11 MERC SPITFIRE   | N/A                 | 27-31            |
|                            |                 | MERCURY 75ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 32-36            |
|                            |                 | MERCURY 90ELPT                | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 36-40            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL              | HP (MIN/MAX) | ENGINE                                       | MOUNT HOLE | PROP (ALUMINUM)           | PROP (STAINLESS) | APPROX. SPEED |
|-------------------------|--------------|--|------------|---------------------------|------------------|---------------|
| 2000 ALASKAN SS & SPORT | 90 / 150     | MERCURY 90EXLPT                              | 1          | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 34-38         |
|                         |              | MERCURY 115EXLPT                             | 1          | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 37-41         |
|                         |              | MERCURY 115EXLPT PRO XS FOURSTROKE           | 1          | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 37-41         |
|                         |              | MERCURY 115EXLPT PRO XS COMMAND THRUST       | 1          |                           | N/A              | 37-41         |
|                         |              | MERCURY 150XL FOURSTROKE                     | 1          | 14.5 X 19 BLACK MAX       | 19P TEMPEST      |               |
|                         |              | MERCURY 150XL PRO XS FOURSTROKE              | 1          | 14.5 X 19 BLACK MAX       | 19P TEMPEST      |               |
| 1600 ALASKAN TILLER     | 40 / 60      | MERCURY 40ELPT                               | 2          | 10.6 X 12 MERC SPITFIRE   | N/A              | 27-31         |
|                         |              | MERCURY 40ELHPT                              | 2          | 10.6 X 12 MERC SPITFIRE   | N/A              | 27-31         |
|                         |              | MERCURY 50ELHPT                              | 2          | 10.6 X 12 MERC SPITFIRE   | N/A              | 28-32         |
|                         |              | MERCURY 50ELHPT COMMAND THRUST W/ BIG TILLER | 2          | 14 X 13 ALUM BLK MAX      | N/A              | 28-32         |
|                         |              | MERCURY 60ELPT                               | 2          | 10.3 X 13 MERC SPITFIRE   | N/A              | 30-34         |
|                         |              | MERCURY 60ELHPT                              | 2          | 10.3 X 13 MERC SPITFIRE   | N/A              | 30-34         |
|                         |              | MERCURY 60ELHPT COMMAND THRUST W/ BIG TILLER | 2          | 14 X 13 BLACK MAX         | N/A              | 30-34         |
|                         |              | MERCURY 50ELHPT                              | 2          | 10.6 X 12 MERC SPITFIRE   | N/A              | 27-31         |
|                         |              | MERCURY 50ELHPT COMMAND THRUST W/ BIG TILLER | 2          | 14 X 13 BLACK MAX         | N/A              | 27-31         |
|                         |              | MERCURY 60ELHPT                              | 2          | 10.3 X 13 MERC SPITFIRE   | N/A              | 28-32         |
| 1800 ALASKAN TILLER     | 50 / 75      | MERCURY 60ELHPT COMMAND THRUST W/ BIG TILLER | 2          | 14 X 13 BLACK MAX         | N/A              | 28-32         |
|                         |              | MERCURY 75ELPT                               | 1 / 2*     | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 33-37         |
|                         |              | MERCURY 90ELPT                               | 1 / 2*     | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 35-39         |
|                         |              | MERCURY 115ELPT PRO XS                       | 1 / 2*     | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7  | 38-42         |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                     | HP<br>(MIN/MAX) | ENGINE                                | MOUNT<br>HOLE | PROP<br>(ALUMINUM)             | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|--------------------------------|-----------------|---------------------------------------|---------------|--------------------------------|---------------------|------------------|
| 2000 ALASKAN<br>TILLER (Cont.) | 60 / 150        | MERCURY 115ELPT PRO XS COMMAND THRUST | 1 / 2*        |                                | N/A                 | 38-42            |
|                                |                 | MERCURY 150XL FOURSTROKE              | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         |                  |
|                                |                 | MERCURY 150XL PRO XS FOURSTROKE       | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         |                  |
| 1650 ANGLER<br>SPORT & SS      | 40 / 60         | MERCURY 40ELPT                        | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 23-27            |
|                                |                 | MERCURY 50ELPT                        | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 29-33            |
|                                |                 | MERCURY 60ELPT                        | 2             | 10.1 X 14 MERC SPITFIRE        | N/A                 | 31-35            |
| 1650 ANGLER<br>TILLER          | 40 / 50         | MERCURY 40ELHPT                       | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 23-27            |
|                                |                 | MERCURY 50ELHPT                       | 2             | 10.3 X 13 MERC SPITFIRE        | N/A                 | 29-33            |
|                                |                 | MERCURY 250XL DTS FOURSTROKE          | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 52-56            |
| 2275 BARON                     | 150 / 400       | MERCURY 250XL DTS FOURSTROKE VERADO   | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 52-56            |
|                                |                 | MERCURY 250XL PRO XS DTS FOURSTROKE   | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 52-56            |
|                                |                 | MERCURY 300XL DTS FOURSTROKE          | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 55-59            |
|                                |                 | MERCURY 300XL DTS FOURSTROKE VERADO   | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 55-59            |
|                                |                 | MERCURY 300XL PRO XS DTS FOURSTROKE   | 3             | 14 X 21 BLACK MAX              | 19P TEMPEST         | 55-59            |
|                                |                 | MERCURY 350XL L6 VERADO               | 3             | N/A                            | 19P TEMPEST         | 55-59            |
|                                |                 | MERCURY 400XL VERADO                  | 3             | N/A                            | 19P TEMPEST         | 57-61            |
| 1775 CROSSOVER                 | 115 / 150       | MERCURY 115EXLPT                      | 1             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 39-43            |
|                                |                 | MERCURY 115EXLPT PRO XS FOURSTROKE    | 1             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 39-43            |
|                                |                 | MERCURY 150XL FOURSTROKE              | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 49-53            |
|                                |                 | MERCURY 150XL PRO XS FOURSTROKE       | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 49-53            |
| 1875 CROSSOVER                 | 115 / 175       | MERCURY 115EXLPT                      | 2             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|                                |                 | MERCURY 115EXLPT PRO XS FOURSTROKE    | 2             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|                                |                 | MERCURY 150XL FOURSTROKE              | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 48-52            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                         | HP<br>(MIN/MAX) | ENGINE                             | MOUNT<br>HOLE | PROP<br>(ALUMINUM)        | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|------------------------------------|-----------------|------------------------------------|---------------|---------------------------|---------------------|------------------|
| <b>1875 CROSSOVER</b><br>(Cont.)   | 115 / 175       | MERCURY 150XL PRO XS FOURSTROKE    | 1 / 2*        | 14.5 X 19 BLACK MAX       | 19P TEMPEST         | 48-52            |
|                                    |                 | MERCURY 175XL FOURSTROKE           | 2             | 14 X 21 BLACK MAX         | 19P TEMPEST         | 50-54            |
|                                    |                 | MERCURY 175XL PRO XS FOURSTROKE    | 2             | 14 X 21 BLACK MAX         | 19P TEMPEST         | 50-54            |
| <b>1400 FURY</b>                   | 20 / 30         | MERCURY 20ELHPT                    | 2             | N/A                       | N/A                 | 17-21            |
|                                    |                 | MERCURY 25ELPT                     | 2             | 9.75 X 9.5 ALUM           | N/A                 | 22-26            |
|                                    |                 | MERCURY 25ELHPT                    | 2             | 9.75 X 9.5 ALUM           | N/A                 | 22-26            |
|                                    |                 | MERCURY 30ELPT                     | 2             | 9.3 X 11 MERC SPITFIRE    | N/A                 | 23-27            |
|                                    |                 | MERCURY 30ELHPT                    | 2             | 9.3 X 11 MERC SPITFIRE    | N/A                 | 23-27            |
|                                    |                 | MERCURY 20ELPT                     | 2             | N/A                       | N/A                 | 20-24            |
| <b>1600 FURY SS</b>                | 20 / 40         | MERCURY 25ELPT                     | 2             | 9.75 X 9.5 ALUM           | N/A                 | 21-25            |
|                                    |                 | MERCURY 30ELPT                     | 2             | 9.3 X 11 MERC SPITFIRE    | N/A                 | 22-26            |
|                                    |                 | MERCURY 40ELPT                     | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |
|                                    |                 | MERCURY 20MLH                      | 2             | N/A                       | N/A                 | 17-21            |
| <b>1600 FURY TILLER</b>            | 20 / 40         | MERCURY 20ELHPT                    | 2             | N/A                       | N/A                 | 17-21            |
|                                    |                 | MERCURY 25ELHPT                    | 2             | 9.75 X 9.5 ALUM           | N/A                 | 22-26            |
|                                    |                 | MERCURY 30ELHPT                    | 2             | 9.3 X 11 MERC SPITFIRE    | N/A                 | 23-27            |
|                                    |                 | MERCURY 40ELPT                     | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |
|                                    |                 | MERCURY 40ELHPT                    | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |
|                                    |                 | MERCURY 90EXLPT                    | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 38-42            |
| <b>1775 IMPACT /<br/>IMPACT XS</b> | 75 / 125        | MERCURY 90EXLPT                    | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 36-40            |
|                                    |                 | MERCURY 115EXLPT                   | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 41-45            |
|                                    |                 | MERCURY 115EXLPT PRO XS FOURSTROKE | 1             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 41-45            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                         | HP<br>(MIN/MAX) | ENGINE                                      | MOUNT<br>HOLE   | PROP<br>(ALUMINUM)             | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|------------------------------------|-----------------|---|-----------------|--------------------------------|---------------------|------------------|
| <b>1875 IMPACT /<br/>IMPACT XS</b> | 90 / 150        | MERCURY 115EXLPT                            | 1               | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 40-44            |
|                                    |                 | MERCURY 115EXLPT PRO XS FOURSTROKE          | 1               | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 40-44            |
|                                    |                 | MERCURY 150XL FOURSTROKE                    | 1 / 2*          | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 48-52            |
|                                    |                 | MERCURY 150XL PRO XS FOURSTROKE             | 1 / 2*          | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 48-52            |
|                                    |                 | MERCURY 150XL FOURSTROKE                    | 1 / 2*          | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 43-47            |
| <b>2025 IMPACT XS</b>              | 135 / 200       | MERCURY 150XL PRO XS FOURSTROKE             | 1 / 2*          | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 43-47            |
|                                    |                 | MERCURY 175XL FOURSTROKE                    | 2               | 14.25 X 21 ALUM                | 19P TEMPEST         | 46-50            |
|                                    |                 | MERCURY 175XL PRO XS FOURSTROKE             | 2               | 14.25 X 21 ALUM                | 19P TEMPEST         | 46-50            |
|                                    |                 | MERCURY 200XL FOURSTROKE                    | 2               | 14.25 X 21 ALUM                | 19P TEMPEST         | 48-52            |
|                                    |                 | MERCURY 200XL DTS FOURSTROKE                | 2               | 14.25 X 21 ALUM                | 19P TEMPEST         | 48-52            |
| <b>1675 PRO GUIDE</b>              | 40 / 60         | MERCURY 200XL PRO XS DTS FOURSTROKE         | 3               | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 48-52            |
|                                    |                 | MERCURY 40ELPT                              | 2               | 10.6 X 12 MERC SPITFIRE        | N/A                 | 25-29            |
|                                    |                 | MERCURY 40ELHPT                             | 2               | 10.6 X 12 MERC SPITFIRE        | N/A                 | 25-29            |
|                                    |                 | MERCURY 50ELHPT                             | 2               | 10.6 X 12 MERC SPITFIRE        | N/A                 | 28-32            |
|                                    |                 | MERCURY 50ELPT                              | 2               | 10.6 X 12 MERC SPITFIRE        | N/A                 | 28-32            |
| <b>1775 PRO GUIDE</b>              | 60 / 75         | MERCURY 60ELPT                              | 2               | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT                             | 2               | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER | 2               | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT                             | 2               | 14 X 13 BLACK MAX              | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT                             | 2               | 10.3 X 13 SPITFIRE             | N/A                 | 30-34            |
| <b>1875 PRO GUIDE</b>              | 90              | MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER | 2               | 14 X 13 BLACK MAX              | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT                             | 2               | 10.3 X 13 SPITFIRE             | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER | 2               | 14 X 13 BLACK MAX              | N/A                 | 30-34            |
|                                    |                 | MERCURY 60ELPT                              | 2               | 10.3 X 13 SPITFIRE             | N/A                 | 30-34            |
|                                    |                 | MERCURY 75ELPT                              | 2               | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 34-38            |
| MERCURY 90EXLPT                    | 2               | 13 X 17 X 4.25 RH 4 BLADE ALUM              | 17P SPITFIRE X7 | 36-40                          |                     |                  |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL            | HP<br>(MIN/MAX) | ENGINE                                 | MOUNT<br>HOLE | PROP<br>(ALUMINIUM)            | PROP<br>(STAINLESS) | APPROX.<br>SPEED |       |
|-----------------------|-----------------|--|---------------|--------------------------------|---------------------|------------------|-------|
| <b>2075 PRO GUIDE</b> | 115 / 250       | MERCURY 115EXLPT                       | 2             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 34-38            |       |
|                       |                 | MERCURY 115EXLPT PRO XS FOURSTROKE     | 2             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 34-38            |       |
|                       |                 | MERCURY 115EXLPT PRO XS COMMAND THRUST | 2             |                                |                     | 34-38            |       |
|                       |                 | MERCURY 150XL FOURSTROKE               | 1 / 2*        |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 42-46 |
|                       |                 | MERCURY 150XL PRO XS FOURSTROKE        | 1 / 2*        |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 42-46 |
|                       |                 | MERCURY 175XL FOURSTROKE               | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 44-48 |
|                       |                 | MERCURY 175XL PRO XS FOURSTROKE        | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 44-48 |
|                       |                 | MERCURY 200XL FOURSTROKE               | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 47-51 |
|                       |                 | MERCURY 200XL DTS FOURSTROKE           | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 47-51 |
|                       |                 | MERCURY 200XL PRO XS DTS FOURSTROKE    | 3             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 47-51 |
| <b>1875 PRO V</b>     | 135 / 200       | MERCURY 225XL DTS FOURSTROKE           | 2             |                                | 19P TEMPEST         | 49-53            |       |
|                       |                 | MERCURY 250XL DTS FOURSTROKE           | 3             |                                | 19P TEMPEST         | 52-56            |       |
|                       |                 | MERCURY 150XL FOURSTROKE               | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 46-50 |
|                       |                 | MERCURY 150XL PRO XS FOURSTROKE        | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 46-50 |
|                       |                 | MERCURY 175XL FOURSTROKE               | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 48-52 |
|                       |                 | MERCURY 175XL PRO XS FOURSTROKE        | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 48-52 |
|                       |                 | MERCURY 200XL FOURSTROKE               | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 52-56 |
|                       |                 | MERCURY 200XL DTS FOURSTROKE           | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 52-56 |
|                       |                 | MERCURY 200XL PRO XS DTS FOURSTROKE    | 3             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 52-56 |
|                       |                 | MERCURY 150XL FOURSTROKE               | 1 / 2*        |                                | 14.5 X 19 BLACK MAX | 19P TEMPEST      | 44-48 |
| <b>1975 PRO V</b>     | 135 / 225       | MERCURY 150XL PRO XS FOURSTROKE        | 1 / 2*        |                                | 19P TEMPEST         | 44-48            |       |
|                       |                 | MERCURY 175XL FOURSTROKE               | 2             |                                | 19P TEMPEST         | 46-50            |       |
|                       |                 | MERCURY 175XL PRO XS FOURSTROKE        | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 46-50 |
|                       |                 | MERCURY 175XL PRO XS FOURSTROKE        | 2             |                                | 14.25 X 21 ALUM     | 19P TEMPEST      | 46-50 |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                | HP<br>(MIN/MAX) | ENGINE                              | MOUNT<br>HOLE | PROP<br>(ALUMINUM)  | PROP<br>(STAINLESS)                | APPROX.<br>SPEED |
|---------------------------|-----------------|-------------------------------------|---------------|---------------------|------------------------------------|------------------|
| <b>1975 PRO V (Cont.)</b> | 135 / 225       | MERCURY 200XL FOURSTROKE            | 2             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 50-54            |
|                           |                 | MERCURY 200XL DTS FOURSTROKE        | 2             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 50-54            |
|                           |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 50-54            |
|                           |                 | MERCURY 225XL DTS FOURSTROKE        | 2             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 52-56            |
|                           |                 | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | 14.5 X 19 BLACK MAX | 17P ENERTIA                        | 52-56            |
|                           |                 | MERCURY 250XL DTS FOURSTROKE        | 3             | N/A                 | 19P TEMPEST                        | 54-58            |
| <b>2075 PRO V</b>         | 200 / 300       | MERCURY 250XL DTS FOURSTROKE VERADO | 3             | N/A                 | 19P TEMPEST                        | 54-58            |
|                           |                 | MERCURY 250XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 19P TEMPEST                        | 54-58            |
|                           |                 | MERCURY 300XL DTS FOURSTROKE        | 3             | N/A                 | 19P TEMPEST                        | 56-61            |
|                           |                 | MERCURY 300XL DTS FOURSTROKE VERADO | 3             | N/A                 | 19P TEMPEST                        | 56-61            |
|                           |                 | MERCURY 300XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 19P TEMPEST                        | 56-61            |
|                           |                 | MERCURY 300XL DTS FOURSTROKE        | 3             | N/A                 | 19P TEMPEST                        | 53-57            |
| <b>2175 PRO V</b>         | 200 / 400       | MERCURY 300XL DTS FOURSTROKE VERADO | 3             | N/A                 | 14.625 X 21 X 3 RH<br>TEMPEST PLUS | 53-57            |
|                           |                 | MERCURY 300XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 14.625 X 21 X 3 RH<br>TEMPEST PLUS | 53-57            |
|                           |                 | MERCURY 350XL L6 VERADO             | 3             | N/A                 | 15 X 22 BRAVO                      | 55-59            |
|                           |                 | MERCURY 400XL VERADO                | 3             | N/A                 | 15 X 20 BRAVO LF1                  | 57-61            |
|                           |                 | MERCURY 150XL FOURSTROKE            | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 46-50            |
|                           |                 | MERCURY 150XL PRO XS FOURSTROKE     | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 46-50            |
| <b>1875 PRO V BASS</b>    | 115 / 200       | MERCURY 175XL FOURSTROKE            | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 48-52            |
|                           |                 | MERCURY 175XL PRO XS FOURSTROKE     | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 48-52            |
|                           |                 | MERCURY 200XL FOURSTROKE            | 3             | 14.25 X 21 ALUM     | 19P TEMPEST                        | 52-56            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                               | HP<br>(MIN/MAX) | ENGINE                              | MOUNT<br>HOLE | PROP<br>(ALUMINIUM) | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|--|-----------------|-------------------------------------|---------------|---------------------|---------------------|------------------|
| <b>1875 PRO V BASS</b><br><i>(Cont.)</i> | 115 / 200       | MERCURY 200XL DTS FOURSTROKE        | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 52-56            |
|  |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 23 ALUM     | 19P TEMPEST         | 52-56            |
|  |                 | MERCURY 200XL FOURSTROKE            | 3             | N/A                 | 19P TEMPEST         | 48-52            |
| <b>2075 PRO V BASS</b>                   | 175 / 250       | MERCURY 200XL DTS FOURSTROKE        | 3             | N/A                 | 19P TEMPEST         | 48-52            |
|  |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 19P TEMPEST         | 48-52            |
|  |                 | MERCURY 225XL DTS FOURSTROKE        | 3             | N/A                 | 19P TEMPEST         | 51-55            |
|  |                 | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 19P TEMPEST         | 51-55            |
|  |                 | MERCURY 250XL DTS FOURSTROKE        | 3             | N/A                 | 21P TEMPEST         | 56-60            |
|  |                 | MERCURY 250XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 21P TEMPEST         | 56-60            |
| <b>189 PRO V GL</b>                      | 150 / 200       | MERCURY 150XL PRO XS DTS FOURSTROKE | 1             | N/A                 | 19P TEMPEST         | 46-50            |
|  |                 | MERCURY 175XL PRO XS FOURSTROKE     | 2             | N/A                 | 19P TEMPEST         | 48-52            |
|  |                 | MERCURY 200XL DTS FOURSTROKE        | 2             | N/A                 | 19P ENERTIA         | 50-54            |
|  |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 2             | N/A                 | 19P ENERTIA         | 50-54            |
|  |                 | MERCURY 250XL DTS FOURSTROKE VERADO | 2             | N/A                 | 19P TEMPEST         | 51-55            |
| <b>202 PRO V GL</b>                      | 200 / 300       | MERCURY 300XL DTS FOURSTROKE VERADO | 2             | N/A                 | 15 X 22 BRAVO       | 55-59            |
|  |                 | MERCURY 300XL DTS FOURSTROKE VERADO | 2             | N/A                 | 15 X 22 BRAVO       | 53-57            |
|  |                 | MERCURY 350XL L6 VERADO             | 2             | N/A                 | 15 X 22 BRAVO       | 56-60            |
| <b>1875 PRO V LIMITED</b>                | 200             | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 52-56            |
| <b>1975 PRO V LIMITED</b>                | 225             | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | 14.5 X 19 BLACK MAX | 17P ENERTIA         | 52-56            |
| <b>2075 PRO V LIMITED</b>                | 300             | MERCURY 300XL PRO XS DTS FOURSTROKE | 3             | N/A                 | 19P TEMPEST         | 56-61            |



# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                  | HP<br>(MIN/MAX) | ENGINE                              | MOUNT<br>HOLE | PROP<br>(ALUMINUM)        | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|-----------------------------|-----------------|-------------------------------------|---------------|---------------------------|---------------------|------------------|
| 2175 PRO V<br>LIMITED       | 350 / 400       | MERCURY 350XL L6 VERADO             | 3             | N/A                       | 15 X 22 BRAVO       | 55-59            |
|                             |                 | MERCURY 400XL VERADO                | 3             | N/A                       | 15 X 20 BRAVO LF1   | 57-61            |
| 1875 PRO V<br>MUSKY         | 115 / 200       | MERCURY 150XL FOURSTROKE            | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 46-50            |
|                             |                 | MERCURY 150XL PRO XS FOURSTROKE     | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 46-50            |
|                             |                 | MERCURY 175XL FOURSTROKE            | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 48-52            |
|                             |                 | MERCURY 175XL PRO XS FOURSTROKE     | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 48-52            |
|                             |                 | MERCURY 200XL FOURSTROKE            | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 52-56            |
|                             |                 | MERCURY 200XL DTS FOURSTROKE        | 3             | 14.25 X 21 ALUM           | 19P TEMPEST         | 52-56            |
|                             |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 23 ALUM           | 19P TEMPEST         | 52-56            |
|                             |                 | MERCURY 200XL FOURSTROKE            | 3             | N/A                       | 19P TEMPEST         | 48-52            |
| 2075 PRO V<br>MUSKY         | 175 / 250       | MERCURY 200XL DTS FOURSTROKE        | 3             | N/A                       | 19P TEMPEST         | 48-52            |
|                             |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | N/A                       | 19P TEMPEST         | 48-52            |
|                             |                 | MERCURY 225XL DTS FOURSTROKE        | 3             | N/A                       | 19P TEMPEST         | 51-55            |
|                             |                 | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | N/A                       | 19P TEMPEST         | 51-55            |
|                             |                 | MERCURY 250XL DTS FOURSTROKE        | 3             | N/A                       | 21P TEMPEST         | 56-60            |
|                             |                 | MERCURY 250XL DTS FOURSTROKE VERADO | 3             | N/A                       | 21P TEMPEST         | 56-60            |
|                             |                 | MERCURY 250XL PRO XS DTS FOURSTROKE | 3             | N/A                       | 21P TEMPEST         | 56-60            |
|                             |                 | MERCURY 50ELPT                      | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 29-33            |
| 1650 REBEL XL<br>SPORT / SS | 50 / 90         | MERCURY 60ELPT                      | 2             | 10.3 X 13 MERC SPITFIRE   | N/A                 | 30-34            |
|                             |                 | MERCURY 75ELPT                      | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 31-35            |
|                             |                 | MERCURY 90ELPT                      | 2             | 13 X 17 X 4.25 RH 4 BLADE | 17P SPITFIRE X7     | 32-36            |
|                             |                 | MERCURY 40ELPT                      | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |
| 1650 REBEL XL<br>TILLER     | 40 / 60         | MERCURY 40ELHPT                     | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |
|                             |                 | MERCURY 40ELH                       | 2             | 10.6 X 12 MERC SPITFIRE   | N/A                 | 28-32            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                                | HP<br>(MIN/MAX) | ENGINE                                      | MOUNT<br>HOLE | PROP<br>(ALUMINUM)             | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|---|-----------------|---|---------------|--------------------------------|---------------------|------------------|
| 1650 REBEL XL<br>TILLER<br><i>(Cont.)</i> | 40 / 60         | MERCURY 50ELPT                              | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 29-33            |
|   |                 | MERCURY 50ELHPT                             | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 29-33            |
|   |                 | MERCURY 60ELPT                              | 2             | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|   |                 | MERCURY 60ELHPT                             | 2             | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|   |                 | MERCURY 60ELHPT COMMAND THRUST W/BIG TILLER | 2             | 14 X 13 BLACK MAX              | N/A                 | 30-34            |
| 1775 RENEGADE                             | 60 / 90         | MERCURY 50ELPT                              | 2             | 10.6 X 12 MERC SPITFIRE        | N/A                 | 29-33            |
|   |                 | MERCURY 60ELPT                              | 2             | 10.3 X 13 MERC SPITFIRE        | N/A                 | 30-34            |
|   |                 | MERCURY 75ELPT                              | 1             | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 36-40            |
|   |                 | MERCURY 90ELPT                              | 1             | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 40-44            |
|   |                 | MERCURY 75ELPT                              | 1             | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 38-42            |
| 1875 RENEGADE                             | 90 / 115        | MERCURY 90ELPT                              | 1             | 13 X 17 X 4.25 RH 4 BLADE      | 17P SPITFIRE X7     | 39-43            |
|   |                 | MERCURY 115ELPT                             | 1             | 12.5 X 19 X 4.25 RH 4 BLADE    | 17P SPITFIRE X7     | 43-47            |
|   |                 | MERCURY 115ELPT PRO XS                      | 1             | 12.5 X 19 X 4.25 RH 4 BLADE    | 17P SPITFIRE X7     | 43-47            |
|   |                 | MERCURY 115EXLPT                            | 1             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
|   |                 | MERCURY 115EXLPT PRO XS FOURSTROKE          | 1             | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7     | 38-42            |
| 1800 SPORT<br>ANGLER                      | 115 / 175       | MERCURY 150XL FOURSTROKE                    | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 47-51            |
|   |                 | MERCURY 150XL PRO XS FOURSTROKE             | 1 / 2*        | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 47-51            |
|   |                 | MERCURY 175XL FOURSTROKE                    | 2             | 14.25 X 21 ALUM                | 19P TEMPEST         | 50-54            |
|   |                 | MERCURY 175XL PRO XS FOURSTROKE             | 2             | 14.25 X 21 ALUM                | 19P TEMPEST         | 50-54            |
|   |                 | MERCURY 150XL FOURSTROKE                    | 1 / 2*        | 14.5 X 19 BLACK MAX            | 17P TEMPEST         | 44-48            |
| 2000 SPORT<br>ANGLER                      | 135 / 225       | MERCURY 150XL PRO XS FOURSTROKE             | 1 / 2*        | 14.5 X 19 BLACK MAX            | 17P TEMPEST         | 44-48            |
|   |                 | MERCURY 175XL FOURSTROKE                    | 2             | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 46-50            |
|   |                 | MERCURY 175XL PRO XS FOURSTROKE             | 2             | 14.5 X 19 BLACK MAX            | 19P TEMPEST         | 46-50            |
|   |                 | MERCURY 200XL FOURSTROKE                    | 2             | 14.25 X 21 ALUM                | 19P TEMPEST         | 48-52            |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL                       | HP (MIN/MAX) | ENGINE                              | MOUNT HOLE | PROP (ALUMINUM)                | PROP (STAINLESS) | APPROX. SPEED |
|----------------------------------|--------------|-------------------------------------|------------|--------------------------------|------------------|---------------|
| <b>2000 SPORT ANGLER (Cont.)</b> | 135 / 225    | MERCURY 200XL DTS FOURSTROKE        | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 200XL PRO XS DTS FOURSTROKE | 3          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 225XL DTS FOURSTROKE        | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 51-55         |
|                                  |              | MERCURY 225XL PRO XS DTS FOURSTROKE | 3          | 14.25 X 21 ALUM                | 19P TEMPEST      | 51-55         |
| <b>1875 TYEE</b>                 | 115 / 200    | MERCURY 115EXLPT PRO XS FOURSTROKE  | 1          | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7  | 38-42         |
|                                  |              | MERCURY 115EXLPT                    | 1          | 13 X 17 X 4.25 RH 4 BLADE ALUM | 17P SPITFIRE X7  | 38-42         |
|                                  |              | MERCURY 150XL PRO XS FOURSTROKE     | 2          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 46-50         |
|                                  |              | MERCURY 150XL FOURSTROKE            | 1 / 2*     | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 46-50         |
|                                  |              | MERCURY 175XL PRO XS FOURSTROKE     | 2          | 14 X 21 BLACK MAX              | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 175XL FOURSTROKE            | 2          | 14 X 21 BLACK MAX              | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 200XL FOURSTROKE            | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 200XL DTS FOURSTROKE        | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 200XL PRO XS DTS FOURSTROKE | 3          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 150XL FOURSTROKE            | 1 / 2*     | 14.5 X 19 BLACK MAX            | 17P TEMPEST      | 44-48         |
| <b>1975 TYEE</b>                 | 135 / 225    | MERCURY 150XL PRO XS FOURSTROKE     | 2          | 14.5 X 19 BLACK MAX            | 17P TEMPEST      | 44-48         |
|                                  |              | MERCURY 175XL FOURSTROKE            | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 175XL PRO XS FOURSTROKE     | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 200XL FOURSTROKE            | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 200XL DTS FOURSTROKE        | 2          | 14.25 X 21 ALUM                | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 200XL PRO XS DTS FOURSTROKE | 3          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 48-52         |
|                                  |              | MERCURY 225XL FOURSTROKE            | 2          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 225XL DTS FOURSTROKE        | 2          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 225XL PRO XS DTS FOURSTROKE | 3          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 49-53         |
|                                  |              | MERCURY 225XL                       | 2          | 14.5 X 19 BLACK MAX            | 19P TEMPEST      | 49-53         |

# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL               | HP<br>(MIN/MAX) | ENGINE                              | MOUNT<br>HOLE | PROP<br>(ALUMINUM)  | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|--------------------------|-----------------|-------------------------------------|---------------|---------------------|---------------------|------------------|
| <b>2075 TYEE</b>         | 150 / 250       | MERCURY 200XL FOURSTROKE            | 2             | 14.25 X 21 ALUM     | 19P TEMPEST         | 46-50            |
|                          |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 46-50            |
|                          |                 | MERCURY 225XL DTS FOURSTROKE        | 2             | 14.25 X 21 ALUM     | 19P TEMPEST         | 50-54            |
|                          |                 | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 50-54            |
|                          |                 | MERCURY 250XL DTS FOURSTROKE        | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 52-56            |
|                          |                 | MERCURY 250XL DTS FOURSTROKE VERADO | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 52-56            |
| <b>189 TYEE GL</b>       | 150 / 200       | MERCURY 250XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM     | 19P TEMPEST         | 52-56            |
|                          |                 | MERCURY 150XL PRO XS FOURSTROKE     | 1             | N/A                 | 19P TEMPEST         | 46-50            |
|                          |                 | MERCURY 175XL PRO XS FOURSTROKE     | 2             | N/A                 | 19P TEMPEST         | 48-52            |
|                          |                 | MERCURY 200XL DTS FOURSTROKE        | 2             | N/A                 | 19P ENERTIA         | 50-54            |
|                          |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 2             | N/A                 | 19P ENERTIA         | 50-54            |
|                          |                 | MERCURY 250XL DTS FOURSTROKE VERADO | 2             | N/A                 | 19P TEMPEST         | 51-55            |
| <b>208 TYEE GL</b>       | 200 / 300       | MERCURY 250XL PRO XS DTS FOURSTROKE | 2             | N/A                 | 19P TEMPEST         | 51-55            |
|                          |                 | MERCURY 300XL DTS FOURSTROKE VERADO | 2             | N/A                 | 15 X 22 BRAVO       | 55-59            |
|                          |                 | MERCURY 300XL PRO XS DTS FOURSTROKE | 2             | N/A                 | 19P TEMPEST         | 55-59            |
| <b>1875 TYEE LIMITED</b> | 200             | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.5 X 19 BLACK MAX | 19P TEMPEST         | 49-53            |
| <b>1975 TYEE LIMITED</b> | 225             | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | 14.5 X 19 BLACK-MAX | 19P TEMPEST         | 49-53            |



# LUND 2021 PROP SELECTOR GUIDE

| BOAT MODEL          | HP<br>(MIN/MAX) | ENGINE                              | MOUNT<br>HOLE | PROP<br>(ALUMINUM) | PROP<br>(STAINLESS) | APPROX.<br>SPEED |
|---------------------|-----------------|-------------------------------------|---------------|--------------------|---------------------|------------------|
| 2075 TYEE<br>MAGNUM | 150 / 250       | MERCURY 200XL FOURSTROKE            | 2             | 14.25 X 21 ALUM    | 19P TEMPEST         | 48-52            |
|                     |                 | MERCURY 200XL DTS FOURSTROKE        | 2             | 14.25 X 21 ALUM    | 19P TEMPEST         | 48-52            |
|                     |                 | MERCURY 200XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM    | 19P TEMPEST         | 48-52            |
|                     |                 | MERCURY 225XL DTS FOURSTROKE        | 2             | 14.25 X 21 ALUM    | 19P TEMPEST         | 50-54            |
|                     |                 | MERCURY 225XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM    | 19P TEMPEST         | 50-54            |
|                     |                 | MERCURY 250XL DTS FOURSTROKE        | 3             | 14.25 X 21 ALUM    | 19P TEMPEST         | 52-56            |
|                     |                 | MERCURY 250XL DTS FOURSTROKE VERADO | 3             | 14.25 X 21 ALUM    | 19P TEMPEST         | 52-56            |
|                     |                 | MERCURY 250XL PRO XS DTS FOURSTROKE | 3             | 14.25 X 21 ALUM    | 19P TEMPEST         | 52-56            |

# NOTES



# FINANCING GUIDE

Schedule of monthly payments per each  
\$1,000 borrowed

| INTEREST RATES | 36 MO. | 48 MO. | 60 MO. | 72 MO. | 84 MO. | 96 MO. |
|----------------|--------|--------|--------|--------|--------|--------|
| 6%             | 30.42  | 23.49  | 19.33  | 16.57  | 14.61  | 13.14  |
| 7%             | 30.88  | 23.95  | 19.80  | 17.05  | 15.09  | 13.63  |
| 8%             | 31.34  | 24.41  | 20.28  | 17.53  | 15.59  | 14.14  |
| 9%             | 31.80  | 24.89  | 20.76  | 18.03  | 16.09  | 14.65  |
| 10%            | 32.27  | 25.36  | 21.25  | 18.53  | 16.60  | 15.17  |
| 11%            | 32.74  | 25.85  | 21.74  | 19.03  | 17.12  | 15.71  |
| 12%            | 33.21  | 26.33  | 22.24  | 19.55  | 17.65  | 16.25  |
| 13%            | 33.69  | 26.83  | 22.75  | 20.07  | 18.19  | 16.81  |
| 14%            | 34.18  | 27.33  | 23.27  | 20.61  | 18.74  | 17.37  |